

# Semi-annual Environmental Monitoring Report

**Project Number:** Sustainable Urban Transport Investment Program - Tranche 4  
LOAN NUMBER 3273-GEO

**Reporting period:** July – December 2018

## **GEORGIA: GEORGIAN SUSTAINABLE URBAN TRANSPORT INVESTMENT PROGRAM - Tranche 4**

**(Financed by the Asian Development Bank)**

**Prepared by:** Ketevan Papashvili, Environmental Specialist for ADB projects  
Environmental and Resettlement Unit, Municipal Development Fund (MDF)  
Tbilisi, Georgia

**Endorsed by:** Elguja Kvantchilashvili, Head of Environmental and Resettlement Unit  
Municipal Development Fund (MDF)  
Tbilisi, Georgia

January 2019

## **Table of Contents**

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
<b>1.1</b>	<b>Preamble .....</b>	<b>1</b>
<b>1.2</b>	<b>Headline Information.....</b>	<b>1</b>
<b>2</b>	<b>PROJECT DESCRIPTION AND CURRENT ACTIVITIES .....</b>	<b>1</b>
<b>2.1</b>	<b>Project Description.....</b>	<b>2</b>
<b>2.2</b>	<b>Project Contracts and Management .....</b>	<b>4</b>
<b>2.3</b>	<b>Project Activities during Current Reporting Period .....</b>	<b>8</b>
<b>2.4</b>	<b>Description of Any Changes to Project Design .....</b>	<b>11</b>
<b>3</b>	<b>ENVIRONMENTAL SAFEGUARD ACTIVITIES .....</b>	<b>13</b>
<b>3.1</b>	<b>General Description of Environmental Safeguard Activities .....</b>	<b>13</b>
<b>3.2</b>	<b>Site Audits.....</b>	<b>14</b>
<b>3.3</b>	<b>Issues Tracking (Based on Non-Conformance Notices) .....</b>	<b>16</b>
<b>3.4</b>	<b>Trends.....</b>	<b>16</b>
<b>3.5</b>	<b>Unanticipated Environmental Impacts or Risks .....</b>	<b>17</b>
<b>4</b>	<b>RESULTS OF ENVIRONMENTAL MONITORING .....</b>	<b>18</b>
<b>3.6</b>	<b>Overview of Monitoring Conducted during Current Period .....</b>	<b>18</b>
<b>3.7</b>	<b>Trends.....</b>	<b>19</b>
<b>3.8</b>	<b>Summary of Monitoring Outcomes .....</b>	<b>19</b>
<b>3.9</b>	<b>Material Resources Utilization.....</b>	<b>19</b>
<b>3.9.1</b>	<b>Current Period.....</b>	<b>19</b>
<b>3.9.2</b>	<b>Cumulative Resource Utilization .....</b>	<b>19</b>
<b>3.10</b>	<b>Waste Management .....</b>	<b>19</b>
<b>3.10.2</b>	<b>Current Period.....</b>	<b>20</b>
<b>3.10.3</b>	<b>Cumulative Waste Generation .....</b>	<b>21</b>
<b>3.11</b>	<b>Health and Safety .....</b>	<b>21</b>
<b>3.11.1</b>	<b>Community Health and Safety .....</b>	<b>21</b>
<b>3.11.2</b>	<b>Worker Safety and Health.....</b>	<b>21</b>
<b>3.12</b>	<b>Trainings .....</b>	<b>22</b>
<b>4</b>	<b>FUNCTIONING OF THE SEMP.....</b>	<b>24</b>
<b>4.1</b>	<b>SEMP Review .....</b>	<b>24</b>
<b>5</b>	<b>GOOD PRACTICE AND OPPORTUNITY FOR IMPROVEMENT.....</b>	<b>1</b>

<b>5.1</b>	<b>Good Practice .....</b>	<b>1</b>
<b>5.2</b>	<b>Opportunities for Improvement.....</b>	<b>1</b>
<b>6</b>	<b>SUMMARY AND RECOMMENDATIONS .....</b>	<b>2</b>
<b>6.1</b>	<b>Summary .....</b>	<b>2</b>
<b>6.2</b>	<b>Recommendations .....</b>	<b>2</b>
<b>7</b>	<b>ANNEXES .....</b>	<b>3</b>
<b>7.1</b>	<b>Annex 1 - Noise Measurements (July - December, 2018).....</b>	<b>3</b>
7.1.1	July .....	3
7.1.2	August .....	15
7.1.3	September .....	43
7.1.4	October.....	71
7.1.5	November .....	99
7.1.6	December .....	127
<b>7.2</b>	<b>Annex 2 - Air Measurements (July – December, 2018).....</b>	<b>155</b>
7.2.1	July .....	155
7.2.2	August .....	157
7.2.3	September .....	160
7.2.4	October.....	163
7.2.5	November .....	166
7.2.6	December .....	169
<b>7.3</b>	<b>Annex 3 – Water turbidity Measurements (July – December, 2018)....</b>	<b>172</b>
7.3.1	July .....	172
7.3.2	August .....	174
7.3.3	September .....	176
7.3.4	October.....	178
7.3.5	November .....	180
7.3.6	December .....	182
<b>7.4</b>	<b>Annex 4 – Site re-entry walk over surveys (Flora and Fauna) (July – December, 2018).....</b>	<b>184</b>
7.4.1	July .....	184
7.4.2	August .....	189
7.4.3	September .....	194
7.4.4	October.....	199
7.4.5	November .....	204
7.4.6	December .....	209
<b>8</b>	<b>PHOTOS .....</b>	<b>214</b>

## **Abbreviations**

ADB	Asian Development Bank
EA	Executing Agency
EARF	Environmental Assessment and Review Framework
EIA	Environmental Impact Assessment
EIP	Environmental Impact Permit
EMP	Environmental Management Plan
EPSM	Engineering Procurement and Construction Management
GoG	Government of Georgia
SUTIP	Sustainable Urban Transport Investment Program
IA	Implementing Agency
IEE	Initial Environmental Examination
MDF	Municipal Development Fund of Georgia
MFF	Multi-tranche Financing Facility
MEPA	Ministry of Environmental Protection and Agriculture
MoRDI	Ministry of Regional Development & Infrastructure
SSEMP	Site-Specific Environmental Management Plan

## **1 INTRODUCTION**

### **1.1 Preamble**

1. This report represents the Semi - Annual Environmental Monitoring Review (SAEMR) for GEORGIAN SUSTAINABLE URBAN TRANSPORT INVESTMENT PROGRAM – TRANCHE 4 - **Coastal Protection Batumi project**. Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment N2.
2. This report is the fourth (4) EMR for the project, since the 2017.

### **1.2 Headline Information**

3. Black Sea coast playing a significant role in economics of Georgia, cultural and tourist development as well. Coastal improvement is one of the priorities among other infrastructural projects, which will facilitate the future development of the City Batumi and Adjara region. Upgrading and improvement of local transport and transport-related infrastructure plays a significant role in the development of Georgia infrastructure. To this effect, a number of important activities have been implemented and financed from the budget of Georgia and from other sources. Recently several significant programs, financed through state budget, loans and grants, have been implemented with this regard.
4. The Sustainable Urban Transport Investment Program (SUTIP) is financed by ADB under a multi tranche financing facility (MFF), and is aimed at promoting a sustainable, integrated, socially-affordable and cost-efficient urban transport system in cities of Georgia, to energize the economy and improve the quality of life of citizens. Projects involve rehabilitation and repair of existing infrastructure, provision of new facilities and capacity building.
5. SUTIP - Tranche 4 was developed as the government's response to the transportation problems in urban areas, which include large traffic volumes causing increasing delays, as a result of previous under-investment in infrastructure maintenance and expansion. Tranche 4 was signed on 26 October 2015, and declared effective on 8 January 2016. Inception Mission was fielded on 26 January to 9 February 2016. Batumi coastal protection works contract was awarded in December 2016, and project implementation is ongoing.
6. SUTIP - Tranche 4 comprises (i) urban infrastructure improvement, including one subproject: Batumi Coastal Protection; (ii) institutional strengthening, including management information system for MDF; and (iii) project management facility, including incremental administration and consulting services for audit, safeguards monitoring, and feasibility studies and detailed engineering design for sustainable urban transport projects. The government, through the Ministry of Finance, has submitted on 15 April 2015 the periodic financing request for Tranche 4, requesting a loan of \$20 million from ADB's ordinary capital resources. These investments will improve the urban environment, strengthen economic and tourism development, and regional integration.
7. The Municipal Development Fund of Georgia (MDF) is the executing agency of the program, and is responsible for the general coordination and implementation of projects, for negotiating with ADB and with appropriate ministries and agencies of the Borrower. MDF is directly responsible for planning, designing, civil works on construction and rehabilitation of all subprojects in the frame of program.

## **2 PROJECT DESCRIPTION AND CURRENT ACTIVITIES**


### **2.1 Project Description**

8. Coastal improvement is one of the priorities among other infrastructural projects, which will facilitate the future development of the Batumi City and region. The proposed project is aimed at protecting the Batumi coast against erosion, which is affecting the coastline southwest of Batumi, over a length of about 5 km. Along this section a number of properties has been lost already in the past. Without adequate protection measures coastal erosion will continue and as a consequence the investment climate for tourism development could be negatively influenced.
9. The main objective of the proposed project is to protect the Batumi coast against erosion. The coastline southwest of Batumi is affected by erosion over a length of about 5 km. Along this section a number of properties has been lost already in the past. Without adequate protection measures coastal erosion will continue at the airport area and at Adlia (village south of Batumi) and might even affect the beaches and the coastline of Batumi. As a consequence, the investment climate for tourism development could be negatively influenced.
10. The evaluation of the alternatives to protect the coast against the erosion affecting the southern section of the littoral has shown that a soft intervention, featuring recirculation of the sediment between the northern section of the littoral (where it accumulates due to natural transport pattern) and the southern portion (from where it is removed due to erosion), is the most efficient way to protect and restore the beach.
11. Therefore, the main intervention aiming at stabilizing this portion of the Batumi coastline features artificial nourishment in the southern portion of the littoral, just north of the airport, spread over a beach length of approximately 2,000 m, using material taken from the northern part of the coastline (where beach accretion is occurring).
12. The interventions for the protection of the coast are listed here below:
  - Beach nourishment of the eroded sediment along the coast for about 1,680m, in the southern beach (approx. 120,000 m<sup>3</sup>);
  - Adapting the revetment to the existing local conditions for 1,750m;
  - Safeguard of greenery and boulevard for about 1,750m;
  - Yearly possible nourishment maintenance (50,000m<sup>3</sup>);
  - A Chorokhi river monitoring program providing the information needed to analyze the morphology and hydrology of the Chorokhi river and to study the shape of river mouth that could increase the deposit of the sediment from the river towards north and that could minimize the loss in the canyon of the sediments transported by the river.
13. The following maps show the general location of the Project activities:

**Figure 1: General location**



**Figure 2. Site location**



14. In addition to sediment recirculation, the beach in the South, suffering erosion, will also be protected by a revetment and enlarged over a stretch about 2 km long. Both sediment from recirculation (gravel) and sediment from excavation (needed to build the revetment) will provide nourishment to this southern portion of the littoral. In particular, in this first intervention, the gravel material from recirculation (approximately 30,000 m<sup>3</sup>) will be used to form the toe of the new enlarged beach.
-

**Figure 3. Site Location with GPS**



$x=41\ 37.0371^{\circ}\text{N},\ y=41\ 35.0911^{\circ}\text{E}$	$x=38.5445^{\circ}\text{N},\ y=41\ 37.1968^{\circ}\text{E}$
$x=41\ 37.1117^{\circ}\text{N},\ y=41\ 35.1117^{\circ}\text{E}$	$x=41\ 38.5392^{\circ}\text{N},\ y=41\ 37.2038^{\circ}\text{E}$
$x=41\ 36.5740^{\circ}\text{N},\ y=41\ 35.0988^{\circ}\text{E}$	$x=41\ 38.5427^{\circ}\text{N},\ y=41\ 37.2091^{\circ}\text{E}$
$x=31\ 36.5842^{\circ}\text{N},\ y=41\ 35.0637^{\circ}\text{E}$	$x=41\ 38.5276^{\circ}\text{N},\ y=41\ 37.2190^{\circ}\text{E}$

15. The Environmental Category of the proposed project for Batumi coastal protection is B (ADB's Safeguard Policy Statement, 2009), which refers to projects not having significant irreversible or permanent negative environmental impacts during or after construction. For this category of Projects ADB requires the preparation of Initial Environmental Examination (IEE).

## 2.2 Project Contracts and Management

16. On October 16, 2014 the contract between MDF and Technital, regarding the "Consulting services for- Batumi Coastal Improvement project", was signed. The Contract Agreement for Civil works, with Struijk Group as Construction Contractor, was signed on 15 November 2016.
17. Commencement date for civil works is defined as February 1, 2017. Before starting any construction activities, Construction Contractor was required to develop Site Specific Environmental Management Plan (SSEMP), which was developed and approved as by Supervision Company and MDF, as well as by ADB.
18. The main institutions involved in IEEs/EMPs/SSEMPs implementation and monitoring, are the executing agency (EA) - MDF, the Supervision Consultant (SC)- Technital, the Construction Contractors -Struijk and to a lesser extent the Ministry of Environmental and Natural Resources Protection and Municipal Authorities. EA (MDF) and SCs are responsible for ensuring monitoring of the projects' implementation at the construction stage. Ministry of Environmental and Natural Resources Protection has the authority for periodic audits but should not be considered as a party responsible for monitoring according to this IEE and EMPS.
19. The supervisor company (SC), of works commissioned by MDF is responsible to establish strong field presence in the Project area and keep a close eye on the course of works.

Along with ensuring consistency with the design and ensuring quality of works, the supervisor is mandated to track implementation of EMP/SSEMP by the contractor and reveal any deviations from the prescribed actions.

20. The Consultant's staff, as outlined within the Consultant's proposal, consists of an international Project Team, formed by TECHNITAL and a national team of experts, formed by Saunders Group Ltd.
21. With respect to this stage, the Supervision Team falls conveniently into two groups as follows (Table 1):

**Table 1: Supervision Team Composition**

<b>International</b>	<b>National</b>
Coastal Management Specialist/Team Leader	Coast Protection Engineer/Deputy TL
Coast Protection engineer	Hydraulic engineer
Geotechnical Engineer	Geotechnical Engineer
Environmental specialist	Sea Hydrologist
	Environmental specialist
	Quantity surveyor

22. As foreseen by the Contract No. SUTIP2/C/QCBS/7-2013 between MDF and Technital, dated October 16th 2014, for the Environmental supervision for the construction site (4.2 Construction Supervision, (a) International Team, Non Key Experts, Environmental Specialist) the following tasks and responsibilities are requested:
  - Coordination and liaison with Government/Employer;
  - Reports preparation;
  - carry out environmental monitoring and management of project implementation;
  - help ensure the implementation of environmental management practices at each stage of the construction;
  - develop an environmental auditing protocol for the construction period, regularly supervise the environmental monitoring;
  - submit periodic reports based on the monitoring data and laboratory analysis reports;
  - implementation of environmental mitigation measures during construction period.
23. Construction Supervision Company is preparing quarterly progress reports, which cover the implementation of the SSEMP, discrepancies from the SSEMP and list all HSE relevant incidents and accidents that occur during the implementation; Submits periodic reports based on the monitoring data and laboratory analysis.
24. The key experts mobilized at the SC for the supervision stage are listed in the following Table 2.

**Table 2: Key experts mobilized at the SC**

<b>International Key expert for the supervision Stage</b>		<b>Contacts</b>	<b>Mail</b>
K1	Fernando Bersano	Team Leader/Senior civil engineer	- <a href="mailto:fernando.bersano@technital.it">fernando.bersano@technital.it</a>

K2	Luca Beghini	Coastal Protection Engineer	-	<a href="mailto:Luca.Beghini@technital.it">Luca.Beghini@technital.it</a>
K3	Cristina Zago	Environmental Specialist	571158206	<a href="mailto:Cristina.Zago@technital.it">Cristina.Zago@technital.it</a>
<b>National Key expert for the supervision Stage</b>				
K4	Andrew Webb	Quantity Surveyor	599992901	<a href="mailto:andrew@sggeorgia.com">andrew@sggeorgia.com</a>
K5	Alexandre Abzianidze	Environmental specialist	579060199	<a href="mailto:alexandre@sggeorgia.com">alexandre@sggeorgia.com</a>
K6	Malkhaz Vardosanidze	Site Inspector/Quality Control specialist	579060155	<a href="mailto:malkhaz@sggeorgia.com">malkhaz@sggeorgia.com</a>
K7	Mamuka Shaorshadze	Environmental, Health & Safety Manager	595116071	<a href="mailto:m.shaorshadze@gmail.com">m.shaorshadze@gmail.com</a>
K8	Zeinab Tsintsadze	Focal Person	557331804	-

25. A Non-Compliance Notice has to be issued to the contractor if the SC requires action to be taken. The contractor is required to prepare a corrective action plan which needs to be implemented by a date agreed with the SC.
  26. Construction Contractor (CC) is obligated to follow EMP/SSEMP and good construction practice. In order to meet this obligation, a contractor has established environmental management team and procedures. The Contractor has appointed an Environmental Manager (EM) – Mamuka Shaorshadze, which is a member of the construction management team based on site for the duration of the contract.
  27. Duties and responsibilities of the Environmental Manager of the Construction Contractor are:
    - To Identify all Environmental Impacts for each activity;
    - To ensure compliance with all project standards, statutory requirements and permit conditions;
    - To liaise with government authorities on environmental issues;
    - To coordinate Environmental information flow between Client and Suppliers/Sub-Contractors;
    - Implementation of, and adherence to, all pre-construction, pollution prevention, waste management, water supply, aggregates, fauna and visual management requirements outlined in this plan;
    - Ensuring relevant permits are in place for site specific activities;
    - Implementation and supervision of the monitoring program;
    - Record keeping and reporting on a daily basis to the Project Manager;
    - Maintenance of records;
    - Ensure Training Department presents well founded and appropriate environmental training;
    - To plan and ensure implementation of all monitoring activities and evaluates results;
    - To ensure any corrective or preventative action is implemented in time;
    - Keep Project personnel fully informed of all environmental concerns and issues;
    - Close supervision of Sub-Contractors.
  28. Thus, key responsibilities of the Contractor are preparation of the Site-Specific Environmental Management Plan (SSEMP) for approval by the Employer (EA) prior to the Contractors taking possession of the construction site; Ensure that the SSEMP is
-

implemented effectively throughout the construction period; Carry out the monitoring and mitigation measures set forth in the IEE/EMP/SSEMP; Establish an operational system for managing environmental impacts; Allocate the budget required to ensure that such measures are carried out. Construction contractor is responsible to prepare monthly progress reports on SSEMP implementation, which should contain information on the main types of activities carried out during the reporting period, status of any clearances/permits/licenses which are required for carrying out such activities, mitigation measures applied, and any environmental issues that have emerged in relations with suppliers, local authorities, affected communities, etc.

29. MDF is responsible for general implementation of all safeguards tasks and guarantee that potential adverse environmental impacts arising from the Projects are minimized by implementing mitigation measures presented in the Initial Environmental Examination (IEE) or SSEMP, as applicable.
30. Management of safeguards issues is carried out by the MDF through Environmental and Resettlement Unit, established in October 2014. From that time, number of Environmental and Resettlement team members has increased from 6 to 12 and currently consists of: Head of Unit, 4 environmental safeguards specialists, one social and gender specialist, 4 resettlement specialists. Since 2018, there is no ADB Environmental Consultant, but an Environmental Specialist is responsible for ADB projects. Until October 2014, Environmental and resettlement safeguards team was consisting of 3 environmental safeguards and 2 resettlement specialists, one of which was the ADB's national consultant on resettlement issues. Environmental and Social Safeguards team had a Team Leader who was an advisor to Executive Director of MDF on environmental and social safeguards issues.
31. The Environmental and Resettlement Unit is involved in addressing of environmental and social safeguard issues throughout the entire projects' cycles. The Environmental and Social Specialists of the MDF, are responsible for management of the environmental and social aspects associated with development of all donor funded projects for which MDF is the responsible Executing Agency (EA). The Environmental Specialist of the MDF supervises ADB projects, review the IEEs/EIAs, EMPs, and SSEMPs of projects and carries out supervision of the construction performance based on approved EMPs, EIAs, and environmental standards in accordance with ADB "Safeguard Policy Statement" (2009) requirements' and acting Georgian Legislation.
32. MDF ensures availability of all environmental information and facilitates environmental supervision of the project. The MDF's local environmental specialist's responsibilities in respect of implementation of the IEE/SSEMP, are to: ensure that all relevant IEE/SSEMP requirements (including environmental designs and mitigation measures) are duly incorporated into the project bidding documents; Assist Contractors to obtain necessary permits and/or clearance, as required, from any relevant government agencies (NEA, etc.); Ensure that all necessary regulatory clearances are obtained before commencing any civil work on the project; Ensure, that contractors have access to the EMP and IEE report and understand their responsibilities to mitigate environmental problems associated with their

construction activities and facilitate training of their staff in implementation of the EMP; Approve the Site-Specific Environmental Management Plan (SEMP) prepared by the Contractor before he takes possession of construction site; Time-to time monitor the contractor's implementation of the SEMP in accordance with the environmental monitoring plan by conducting site monitoring visits; The MDF through its Local Environmental Consultant, reports to the ADB in every 6 months on the status of environmental compliance of construction works by preparing semi-annual Environmental Monitoring Reports. In case unpredicted environmental impacts occur during the project implementation, prepare and implement as necessary an environmental emergency program in consultation with relevant government agencies and ADB.

## **2.3 Project Activities during Current Reporting Period**


33. The major activities which have been carried out during the current reporting period (July-December 2018) are provided below:

- Supply and placement rocks on the Beach [Ch-1,500 - Ch-2,000]; Rocks sizes (2 - 120 mm); (50 - 500Kg); (2 - 5 ton) and (3 - 7 ton);
- General excavation and transportation to storage area;
- Backfilling revetment [Ch-1,500 - Ch-1,800];
- Reinforced concrete Crown-wall [Ch-1,800 - Ch-2,000];
- Excavation of the beach for the construction of the revetment;
- Demolishing the broken and ruined boulevard;
- Construction of a stone revetment;
- Construction of the crown wall at the top of the revetment;
- Placement of Sheet Piles;
- Construction of the beach accesses and Outfalls along the shoreline with interruption of the revetment;
- Construction of drainage system and Boulevard pavement.


Physical and financial progress by December:

Activities according contract:

- The actual physical progress for the contract works is: 48.0 %;
  - The actual financial progress included submitted IPA-21 is: 46.5 %;
  - The financial certified progress (IPC 1 until 21) for the contract works is: 46.36 %.
-




34. Details of worker numbers (maximum, minimum) during current reporting period is outlined by the chart provided below:



35. During the reporting period, the following new significant activities have been commenced under the project:

- Studies, analyses and monitoring of Chorokhi River:
- The following maps show the general location of the Project activities

- Historical Data Collection, Topo-Bathymetric Survey, Geotechnical Survey




## GENERAL INVESTIGATION ACTIVITIES:

- Historical Data Collection (18.01.2018 – 28.02.2018);
- Topo-Bathymetric Survey (08.02.2018 – 05.12.2018);
- Geotechnical Survey (08.02.2018 – 28.02.2018);
- Monitoring (01.03.2018 – 19.12.2018);
- 2D model analysis (26.04.2018 – 19.12.2018);
- Coordination and reporting (12.04.2018 – 30.01.2019).

- **Supply and placement of Sheet Piles for Beach accesses and Outfalls**
- Duration of sheet piles activities: 01.07.2018 – 10.10.2018
- **Concrete pouring and reinforcement arrangement works**
- Duration of pouring and reinforcement activities: 01.08.2018 – 30.12.2018
- **Rock supply and placement works**
- Duration of rock supply and placement activities: 01.07.2018 – 31.12.2018
36. Where the revetment and crown wall are interrupted for building these accesses, stability of the shoreline against both - wave and earth loadings are to be supported by a proper retaining structure consisting in a 4 m reinforced concrete wall founded on steel sheet-piles, placed along the crown wall line.
37. The sheet piling consists in interlocked U-shaped steel piles, which head is at level +0.70 m and maximum length is 8 m. Reinforcement bars and stirrups have been welded at the top of the steel sheet piling for building the upper r.c. retaining wall with structural continuity. The r.c. wall and the steel sheet piling will then constitute a single earth retaining diaphragm of about 12m.
-

38. Construction of 10 beach accesses along the shoreline with interruption of the revetment. In these cases, the stability is assured by a proper retaining structure consisting in an approx. 4 m reinforced concrete wall founded on steel sheet-piles, placed along the crown wall line.



## **2.4 Description of Any Changes to Project Design**

39. In the past two years the situation has changed sharply and with intensity that has been completely different from the experience of the last 15 years.
-

40. Sufficient magnitude erosion has been occurred during 2015-2017 years on Batumi beach, which needed to perform the additional works (back filling of the boulevard) asked by local government Municipality (Batumi) with MDF confirmation, and changes of the stone sizes from 50 mm to 7000 mm because small stones sizes would not provide the beach stabilization considering of all these circumstances it was required the design changes. The modifications of the water depth and of the slope of the coastline just after the breakwater in north direction have been very important and were extended for approximately 2 km. The modification has been so important that the original sections could not be done any more and that the new solution should include also the reconstruction of the boulevard.
41. In order to avoid any further damages, the Engineer, in agreement with the Client (MDF) and its Consultant, took the decision that it is immediately necessary to bring new material in the eroded portion of the coastline approximately equal to the volume lost in the past two years. This volume that is composed by gravel and sand with the grain size distribution defined by the Engineer has been dumped in the period between beginning of June and end of August 2017.
42. In parallel, the Engineer has proposed a final solution. The Client on May 17th 2017 requested to the Engineer to develop the updated detailed design of this solution. The solution has been further discussed with MDF, Consultant and with the Construction Contractor and the details have been agreed on the meeting held in Batumi on September 22nd, 2017.
43. The MDF asked Technital to revise the original design, including IEE and SSEMP in order not only to restore the protective function of the revetment but also to incorporate the actual embankment as integral part of the design. For this reason, the design revision, have taken into account the revetment, nourishment and boulevard.
44. On 6th of December 2017 the amendment has been signed between Technital and MDF with the approval of the "Adaptation design for Batumi coastal protection". SC submitted the revised design to the MDF by end of December, 2017. The revised design and other documentations (method statements) were approved by MDF in February, 2018. IEE was updated accordingly to ADB SPS 2009 together with revised detail design, which was agreed with MDF in March, 2018. By ADB updated IEE was approved in May, 2018. Updated IEE was disclosed at MDF's web-page: <http://mdf.org.ge/?site-lang=en&site-path=documents/&id=396>. SSEMP was also updated and approved as by MDF as well as by ADB prior to construction activities start.

### **3 ENVIRONMENTAL SAFEGUARD ACTIVITIES**

#### **3.1 General Description of Environmental Safeguard Activities**

45. Based on the EMP/SSEMP requirements, monitoring measures of project includes construction site supervision, verification of permits, monitoring of compliance of the contractors' performance and specific monitoring of environmental impacts like noise, dust, soil contamination, landscape structure, construction waste, flora and fauna, water pollution, air emissions and etc. conducted by Contractor's and Engineer's environmental management specialists.
46. The Contraction Contractor's Environmental Manager - Mamuka Shaorshadze is: submitting environmental monitoring reports on a monthly basis; Coordinating community relations issues through acting as the Contractor's community relations focal point (proactive community consultation, complaints investigation and grievance resolution); Establishing and maintaining site records of:
- Weekly site inspections using check-lists based on SEMP;
  - Environmental accidents/incidents including resolution activities;
  - Environmental monitoring data;
  - Non-compliance notifications issued by the SC;
  - Corrective action plans issued to the SC in response to non-compliance notices;
  - Community relations activities including maintaining complaints register;
  - Monitoring reports;
  - Routine reporting of SEMP compliance and community liaison activities;
  - Adhoc reporting to the Employer's Engineer of environmental incidents/spillages including actions taken to resolve issues.
47. Local environmental specialist of Supervision Company Alexandre Abzianidze conducts site-monitoring visits 4 times per month and supervises and monitors implementation of the SSEMP during construction activities.
48. The international environmental expert of SC Cristina Zago, implements site inspection and audit quarterly. She has done quarterly visits and prepared the quarterly reports. Her site visit was implemented from 24.09.2018 to 27.09.2018. The international expert regularly receives mails, reports, memos and cooperates with MDF's Environmental Safeguards Specialist (Ketevan Papashvili), SC (Alexandre Abzianidze) and CC (Mamuka Shaorshadze).
49. MDF's Environmental Specialist (Ketevan Papashvili) ensures that the Contractors – CC and SC understand what is to be done and how to rectify and address any environmental issues raised during project implementation process. MDF's Environmental Specialist has regularly been performing monitoring of ongoing activities with close cooperation with env. specialists of SC and CC companies, by mailing, site monitoring visits and meetings. Coordination with the Contractor and SC has been performed by checking the Reports (SSEMP, monthly, HSE and etc.).
-

### 3.2 Site Audits

50. Regular inspection and monitoring of construction sites under Batumi Coastal Improvement Project were conducted by ESs of CC, SC and PIU. The schedule of joint inspections and summary of audits are provided in the Table 3 below.

**Table 3.** Summary of site audits

Date of visit	Name of Company	Auditors name,	Purpose of audit	Summary of any significant findings	Cross reference to Audit report
Continuously during reporting period (July-December 2018)	Struijk Group Georgia	Mamuka Shaorshadze Dachi Papashvili	Compliance with HES requirements	51. Poor housekeeping at site toilet 52. Safety issues on construction sites 53. PPE usage on construction sites 54. No meshes were provided on the excavator screens 55. Unplanned discharges (Inert waste-washed concrete) on the site	Non-compliance reports are included in the Contractor's monthly report (Example in <b>Attachment 5</b> ). In accordance with Contractor report all identified non-conformances were resolved.
Weekly bases	SC	Alexander Abzianidze	Compliance with HES requirements	56. 57. Poor housekeeping 58. 59. Lack of drip treys 60. 61. No fencing of partially working area 62.	Non-compliance reports N6 and N7
August 2, 2018	RETA International Environmental Consultant	Keti Dgebuadze Alexander Abzianidze	Review of environmental compliance Follow up ADB mission notes	63. 64. first open beach area is located (at ch 980-ch 730) 65.	Short site visit report was prepared

---

		Edward Struijk		66. fenced non-working area (ch 370 – ch 350) and second opened beach area (ch 350 – ch 0) 67. 68. ADB also recommended that CC will accordingly update Community Health and Safety Plan and continue working activities calmly 69.	

51. The monitoring site visit for Batumi Coastal Project was conducted on 2 August, 2018 by ADB's (by RETA International Environmental Consultant – Keti Dgebuadze) and MDF's representatives from Supervision Department to check statuses of non-compliances and implementation of corrective actions. Main findings observed during the site audit were the following:
- working area with buffer zone next to which first open beach area is located (at ch 980-ch 730): additional safety signs (in three languages) have been installed on the fences and scooter patrolling over the sea was allocated by the "Emergency Management Agency LEPL", in addition to this beach was cleaned and sloped, therefore local residents occupied only the first open beach area allocated especially for them and have not used fenced part of beach towards the working area.
  - fenced non-working area (ch 370 – ch 350) and second opened beach area (ch 350 – ch 0): besides fencing, warning signs and permanent explanations from CC and SC sides with local people, they anyway occupied wrong side of the fence (non-working area). After some discussions with CC, SC and MDF representatives ADB Mission advised that since construction activities at "fenced non-working area" (at ch 370 – ch 350) have not been commenced yet, it will be better to open this part of beach for people, but only after that this area will be accordingly cleaned from big concrete slabs or collected at one place along with 3-4 lightning metal poles and fenced, but beach along this non-working area will be accessible for tourists/people, CC also promised to slope the sides of access to the beach. ADB also recommended that CC will accordingly update Community Health and Safety Plan and continue working activities safely.
-

### 3.3 Issues Tracking (Based on Non-Conformance Notices)

52. Identification of problematic issues and non-compliance notice during site inspections is the responsibility of Environmental Specialists of Construction and Supervision Companies. During reporting period, the number of site visits has been implemented by environmental specialists of Construction and Supervision Companies in order to check environmental compliance of construction works.
53. In case of any deviations of EMP/SSEMP requirements corrective actions and mitigation measures are applied. All mitigation measures during pre- and construction phases of SPs are implemented by construction contractors according to EMP/ SSEMP.
54. Non-compliances observed during the reporting period, corrective actions required and their current statuses are provided in the Table 4 below:

**Table 4: Summary of site visits and non-compliances during July - December, 2018**

Date of submission	Description of Non-Compliance	Area	Corrective action required	Performance Date of Corrective actions
15.08.2018	Fencing is not completed. The section of beach is open and tourists have access to the prohibited / barricaded area.	Construction site	Fence to be extended: Additional parts of the fence to be provided for completing the fence	Improved August, 22, 2018
15.08.2018	Not proper arranged concrete washout pit, No geotextile, No plastic. Wash water are poured into the hole. Violations are found on the camp site area and Pictures are attached for easier reference.	Camp site	Hay bales with plastic lining can be used as concrete washout pit	Improved August, 22, 2018

### 3.4 Trends

55. This will be done during the next reporting period as MDF and the SC have not/could not collect statistics based on graphs and tables provided in New Manual's Environmental Safeguards Issues Tracing Workbook.
-

### **3.5 Unanticipated Environmental Impacts or Risks**

56. No any unanticipated environmental impacts and risks have been occurred during the reporting period.
57. During this reporting period unanticipated safety risk occurred at the Beach Opening Areas: Ch.-0.000 - Ch.-0.980. There is no fence which is the risk of tourists' damages.

## 4 RESULTS OF ENVIRONMENTAL MONITORING

### 4.1 Overview of Monitoring Conducted during Current Period

MDF requires the Construction and its Supervision Companies to implement construction activities in accordance with the environmental management plan, according to which SSEMP was developed.

59. Based on the EMP/SSEMP requirements, monitoring measures of projects includes construction site supervision, verification of permits, monitoring of compliance of the contractors' performance and specific monitoring of environmental impacts like noise, dust, soil contamination, landscape structure, construction waste, flora and fauna, water pollution, air emissions and etc. conducted by Contractor's and Engineer's environmental management specialists.
  60. The objects of monitoring, the sampling points, techniques, frequency of measurements and, targets, as well as entity responsible for monitoring, as indicated in SSEMP.
  61. During the reporting period, the following monitoring activities have been carried out by CC and supervised by SC and MDF: Flora and Fauna, Noise, Water turbidity activities, Air quality.
- **Walkover Surveys were implemented on:** 06.07.2018; 11.08.2018; 07.09.2018; 10.10.2018, 09.11.2018 and on 10.12.2018 by Jimsher Mamuchadze for existing terrestrial fauna species and by Nino Memiadze for flora species. Results of measurements are presented in **Annex 4**. In the case of birds, there are no protected species recorded. No one from identified species are breeding and nesting near the project working areas. As for the Emerald and IBA sites, in that case this status is not oriented towards any of individual species and is rather more focused on the territory, which is important for the birds. Chorokhi delta site is protected under both statuses, however, the affected project area is only bordering on the location, which is significant for Chorokhi birds and it is not located within its bounds. Currently, no species have been seen breeding and nesting near the project working areas.
  - **Environmental Manager of CC conducted Noise Measurements during 5 days** in order to identify and quantify noise level of workplace for community on: 10-14.07.2018; 07-11.08.2018; 11-15.09.2018; 09-13.10.2018; 13-17.11.2018; 10-14-12.2018. Results of measurements are presented in **Annex 1**. Based on the results of the tests conducted near the project sensitive receptors, monitoring noise levels are in norm of Resolution No 398 of the Government of Georgia, August 15, 2017, Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments” as well as IFC/WB limits.
  - **Turbidity Measurements were conducted by Mamuka Shaorshadze on:** 10.07.2018; 07.08.2018; 11.09.2018; 09.10.2018; 09.11.2018 and on 10.12.2018; Results of measurements are presented under **Annex 3**; Based on the results of the tests conducted in this period are under the norm of national and international standards.
  - **National Environmental Agency conducted Air Measurements on:** 19.07.2018; 21.08.2018; 26.09.2018; 24.10.2018; 22.11.2018 and on 19.12.2018. Results of measurements are presented in **Annex 2**. Results of Dust, Carbon Monoxide (CO), Nitrogen Dioxide (NO<sub>2</sub>) and Sulfur Dioxide (SO<sub>2</sub>) measurements are in norm (The Georgian decree of the Minister for Health, Labor and Social Affairs (297n of August 16,

- 2001) (as amended by the Order No 38/n of the same Ministry of 24.02.2003). Results of measurements are in norms of IFC/WB standards.
62. Calibration Certificate for noise measurement device (PCE-322A) was provided. Certificate for water turbidity measurement device was provided as well. Results of monitoring campaigns are provided under Attachments.
63. Monitoring tests conducted during the reporting period are in frame of the international and Georgian standards.

#### **4.2 Trends**

64. N/A

#### **4.3 Summary of Monitoring Outcomes**

65. No any recommendation for the additional monitoring.

#### **4.4 Material Resources Utilization**

##### **4.4.1 Current Period**

66. N/A

##### **4.4.2 Cumulative Resource Utilization**

67. N/A

#### **4.5 Waste Management**

68. Constructions works generate different type wastes starting from garbage, recycle waste, house hold waste and construction and demolition debris, including, small quantities of hazardous waste generated mainly from the vehicle maintenance activities (liquid fuels, lubricants, hydraulic oils, chemicals and etc.).
69. Waste Management Plan was approved by “Saunders Group” Ltd, MDF (Municipal Development Fund) and director of construction contractor “Struijk Group Georgia LLC”. There were installed three different waste bins in the temporary waste area. Proper signs are installed: Hazardous waste, General waste, paper waste, plastic waste, smoking area, temporary hazardous waste area, grievance box, do not burn, WC, keep area clean and etc. Temporary hazardous waste area has been arranged with two layers of Polyethylene. Area is fenced with metal fence and locked.
70. The Construction Company collects hazardous waste at the temporary storage sites and pass it to the licensed operator Sanitary LTD having environmental permit on operation of

the hazardous wastes. The contract with "Sanitary" Ltd was signed on 07 April, 2017. Small amount of hazardous waste (liquid fuels, lubricants and contaminated rags).

71. Household waste - Contractor "Struijk Group Georgia" Ltd is conducting household waste segregation: Plastic, Paper and General Waste. On disposal of household waste, a letter was provided by Batumi Municipality on: 29 May, 2017. Based on letter two big waste bins were provided by city municipality and once in a week, waste is taking out from the site by them to the municipal landfill.
72. Household waste as well as plastic and paper is collected in special waste bins and periodically disposed by Batumi Municipal Service on a contractual base. Hazardous waste area is well established with concrete ground, roofing, fencing and drainage system. Hazardous waste such as contaminated soil, solvents, and materials used in oil spill clean-ups and etc. is collected in closed drums and passed to a licensed operator company "Sanitari" Ltd., which has the permit on operation of the hazardous waste. At present, there is 450kg contaminated soil kept in the drums to be disposed by "Sanitari" by end of 2018.
73. Monitoring of waste management issues is being carried out by contractor environmental specialist and by supervising environmental specialist. Construction waste is accumulated on construction site in special isolated areas divided by hazardous, domestic and construction waste. Construction Company has signed contract with the companies for waste removal. The waste is being removed from construction site by authorized personal only in accordance of safety regulations. Concrete debris generated during demolition works near the site cam and step by step taken to the licensed landfill located near city Batumi.

#### 4.5.2 Current Period

74. Table 5 below provides breakdown of waste streams during current reporting period. This information should include

**Table 5: Breakdown of waste streams during current reporting period**

Type of waste	Source of waste	Quantity of waste generated/ Ton	Hazard/non Hazardous	Temporary storage	Final disposal
Demolished concrete from former boulevard	Concrete debris generated during demolition works; excessive	≈470 Ton	Non--hazardous	Near construction area	Collected by "Struijk group Georgia" LLC for final disposal permitted area (Batumi municipal construction waste landfill)
General solid waste (domestic waste, including food waste)	Construction base and camps, worker's welfare and sanitation facilities	≈0.9 Ton	Non-hazardous	Segregated and stored in an approved waste accumulation area on site	Collected by "Struijk group Georgia" LLC and handed over to competent organizations for final disposal (municipality landfill) - waste skips will be provided on the site and Batumi cleaning service will clean periodically.

Plastics	Construction base and camps, worker's welfare and sanitation facilities	≈0.1 Ton	Non-hazardous	Segregated and stored in an approved waste accumulation area on site	Collected by "Struijk group Georgia" LLC and handed over to municipality cleaning service. Disposal (municipality household landfill)
Paper and cardboard	Construction base and camps, worker's welfare and sanitation facilities	≈0.1 Ton	Non-hazardous	Segregated and stored in an approved waste accumulation area on site	Collected by "Struijk group Georgia" LLC and handed over to Batumi municipality cleaning service. Disposal (municipality household landfill)
Oils and lubricants, oil contaminated cleaning cloths	Generated during machinery and equipment maintenance and repair	≈0.08 Ton	Hazardous	Collected in drums, labeled and sealed; stored in locked and secure area on site, specially designated for hazardous materials / waste temporary accumulation	Recovery and re-use options to be fully explored depending on site and amount; collected by "Struijk group Georgia" LLC and handed over to special certified company "Sanitary" Ltd.

#### 4.5.3 Cumulative Waste Generation

75. N/A.

### 4.6 Health and Safety

#### 4.6.1 Community Health and Safety

76. There were no incidents occurred during the reporting period.

Name/Surname	Position	Phone	E-Mail	Working period
Dachi Papashvili	Health & Safety Manager	571495599	<a href="mailto:papashvilidachi7@gmail.com">papashvilidachi7@gmail.com</a>	01.07.2018 – 30.11.2018
Mamuka Shaorshadze	QHSE Manager	595116071	<a href="mailto:m.shaorshadze@gmail.com">m.shaorshadze@gmail.com</a>	01.12.2018 - Present

77. Safety manager (Dachi Papashvili) registers all project near misses and keeps them in log book in the site office. New QHSE Manager – Mamuka Shaorshadze has been appointed on 30th of November, 2018.

#### 4.6.2 Worker Safety and Health

78. Detailed statistics on accident rates, including Lost Time Incidents, Accidents and near misses is provided under the Table 6 below:

**Table 6: Near Misses during reporting period**

Date of Occurrence	Employee involved	Description of Near Miss	Area	Corrective action required
27.07.2018	Subcontractor ESS (Operator)	During the lifting operation for concrete works crane operator placed formwork on the crown wall as it could not place it further, because crane was not in proper working condition and could not extend boom. The formwork was fallen and almost fallen on the worker working in front of it	Site construction area, Ch.- 1.320	Crane was dismissed from the site immediately. Subcontractor ECC was instructed to provide crane which is in good working order to avoid recurrence of such incident. Crane which will be provided should have all necessary certifications and operators should be licensed otherwise it will not be allowed on site

- 79. ADB mission requested CC in coordination with PIU/MDF to develop a method statement and community health and safety plan to deal with construction works during the summer months. The purpose of this plan is to provide the information and method by which community and tourists health and safety will be ensured, during an open beach section in summer.
- 80. Community Health and Safety Plan was prepared by the CC. It provides information regarding the existing risks and measures which should be taken to deal with those risks and take all the necessary precautions to provide a safe opened section.

#### 4.7 Trainings

- 81. On 24th of October, 2018 HSES training has been conducted for new members of subcontractors of concrete works, and additionally for rebar installation and site workers; Total attendance on the HSES training were eleven personnel.
- 82. On 14th of November, 2018 HSES training has been conducted for new members of subcontractors of concrete works, and additionally for rebar installation and site workers; Total attendance on the HSES training were ten personnel.
- 83. On 19th of December, 2018 HSES training has been conducted for the supplier "RASE" Ltd's drivers, local team and director of the quarry company. It was given HSES instruction driving properly and situation on the quarry on daily bases, also licenses of the quarry and exploding permit. Special HSES checklist (which as prepared and approved by supervision and contractor's side) has been provided for all personals on quarry site and it will be filled on weekly bases by representative of the Quarry "RASE" Ltd. Total attendances on the HSES training on the "RASE"'s quarry were five personnel.

84. It is planned to conduct trainings for each supplier on the quarry sites and will be provided reports for each training.

## **5 FUNCTIONING OF THE SEMP**

### **5.1 SEMP Review**

85. Construction Contractor “Struijk”, as it was mentioned above, implements environmental monitoring of construction activities in accordance to SSEMP. Based on the EMP/SSEMP requirements, monitoring measures of project includes construction site supervision, verification of permits, monitoring of compliance of the contractors’ performance and specific monitoring of environmental impacts like noise, dust, soil contamination, landscape structure, construction waste, flora and fauna, water pollution, air emissions and etc.
86. Contractor has the ability to fully implement the requirements set out under the SSEMP. Monitoring of SSEMP implementation is conducted by Contractor’s and Engineer’s environmental management specialists. The Contraction Contractor’s Environmental Manager Mamuka Shaorshadze is conducting weekly site inspections using check-lists based on SEMP.
87. Acting SSEMP is effective as along with project design change MDF ensured to update it as well and mitigation measures set out under the document are appropriate and working as intended. No other alternative better mitigation measures need to be set out, as existing ones are quite effective and comprehensive.

## **6 GOOD PRACTICE AND OPPORTUNITY FOR IMPROVEMENT**

### **6.1 Good Practice**

- 88. As Good Practice for the project can be considered elaboration of Location Specific Community Health and Safety plan for the opened beach under the project are during the summer season, which was developed by CC in accordance to ADB's Environmental Specialist – Duncan Lang's request.
- 89. The purpose of this plan is to provide the information and method by which community and tourists health and safety will be ensured, during an open beach section in summer; Also, plan provides information regarding the existing risks and measures which should be taken to deal with those risks and take all the necessary precautions to provide a safe opened section.

### **6.2 Opportunities for Improvement**

- 90. N/A

## **7 SUMMARY AND RECOMMENDATIONS**

### **7.1 Summary**

91. Effective implementation of Environmental Safeguards can be summarized in following aspects:

- IEE was updated along with project design change;
- Construction works were suspended during design change process;
- SSEMP was updated prior to construction works have been started;
- Special management plan for Community Health and Safety was elaborated for opened project area during the summer season.

### **7.2 Recommendations**

- Supply and placement rocks [Ch-1,100 - Ch-1,750];
- Backfilling revetment [Ch-1,100 - Ch-1,750];
- Reinforced concrete Crown-wall [Ch-0,400 - Ch-1,350];
- Construction of a stone revetment;
- Construction of the crown wall at the top of the revetment;
- Construction of the beach accesses and Outfalls along the shoreline with interruption of the revetment;
- Construction of drainage system and Boulevard pavement;
- Chorokhi river investigation;
- Environmental monitoring tests.

## 8 ANNEXES

### 8.1 Annex 1 - Noise Measurements (July - December, 2018)

#### 8.1.1 July



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016

#### Report on: Noise Measurement

##### Monitoring Test

Period of Inspection: 20180710 - 20180714	Project: Coastal Protection Batumi	Location : School-lyceum "Taoba"
---	------------------------------------	----------------------------------

##### Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

##### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at one location (School Lyceum "Taoba"), three times a day (morning, afternoon and evening) during five days, during **150 seconds** for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

**Noise Standards:** Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”

##### Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms			
		L day (DBA)	Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35	
2	The treatment cabinets of the medical establishments	40	40	40	
3	Residential and sleeping areas	35	30	30	
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30	
5	The rooms of the hotel/guest houses/motels	40	35	35	
6	Trading halls and guest rooms	55	55	55	
7	Restaurants, bars, cafes	50	50	50	
8	Spectator/listeners' hall	30	30	30	
9	Sport halls and pools	55	55	55	
10	Small offices ( $\leq 100 \text{ m}^3$ ), working premises and premises	40	40	40	




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

	without office technique			
I1	Large offices ( $\geq 100 \text{ m}^3$ ), working premises and premised with office technique	45	45	45
I2	Conversation premises	35	35	35
I3	Territories, distanced from the low multistoried residential houses (number of the floors $>6$ ), medical establishments, children and social service objects	50	45	40
I4	Territories, distanced from the multistoried residential houses (number of the floors $>6$ ), cultural, educational, administrative and scientific establishments	55	50	45
I5	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

**Note:** The threshold #I3 and highlighted in the table (yellow) is thresholds, which are considered.

**Map with samples points:**







**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

**Test results:**

**Day I (10.07.2018):**



Start Time: 10-07-2018,09:23:11  
Maximum: 87.40 10-07-2018,09:24:38  
Minimum: 37.10 10-07-2018,09:24:36  
Sample Rate: 0.10  
Average: 49.80




Start Time: 10-07-2018,13:55:06  
Maximum: 78.00 10-07-2018,13:56:30  
Minimum: 42.50 10-07-2018,13:55:47  
Sample Rate: 0.10  
Average: 50.65



**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-10 18:49:14



Start Time: 10-07-2018, 18:49:14  
Maximum: 77.00 10-07-2018, 18:49:59  
Minimum: 42.10 10-07-2018, 18:50:56  
Sample Rate: 0.10  
Average: 48.57

**Day 2 (11.07.2018):**

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-11 09:51:27




Start Time: 11-07-2018, 09:51:27  
Maximum: 73.60 11-07-2018, 09:51:34  
Minimum: 42.10 11-07-2018, 09:52:01  
Sample Rate: 0.10  
Average: 50.14




**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-11 14:03:10



Start Time: 11-07-2018,14:03:10  
Maximum: 80.00 11-07-2018,14:03:49  
Minimum: 39.80 11-07-2018,14:03:21  
Sample Rate: 0.10  
Average: 50.90

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-11 19:02:05




Start Time: 11-07-2018,19:02:05  
Maximum: 63.50 11-07-2018,19:03:03  
Minimum: 41.50 11-07-2018,19:02:32  
Sample Rate: 0.10  
Average: 47.88




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

**Day 3 (12.07.2018):**



Start Time: 12-07-2018,09:10:58  
Maximum: 65.50 12-07-2018,09:11:38  
Minimum: 43.40 12-07-2018,09:11:42  
Sample Rate: 0.10  
Average: 49.52




Start Time: 12-07-2018,14:05:01  
Maximum: 85.70 12-07-2018,14:06:34  
Minimum: 37.80 12-07-2018,14:06:33  
Sample Rate: 0.10  
Average: 52.40



**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**


Standard Sound Level Meter RealTime Graph  
Time: 2018-07-12 18:34:08



Start Time: 12-07-2018, 18:34:08  
Maximum: 69.00 12-07-2018, 18:34:48  
Minimum: 38.30 12-07-2018, 18:35:17  
Sample Rate: 0.10  
Average: 49.30

**Day 4 (13.07.2018):**

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-13 09:27:18




Start Time: 13-07-2018, 09:27:18  
Maximum: 65.00 13-07-2018, 09:27:22  
Minimum: 44.00 13-07-2018, 09:28:19  
Sample Rate: 0.10  
Average: 51.17




**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-13 14:05:24



Start Time: 13-07-2018,14:05:24  
Maximum: 68.90 13-07-2018,14:06:47  
Minimum: 43.60 13-07-2018,14:06:27  
Sample Rate: 0.10  
Average: 52.03

Standard Sound Level Meter RealTime Graph  
Time: 2018-07-13 18:14:56




Start Time: 13-07-2018,18:14:56  
Maximum: 65.80 13-07-2018,18:16:37  
Minimum: 43.10 13-07-2018,18:15:24  
Sample Rate: 0.10  
Average: 47.45




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

**Day 5 (14.07.2018):**




Start Time: 14-07-2018,09:12:29  
Maximum: 78.80 14-07-2018,09:13:19  
Minimum: 43.90 14-07-2018,09:12:33  
Sample Rate: 0.10  
Average: 49.62



Start Time: 14-07-2018,14:20:17  
Maximum: 80.10 14-07-2018,14:21:41  
Minimum: 43.20 14-07-2018,14:21:31  
Sample Rate: 0.10  
Average: 51.61



**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**



**Meteorological Data (10.07.2018 - 14.07.2018) Batumi, Georgia**


**Weather History & Observations**

2018	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Visibility (km)			Wind (km/h)			Events
	Jul	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	sum		
10	29	26	22	24	22	19	94	81	69	1010	1009	1008	10	10	10	19	11	-	0.00
11	27	26	24	24	23	22	94	89	79	1011	1010	1008	10	10	4	19	8	-	0.00
12	27	24	23	23	22	21	94	89	78	1011	1010	1009	10	9	2	21	14	-	Rain
13	29	26	22	24	22	20	94	82	66	1010	1008	1007	10	10	10	26	16	-	0.00
14	25	23	21	23	21	20	94	88	78	1007	1006	1005	10	9	6	35	13	40	0.00
																		Rain	



**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

**Weather History Graph**




**Photo-Documentation:**





**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**



**Conclusion:**

"Based on the results of the tests conducted in one place (School Lyceum "Taoba"). Monitoring noise levels are slightly higher than the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments. However during the monitoring period no working activities were present".

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex NI; Item #13; dBA
School-lyceum "Taoba"	10.07.2018 Day 1	Morning	09:23	49.80	<b>50.22</b>	50
		Noon	13:55	50.65		45
		Evening	18:49	48.57		50
	11.07.2018 Day 2	Morning	09:51	50.14	<b>50.52</b>	45
		Noon	14:03	50.90		50
		Evening	19:02	47.88		50
	12.07.2018 Day 3	Morning	09:10	49.52	<b>50.96</b>	50
		Noon	14:05	52.40		45
		Evening	18:34	49.30		50
	13.07.2018 Day 4	Morning	09:27	51.17	<b>51.60</b>	50
		Noon	14:05	52.03		45
		Evening	18:14	47.45		50
	14.07.2018 Day 5	Morning	09:12	49.62	<b>50.61</b>	50
		Noon	14:20	51.61		45
		Evening	18:09	48.47	<b>48.47</b>	45

## 8.1.2 August



**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

### Report on: Noise Measurement

#### *Monitoring Test*

Period of Inspection: 20180807 - 20180811	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
---	------------------------------------	-------------	---

#### Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

#### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during **40 seconds** for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

**Noise Standards:** Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”

#### Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms			
		L day (DBA)	Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40	40
3	Residential and sleeping areas	35	30	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35	35
6	Trading halls and guest rooms	55	55	55	55
7	Restaurants, bars, cafes	50	50	50	50
8	Spectator/listeners' hall	30	30	30	30
9	Sport halls and pools	55	55	55	55
10	Small offices ( $\leq 100 \text{ m}^3$ ), working premises and premises	40	40	40	40




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

	without office technique			
I1	Large offices ( $\geq 100 m^3$ ), working premises and premised with office technique	45	45	45
I2	Conversation premises	35	35	35
I3	Territories, distanced from the low multistoried residential houses (number of the floors $>6$ ), medical establishments, children and social service objects	50	45	40
I4	Territories, distanced from the multistoried residential houses (number of the floors $>6$ ), cultural, educational, administrative and scientific establishments	55	50	45
I5	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

**Note:** The threshold #I3 and highlighted in the table (yellow) is thresholds, which are considered.



Map with samples points:





**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**


**Test results for School-lyceum “Taoba”:**  
**Day I (07.08.2018):**





**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**


Standard Sound Level Meter RealTime Graph  
Time: 2018-08-07 18:02:09



Start Time: 07-08-2018,18:02:09  
Maxnum: 80.20 07-08-2018,18:02:22  
Minnum: 43.00 07-08-2018,18:02:09  
Sample Rate: 0.00  
Average: 49.43

**Day 2 (08.08.2018):**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-08 09:11:44




Start Time: 08-08-2018,09:11:44  
Maxnum: 73.30 08-08-2018,09:12:05  
Minnum: 37.30 08-08-2018,09:12:24  
Sample Rate: 0.10  
Average: 49.40




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-08 14:20:11



Start Time: 08-08-2018, 14:20:11  
Maximum: 73.00 08-08-2018, 14:20:21  
Minimum: 39.90 08-08-2018, 14:20:13  
Sample Rate: 0.10  
Average: 51.60



Standard Sound Level Meter RealTime Graph  
Time: 2018-08-08 18:55:03



Start Time: 08-08-2018, 18:55:03  
Maximum: 68.70 08-08-2018, 18:55:15  
Minimum: 39.50 08-08-2018, 18:55:30  
Sample Rate: 0.10  
Average: 48.67

**STRUIJK®**  
Group Georgia LLC  
**Day 3 (09.08.2018):**

**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**





**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**


Standard Sound Level Meter RealTime Graph  
Time: 2018-08-09 18:58:13



Start Time: 09-08-2018,18:58:13  
Maximum: 62.40 09-08-2018,18:58:22  
Minimum: 47.40 09-08-2018,18:58:45  
Sample Rate: 0.10  
Average: 51.41

**Day 4 (10.08.2018):**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-10 09:19:51




Start Time: 10-08-2018,09:26:48  
Maximum: 60.30 10-08-2018,09:26:53  
Minimum: 48.20 10-08-2018,09:26:49  
Sample Rate: 0.10  
Average: 50.83




**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-10 14:16:42



Start Time: 09-08-2018,14:55:00  
Maximum: 81.80 09-08-2018,14:55:54  
Minimum: 47.40 09-08-2018,14:55:54  
Sample Rate: 0.10  
Average: 52.31

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-10 18:39:28





Start Time: 10-08-2018,18:39:28  
Maximum: 75.70 10-08-2018,18:39:42  
Minimum: 48.00 10-08-2018,18:39:39  
Sample Rate: 0.10  
Average: 51.07



Day 5 (11.08.2018):

**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**





**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-11 18:25:58



Start Time: 11-08-2018,18:25:58  
Maximum: 74.10 11-08-2018,18:25:19  
Minimum: 48.40 11-08-2018,18:25:18  
Sample Rate: 0.10  
Average: 51.51

**Test results for Shota Rustaveli University:**

**Day I (07.08.2018):**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-07 09:47:05




Start Time: 07-08-2018,09:47:05  
Maximum: 57.60 07-08-2018,09:47:07  
Minimum: 46.10 07-08-2018,09:47:06  
Sample Rate: 0.10  
Average: 51.68




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-07 14:33:19



Start Time: 07-08-2018, 14:33:19  
Maximum: 58.90 07-08-2018, 14:33:31  
Minimum: 40.10 07-08-2018, 14:33:55  
Sample Rate: 0.10  
Average: 45.18

Standard Sound Level Meter RealTime Graph  
Time: 2018-08-07 18:45:13




Start Time: 07-08-2018, 18:45:13  
Maximum: 63.80 07-08-2018, 18:45:20  
Minimum: 42.00 07-08-2018, 18:45:32  
Sample Rate: 0.10  
Average: 47.63




Day 2 (08.08.2018):

**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**




Start Time: 08-08-2018,09:19:02  
Maximum: 61.80 08-08-2018,09:19:18  
Minimum: 41.60 08-08-2018,09:19:14  
Sample Rate: 0.10  
Average: 47.27




Start Time: 08-08-2018,13:59:01  
Maximum: 66.00 08-08-2018,13:59:19  
Minimum: 44.20 08-08-2018,13:59:26  
Sample Rate: 0.10  
Average: 52.43



**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**




**Day 3 (09.08.2018):**






**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**



Start Time: 09-08-2018 14:55:16  
Maximum: 83.30 09-08-2018,14:55:50  
Minimum: 46.20 09-08-2018,14:55:48  
Sample Rate: 0.10  
Average: 50.73





Start Time: 09-08-2018 18:25:22  
Maximum: 80.00 09-08-2018,18:25:24  
Minimum: 46.80 09-08-2018,18:25:37  
Sample Rate: 0.10  
Average: 50.73

**Day 4 (10.08.2018):**




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**






**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**




**Day 5 (11.08.2018):**






**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**



Start Time: 11-08-2018 13:28:44  
Maximum: 64.80 11-08-2018 13:29:12  
Minimum: 46.80 11-08-2018 13:28:57  
Sample Rate: 0.10  
Average: 55.30




Start Time: 11-08-2018 18:13:09  
Maximum: 64.20 11-08-2018 18:13:16  
Minimum: 45.60 11-08-2018 18:13:11  
Sample Rate: 0.10  
Average: 50.65




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

**Test results for The Magnolia Hotel:**

**Day I (07.08.2018):**




Start Time: 07-08-2018,09:31:28  
Maximum: 87.40 07-08-2018,09:31:35  
Minimum: 48.90 07-08-2018,09:31:41  
Sample Rate: 0.10  
Average: 51.25




Start Time: 07-08-2018,14:17:55  
Maximum: 74.70 07-08-2018,14:17:59  
Minimum: 38.60 07-08-2018,14:18:35  
Sample Rate: 0.10  
Average: 48.17



**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**





**Day 2 (08.08.2018):**







**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**






**Day 3 (09.08.2018):**

**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**






**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**



Start Time: 10-08-2018,19:13:40  
Maximum: 62.40 10-08-2018,19:14:07  
Minimum: 39.50 10-08-2018,19:13:53  
Sample Rate: 0.10  
Average: 48.00



**Day 4 (10.08.2018):**



Start Time: 10-08-2018,09:27:02  
Maximum: 68.10 10-08-2018,09:27:37  
Minimum: 37.90 10-08-2018,09:27:09  
Sample Rate: 0.10  
Average: 46.66





**Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016**



**Day 5 (11.08.2018):**




**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**





**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**



**Meteorological Data (07.08.2018 - 11.08.2018) Batumi, Georgia**


**Weather History & Observations**

2018	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Visibility (km)			Wind (km/h)			Events	
	Aug	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	sum			
7	28	26	23	24	22	21	94	85	70	1013	1011	1010	10	10	7	21	11	-	0.00	Rain
8	27	23	21	23	22	20	100	87	70	1012	1010	1009	10	9	3	23	10	-	0.00	Rain
9	27	24	22	23	22	20	100	88	74	1013	1011	1010	10	9	2	32	11	-	0.00	Rain
10	27	23	21	22	21	18	94	82	69	1016	1014	1012	10	9	2	35	19	55	0.00	Rain
11	21	20	19	18	17	16	83	81	78	1016	1015	1015	10	10	10	32	24	-	0.00	Rain



**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

**Weather History Graph**



**Photo-Documentation:**





**Conclusion:**

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments".

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	07.08.2018	Day 1	Morning	09:10	49.34	50
			Noon	14:18	53.04	
			Evening	18:02	49.43	
	08.08.2018	Day 2	Morning	09:11	49.40	50
			Noon	14:20	51.60	
			Evening	18:55	48.67	
	09.08.2018	Day 3	Morning	09:44	49.71	50
			Noon	14:08	51.01	
			Evening	18:58	51.41	
	10.08.2018	Day 4	Morning	09:19	50.83	50
			Noon	14:16	52.31	
			Evening	18:39	51.07	
	11.08.2018	Day 5	Morning	09:08	50.75	50
			Noon	14:26	52.70	
			Evening	18:25	51.51	



**Coastal Protection Batumi**  
**Contract No: P42414-SUTIP4-ICB-01-2016**

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
Shota Rustaveli University	07.08.2018	Day 1	Morning	09:47	51.68	<b>48.43</b>	50
			Noon	14:33	45.18		
			Evening	18:45	47.63	<b>47.63</b>	45
	08.08.2018	Day 2	Morning	09:19	47.27	<b>49.85</b>	50
			Noon	13:59	52.43		
			Evening	18:49	49.30	<b>49.30</b>	45
	09.08.2018	Day 3	Morning	09:41	49.73	<b>50.23</b>	50
			Noon	14:55	50.73		
			Evening	18:25	50.73	<b>50.73</b>	45
	10.08.2018	Day 4	Morning	09:09	52.37	<b>49.86</b>	50
			Noon	13:48	47.35		
			Evening	18:29	49.71	<b>49.71</b>	45
	11.08.2018	Day 5	Morning	09:28	49.52	<b>52.41</b>	50
			Noon	13:28	55.30		
			Evening	18:13	50.65	<b>50.65</b>	45

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
The Magnolia Hotel	07.08.2018	Day 1	Morning	09:31	51.25	<b>49.71</b>	50
			Noon	14:17	48.17		
			Evening	18:38	51.26	<b>51.26</b>	45
	08.08.2018	Day 2	Morning	09:58	49.96	<b>50.34</b>	50
			Noon	14:31	50.72		
			Evening	19:17	48.17	<b>48.17</b>	45
	09.08.2018	Day 3	Morning	09:38	48.63	<b>51.60</b>	50
			Noon	14:19	54.58		
			Evening	18:28	49.15	<b>49.15</b>	45
	10.08.2018	Day 4	Morning	09:27	46.66	<b>48.99</b>	50
			Noon	14:59	51.32		
			Evening	19:13	48.00	<b>48.00</b>	45
	11.08.2018	Day 5	Morning	09:59	46.43	<b>49.88</b>	50
			Noon	14:16	53.34		
			Evening	19:13	47.88	<b>47.88</b>	45

### 8.1.3 September



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

#### Report on: Noise Measurement

##### Monitoring Test

Period of Inspection: 20180911 - 20180915	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
---	------------------------------------	-------------	---

##### Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

##### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during **46 seconds** for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

**Noise Standards:** Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”


##### Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms			
		L day (DBA)	Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40	40
3	Residential and sleeping areas	35	30	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35	35
6	Trading halls and guest rooms	55	55	55	55
7	Restaurants, bars, cafes	50	50	50	50
8	Spectator/listeners' hall	30	30	30	30
9	Sport halls and pools	55	55	55	55
10	Small offices ( $\leq 100 \text{ m}^3$ ), working premises and premises	40	40	40	40


	without office technique			
I1	Large offices ( $\geq 100 \text{ m}^3$ ), working premises and premises with office technique	45	45	45
I2	Conversation premises	35	35	35
I3	Territories, distanced from the low multistoried residential houses (number of the floors $>6$ ), medical establishments, children and social service objects	50	45	40
I4	Territories, distanced from the multistoried residential houses (number of the floors $>6$ ), cultural, educational, administrative and scientific establishments	55	50	45
I5	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

**Note:** The threshold #I3 and highlighted in the table (yellow) is thresholds, which are considered.


**Map with samples points:**



**Test results for School-lyceum “Taoba”:  
Day I (11.09.2018):**




Start Time: 11-09-2018,09:22:18  
Maximum: 78.00 11-09-2018,09:22:20  
Minimum: 42.30 11-09-2018,09:23:43  
Sample Rate: 0.10  
Average: 49.95



Start Time: 11-09-2018,13:12:23  
Maximum: 84.10 11-09-2018,13:14:12  
Minimum: 42.60 11-09-2018,13:13:39  
Sample Rate: 0.10  
Average: 51.71




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Start Time: 11-09-2018,19:03:52  
Maximum: 84.90 11-09-2018,19:06:41  
Minimum: 41.90 11-09-2018,19:04:23  
Sample Rate: 0.10  
Average: 49.41

**Day 2 (12.09.2018):**




Start Time: 12-09-2018,09:29:10  
Maximum: 90.70 12-09-2018,09:31:55  
Minimum: 36.80 12-09-2018,09:31:40  
Sample Rate: 0.10  
Average: 50.37






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2


**Day 3 (13.09.2018):**



Start Time: 13-09-2018,09:08:10  
Maximum: 85.10 13-09-2018,09:11:37  
Minimum: 41.20 13-09-2018,09:08:42  
Sample Rate: 0.10  
Average: 48.79




Start Time: 13-09-2018,14:50:32  
Maximum: 83.80 13-09-2018,14:52:19  
Minimum: 40.60 13-09-2018,14:53:47  
Sample Rate: 0.10  
Average: 50.67



Start Time: 13-09-2018, 18:55:08  
Maximum: 74.90 13-09-2018, 18:56:58  
Minimum: 39.30 13-09-2018, 18:59:35  
Sample Rate: 0.10  
Average: 49.90


**Day 4 (14.09.2018):**




Start Time: 14-09-2018, 09:28:30  
Maximum: 80.40 14-09-2018, 09:31:08  
Minimum: 39.70 14-09-2018, 09:30:02  
Sample Rate: 0.10  
Average: 48.18



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 14-09-2018, 14:09:45  
Maximum: 82.00 14-09-2018, 14:10:02  
Minimum: 39.90 14-09-2018, 14:10:48  
Sample Rate: 0.10  
Average: 49.23






Start Time: 14-09-2018, 18:12:19  
Maximum: 76.70 14-09-2018, 18:13:51  
Minimum: 39.20 14-09-2018, 18:15:05  
Sample Rate: 0.10  
Average: 48.57



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2


**Day 5 (15.09.2018):**






**Test results for Shota Rustaveli University:**

**Day I (11.09.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 11-09-2018,13:29:48  
Maximum: 78.00 11-09-2018,13:31:37  
Minimum: 42.50 11-09-2018,13:30:53  
Sample Rate: 0.10  
Average: 50.65




Start Time: 11-09-2018,18:10:01  
Maximum: 77.00 11-09-2018,18:11:32  
Minimum: 42.10 11-09-2018,18:11:45  
Sample Rate: 0.10  
Average: 48.57




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2


**Day 2 (12.09.2018):**



Start Time: 12-09-2018,09:10:48  
Maximum: 73.60 12-09-2018,09:10:58  
Minimum: 42.10 12-09-2018,09:11:29  
Sample Rate: 0.10  
Average: 50.14




Start Time: 12-09-2018,14:52:06  
Maximum: 80.00 12-09-2018,14:52:48  
Minimum: 39.80 12-09-2018,14:52:15  
Sample Rate: 0.10  
Average: 50.90



Start Time: 12-09-2018,18:29:07  
Maximum: 63.50 12-09-2018,18:30:03  
Minimum: 41.50 12-09-2018,18:29:39  
Sample Rate: 0.10  
Average: 47.88

**Day 3 (13.09.2018):**





Start Time: 13-09-2018,09:55:21  
Maximum: 65.50 13-09-2018,09:55:38  
Minimum: 43.40 13-09-2018,09:56:24  
Sample Rate: 0.10  
Average: 49.52






**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Day 4 (14.09.2018):**







**Day 5 (15.09.2018):**








**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Test results for The Magnolia Hotel:  
Day I (11.09.2018):**






### **Day 2 (12.09.2018):**






**Coastal Protection Batumi**


Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2



**Day 3 (13.09.2018):**



Start Time: 13-09-2018,09:39:07  
Maximum: 72.80 13-09-2018,09:40:43  
Minimum: 40.90 13-09-2018,09:41:08  
Sample Rate: 0.10  
Average: 48.97




Start Time: 13-09-2018,14:55:06  
Maximum: 77.70 13-09-2018,14:56:19  
Minimum: 40.90 13-09-2018,14:55:38  
Sample Rate: 0.10  
Average: 53.51




**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2



#### Day 4 (14.09.2018):






**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




Start Time: 14-09-2018,13:50:11  
Maximum: 84.10 14-09-2018,13:51:58  
Minimum: 42.60 14-09-2018,13:50:11  
Sample Rate: 0.10  
Average: 51.71




Start Time: 14-09-2018,18:40:49  
Maximum: 84.90 14-09-2018,18:43:32  
Minimum: 41.90 14-09-2018,18:41:09  
Sample Rate: 0.10  
Average: 49.41


**Day 5 (15.09.2018):**



Start Time: 15-09-2018,09:34:06  
Maximum: 90.70 12-05-2018,09:36:43  
Minimum: 36.80 12-05-2018,09:36:36  
Sample Rate: 0.10  
Average: 50.37



Start Time: 15-09-2018,14:28:50  
Maximum: 83.70 15-09-2018,14:29:45  
Minimum: 39.40 15-09-2018,14:29:31  
Sample Rate: 0.10  
Average: 51.33




#### Meteorological Data (11.09.2018 - 15.09.2018) Batumi, Georgia

##### Weather History & Observations

2018	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Visibility (km)			Wind (km/h)			Precip. (mm)	Events
Sep	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	sum			
11	24	21	18	20	18	17	100	88	65	1020	1018	1017	10	9	5	19	10	-	0.00	Rain
12	25	21	18	19	17	15	94	77	54	1021	1020	1019	10	10	10	29	16	-	0.00	
13	26	22	19	21	19	16	88	79	61	1020	1015	1009	10	10	10	24	14	-	0.00	
14	31	26	22	24	19	14	100	70	38	1014	1009	1005	10	9	3	52	24	53	0.00	Rain
15	26	22	19	21	19	17	94	80	65	1015	1013	1011	10	10	10	23	14	-	0.00	

**Weather History Graph**



**Photo-Documentation:**





**Conclusion:**

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments".

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b>	
						(Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>School-lyceum "Taoba"</b>	11.09.2018	Day 1	Morning	09:22	49.95	<b>50.83</b>	<b>50</b>
			Noon	13:12	51.71		
			Evening	19:03	49.41	<b>49.41</b>	<b>45</b>
	12.09.2018	Day 2	Morning	09:29	50.37	<b>50.85</b>	<b>50</b>
			Noon	14:24	51.33		
			Evening	18:11	48.20	<b>48.20</b>	<b>45</b>
	13.09.2018	Day 3	Morning	09:08	48.79	<b>49.73</b>	<b>50</b>
			Noon	14:50	50.67		
			Evening	18:55	49.90	<b>49.90</b>	<b>45</b>
	14.09.2018	Day 4	Morning	09:28	48.18	<b>48.70</b>	<b>50</b>
			Noon	14:09	49.23		
			Evening	18:12	48.57	<b>48.57</b>	<b>45</b>
	15.09.2018	Day 5	Morning	09:46	48.97	<b>51.24</b>	<b>50</b>
			Noon	14:30	53.51		
			Evening	18:59	50.17	<b>50.17</b>	<b>45</b>

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	11.09.2018	Day 1	Morning	09:19	49.80	<b>50.22</b>
			Noon	13:29	50.65	
			Evening	18:10	48.57	
	12.09.2018	Day 2	Morning	09:10	50.14	<b>50.52</b>
			Noon	14:52	50.90	
			Evening	18:29	47.88	
	13.09.2018	Day 3	Morning	09:55	49.52	<b>50.96</b>
			Noon	14:29	52.40	
			Evening	18:51	49.30	
	14.09.2018	Day 4	Morning	09:19	51.17	<b>51.60</b>
			Noon	14:53	52.03	
			Evening	18:38	47.45	
	15.09.2018	Day 5	Morning	09:34	49.62	<b>50.61</b>
			Noon	14:19	51.61	
			Evening	18:37	48.47	

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	11.09.2018	Day 1	Morning	09:29	48.79	<b>49.73</b>
			Noon	14:31	50.67	
			Evening	18:08	49.90	
	12.09.2018	Day 2	Morning	09:51	48.18	<b>48.70</b>
			Noon	14:37	49.23	
			Evening	18:11	48.57	
	13.09.2018	Day 3	Morning	09:39	48.97	<b>51.24</b>
			Noon	14:55	53.51	
			Evening	18:01	50.17	
	14.09.2018	Day 4	Morning	09:21	49.95	<b>50.83</b>
			Noon	13:50	51.71	
			Evening	18:40	49.41	
	15.09.2018	Day 5	Morning	09:34	50.37	<b>50.85</b>
			Noon	14:28	51.33	
			Evening	18:38	48.20	

### 8.1.4 October



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

### Report on: Noise Measurement

#### Monitoring Test

Period of Inspection: 2018/09 - 2018/10/13	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
--	------------------------------------	-------------	---

#### Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

#### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during **40 seconds** for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

**Noise Standards:** Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”


#### Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms			
		L day (DBA)	Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40	40
3	Residential and sleeping areas	35	30	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35	35
6	Trading halls and guest rooms	55	55	55	55
7	Restaurants, bars, cafes	50	50	50	50
8	Spectator/listeners' hall	30	30	30	30
9	Sport halls and pools	55	55	55	55
10	Small offices ( $\leq 100 \text{ m}^3$ ), working premises and premises	40	40	40	40

	without office technique			
I1	Large offices ( $\geq 100 \text{ m}^3$ ), working premises and premises with office technique	45	45	45
I2	Conversation premises	35	35	35
I3	Territories, distanced from the low multistoried residential houses (number of the floors $>6$ ), medical establishments, children and social service objects	50	45	40
I4	Territories, distanced from the multistoried residential houses (number of the floors $>6$ ), cultural, educational, administrative and scientific establishments	55	50	45
I5	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

**Note:** The threshold #I3 and highlighted in the table (yellow) is thresholds, which are considered.


**Map with samples points:**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum “Taoba”:  
Day I (09.10.2018):**




Start Time: 09-10-2018,09:29:21  
Maxnum: 87.40 09-10-2018,09:30:49  
Minnum: 37.10 09-10-2018,09:30:47  
Sample Rate: 0.10  
Average: 49.60




Start Time: 09-10-2018,13:55:06  
Maxnum: 78.00 09-10-2018,13:56:30  
Minnum: 42.50 09-10-2018,13:55:47  
Sample Rate: 0.10  
Average: 50.65



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Day 2 (10.10.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Day 3 (11.10.2018):**




Start Time: 11-10-2018,09:10:58  
Maximum: 65.50 11-10-2018,09:11:38  
Minimum: 43.40 11-10-2018,09:11:42  
Sample Rate: 0.10  
Average: 49.52




Start Time: 11-10-2018,14:05:01  
Maximum: 85.70 11-10-2018,14:06:34  
Minimum: 37.80 11-10-2018,14:06:33  
Sample Rate: 0.10  
Average: 52.40



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




**Day 4 (12.10.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 12-10-2018, 14:05:24  
Maximum: 68.90 12-10-2018, 14:06:47  
Minimum: 43.60 12-10-2018, 14:06:27  
Sample Rate: 0.10  
Average: 52.03




Start Time: 12-10-2018, 18:14:56  
Maximum: 65.80 12-10-2018, 18:16:37  
Minimum: 43.70 12-10-2018, 18:15:24  
Sample Rate: 0.10  
Average: 47.45




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Day 5 (13.10.2018):**




Start Time: 13-10-2018,09:12:29  
Maximum: 78.80 13-10-2018,09:13:19  
Minimum: 43.90 13-10-2018,09:12:33  
Sample Rate: 0.10  
Average: 49.62



Start Time: 13-10-2018,14:20:17  
Maximum: 80.10 13-10-2018,14:21:41  
Minimum: 43.20 13-10-2018,14:21:31  
Sample Rate: 0.10  
Average: 51.61




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 13-10-2018,18:09:23  
Maximum: 84.80 13-10-2018,18:10:35  
Minimum: 43.30 13-10-2018,18:09:41  
Sample Rate: 0.10  
Average: 48.47

**Test results for Shota Rustaveli University:**


**Day I (09.10.2018):**




Start Time: 11-09-2018,09:19:27  
Maximum: 85.10 11-09-2018,09:22:48  
Minimum: 41.20 11-09-2018,09:19:49  
Sample Rate: 0.10  
Average: 48.79



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 09-10-2018,14:31:19  
Maxnum: 83.80 09-10-2018,14:32:54  
Minnum: 40.60 09-10-2018,14:35:28  
Sample Rate: 0.10  
Average: 50.67




Start Time: 09-10-2018,18:08:51  
Maxnum: 74.90 09-10-2018,18:10:29  
Minnum: 39.30 09-10-2018,18:12:28  
Sample Rate: 0.10  
Average: 49.90




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Day 2 (10.10.2018):**



Start Time: 10-10-2018,09:21:30  
Maximum: 76.00 10-10-2018,09:21:33  
Minimum: 42.30 10-10-2018,09:22:48  
Sample Rate: 0.10  
Average: 49.95




Start Time: 10-10-2018,13:50:11  
Maximum: 84.10 10-10-2018,13:51:58  
Minimum: 42.60 10-10-2018,13:50:11  
Sample Rate: 0.10  
Average: 51.71




**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2



Start Time: 10-10-2018,18:40:49  
Maximum: 84.90 10-10-2018,18:43:32  
Minimum: 41.90 10-10-2018,18:41:09  
Sample Rate: 0.10  
Average: 49.41

### Day 3 (11.10.2018):





Start Time: 11-10-2018,09:39:07  
Maximum: 72.80 11-10-2018,09:40:43  
Minimum: 40.90 11-10-2018,09:41:08  
Sample Rate: 0.10  
Average: 48.97




**Coastal Protection Batumi**


Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Day 4 (12.10.2018):**



Start Time: 12-10-2018,09:34:06  
Maximum: 90.70 12-10-2018,09:36:43  
Minimum: 36.80 12-10-2018,09:36:36  
Sample Rate: 0.10  
Average: 50.37




Start Time: 12-10-2018,14:28:50  
Maximum: 83.70 12-10-2018,14:29:45  
Minimum: 39.40 12-10-2018,14:29:31  
Sample Rate: 0.10  
Average: 51.33




Start Time: 12-10-2018,18:38:10  
Maximum: 69.20 12-10-2018,18:41:14  
Minimum: 42.10 12-10-2018,18:40:18  
Sample Rate: 0.10  
Average: 48.20


**Day 5 (13.10.2018):**



Start Time: 13-10-2018,09:51:08  
Maximum: 60.40 13-10-2018,09:53:48  
Minimum: 39.70 13-10-2018,09:52:37  
Sample Rate: 0.10  
Average: 48.18




Start Time: 13-10-2018,14:37:37  
Maximum: 82.00 13-10-2018,14:37:53  
Minimum: 39.90 13-10-2018,14:38:30  
Sample Rate: 0.10  
Average: 49.23




Start Time: 13-10-2018,18:11:13  
Maximum: 76.70 13-10-2018,18:12:43  
Minimum: 39.20 13-10-2018,18:14:01  
Sample Rate: 0.10  
Average: 48.57

**Test results for The Magnolia Hotel:  
Day I (09.10.2018):**



Start Time: 09-10-2018,09:11:18  
Maximum: 78.00 09-10-2018,09:11:20  
Minimum: 42.00 09-10-2018,09:12:40  
Sample Rate: 0.10  
Average: 49.95




Start Time: 09-10-2018,13:38:08  
Maximum: 84.10 09-10-2018,13:39:55  
Minimum: 42.60 09-10-2018,13:39:32  
Sample Rate: 0.10  
Average: 51.71




**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2



Start Time: 09-10-2018, 18:13:46  
Maximum: 84.90 09-10-2018, 18:16:33  
Minimum: 41.90 09-10-2018, 18:14:01  
Sample Rate: 0.10  
Average: 49.41

#### **Day 2 (10.10.2018):**





Start Time: 09-10-2018, 09:41:07  
Maximum: 93.70 09-10-2018, 09:43:40  
Minimum: 36.80 09-10-2018, 09:43:31  
Sample Rate: 0.10  
Average: 50.37




**Coastal Protection Batumi**


Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Day 3 (11.10.2018):**



Start Time: 12-10-2018,09:22:03  
Maximum: 85.10 12-10-2018,09:25:23  
Minimum: 41.20 12-10-2018,09:22:34  
Sample Rate: 0.10  
Average: 48.79




Start Time: 11-10-2018,14:28:10  
Maximum: 83.99 11-10-2018,14:03:49  
Minimum: 40.60 11-10-2018,12-10-2018  
Sample Rate: 0.10  
Average: 50.67



Start Time: 11-10-2018, 18:38:00  
Maximum: 74.90 11-10-2018, 12:10-2018  
Minimum: 39.30 11-10-2018, 12:10-2018  
Sample Rate: 0.10  
Average: 49.90

**Day 4 (12.10.2018):**





Start Time: 12-10-2018, 09:22:02  
Maximum: 80.49 12-10-2018, 09:24:58  
Minimum: 39.70 12-10-2018, 09:23:32  
Sample Rate: 0.10  
Average: 46.18




**Coastal Protection Batumi**


Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Day 5 (13.10.2018):**



Start Time: 13-10-2018,09:12:13  
Maximum: 72.80 13-10-2018,09:13:50  
Minimum: 40.90 13-10-2018,09:14:24  
Sample Rate: 0.10  
Average: 48.97



Start Time: 13-10-2018,14:57:54  
Maximum: 77.70 13-10-2018,14:59:07  
Minimum: 40.90 13-10-2018,14:58:26  
Sample Rate: 0.10  
Average: 53.51




#### Meteorological Data (09.10.2018 - 13.10.2018) Batumi, Georgia


##### Weather History & Observations

2018	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Visibility (km)			Wind (km/h)			Precip. (mm)	Events
Oct	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	sum			
9	24	20	17	19	17	16	94	84	65	1019	1018	1017	10	10	10	14	10	-	0.00	
10	23	20	17	18	17	16	94	84	69	1019	1018	1017	10	10	10	16	10	-	0.00	
11	23	20	17	19	18	16	100	86	73	1020	1019	1018	10	10	10	19	8	-	0.00	
12	23	20	17	19	18	17	100	88	73	1021	1020	1019	10	10	10	13	8	-	0.00	
13	24	20	17	19	17	15	100	86	69	1022	1021	1020	10	10	10	21	11	-	0.00	

**Weather History Graph**



**Photo-Documentation:**





**Conclusion:**

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments".

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b>	
						(Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>School-lyceum "Taoba"</b>	09.10.2018	Day 1	Morning	09:29	49.80	<b>50.22</b>	<b>50</b>
			Noon	13:55	50.65		
			Evening	18:49	48.57	<b>48.57</b>	<b>45</b>
	10.10.2018	Day 2	Morning	09:51	50.14	<b>50.52</b>	<b>50</b>
			Noon	14:03	50.90		
			Evening	19.02	47.88	<b>47.88</b>	<b>45</b>
	11.10.2018	Day 3	Morning	09:10	49.52	<b>50.96</b>	<b>50</b>
			Noon	14:05	52.40		
			Evening	18:34	49.30	<b>49.30</b>	<b>45</b>
	12.10.2018	Day 4	Morning	09:27	51.17	<b>51.60</b>	<b>50</b>
			Noon	14:05	52.03		
			Evening	18:14	47.45	<b>47.45</b>	<b>45</b>
	13.10.2018	Day 5	Morning	09:12	49.62	<b>50.61</b>	<b>50</b>
			Noon	14.20	51.61		
			Evening	18:09	48.47	<b>48.47</b>	<b>45</b>

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	09.10.2018	Day 1	Morning	09:19	48.79	<b>50</b>
			Noon	14:31	50.67	
			Evening	18:08	49.90	
	10.10.2018	Day 2	Morning	09:21	49.95	<b>50</b>
			Noon	13:50	51.71	
			Evening	18:40	49.41	
	11.10.2018	Day 3	Morning	09:39	48.97	<b>50</b>
			Noon	14:55	53.51	
			Evening	18:01	50.17	
	12.10.2018	Day 4	Morning	09:34	50.37	<b>50</b>
			Noon	14:28	51.33	
			Evening	18:38	48.20	
	13.10.2018	Day 5	Morning	09:51	48.18	<b>50</b>
			Noon	14:37	49.23	
			Evening	18:11	48.57	

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	09.10.2018	Day 1	Morning	09:11	49.95	<b>50</b>
			Noon	13:38	51.71	
			Evening	18:13	49.41	
	10.10.2018	Day 2	Morning	09:41	50.37	<b>50</b>
			Noon	14:31	51.33	
			Evening	18:22	48.20	
	11.10.2018	Day 3	Morning	09:19	48.79	<b>50</b>
			Noon	14.02	50.67	
			Evening	18:38	49.90	
	12.10.2018	Day 4	Morning	09:22	48.18	<b>50</b>
			Noon	14:10	49.23	
			Evening	18:52	48.57	
	13.10.2018	Day 5	Morning	09:12	48.97	<b>50</b>
			Noon	14:57	53.51	
			Evening	18:40	50.17	

### 8.1.5 November



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

#### Report on: Noise Measurement

##### *Monitoring Test*

Period of Inspection: 20181113 - 20181117	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
---	------------------------------------	-------------	---

##### **Introduction**

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

##### **General description**

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 10 - 45 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

**Noise Standards:** Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”


##### **Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments**

N	The applied functions of the spaces and areas	Admissible norms			
		L day (DBA)	Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35	
2	The treatment cabinets of the medical establishments	40	40	40	
3	Residential and sleeping areas	35	30	30	
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30	
5	The rooms of the hotel/guest houses/motels	40	35	35	
6	Trading halls and guest rooms	55	55	55	
7	Restaurants, bars, cafes	50	50	50	
8	Spectator/listeners' hall	30	30	30	
9	Sport halls and pools	55	55	55	
10	Small offices ( $\leq 100 \text{ m}^3$ ), working premises and premises	40	40	40	

	without office technique			
I1	Large offices ( $\geq 100 \text{ m}^3$ ), working premises and premises with office technique	45	45	45
I2	Conversation premises	35	35	35
I3	Territories, distanced from the low multistoried residential houses (number of the floors $>6$ ), medical establishments, children and social service objects	50	45	40
I4	Territories, distanced from the multistoried residential houses (number of the floors $>6$ ), cultural, educational, administrative and scientific establishments	55	50	45
I5	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

**Note:** The threshold #I3 and highlighted in the table (yellow) is thresholds, which are considered.



**Map with samples points:**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum “Taoba”:  
Day I (13.11.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Day 2 (14.11.2018):**







**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




**Day 3 (15.11.2018):**




Start Time: 15-11-2018,09:19:08  
Maximum: 70.40 15-11-2018,09:19:43  
Minimum: 42.60 15-11-2018,09:19:26  
Sample Rate: 0.10  
Average: 49.73





Start Time: 15-11-2018,14:16:34  
Maximum: 83.30 15-11-2018,14:17:08  
Minimum: 39.00 15-11-2018,14:16:59  
Sample Rate: 0.10  
Average: 50.73



**Day 4 (16.11.2018):**









**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Day 5 (17.11.2018):**




Start Time: 17-11-2018,09:17:20  
Maximum: 54.20 17-11-2018,09:17:29  
Minimum: 45.50 17-11-2018,09:17:51  
Sample Rate: 0.10  
Average: 49.52



Start Time: 17-11-2018,13:28:44  
Maximum: 64.80 17-11-2018,13:29:12  
Minimum: 46.80 17-11-2018,13:28:57  
Sample Rate: 0.10  
Average: 55.30




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 17-11-2018,18:13:09  
Maximum: 64.20 17-11-2018,18:13:16  
Minimum: 45.60 17-11-2018,18:13:11  
Sample Rate: 0.10  
Average: 50.85



**Test results for Shota Rustaveli University:  
Day I (13.11.2018):**



Start Time: 13-11-2018,09:31:28  
Maximum: 87.40 13-11-2018,09:31:35  
Minimum: 48.90 13-11-2018,09:31:41  
Sample Rate: 0.10  
Average: 51.25




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Day 2 (14.11.2018):**




Start Time: 14-11-2018,09:58:21  
Maximum: 78.80 14-11-2018,09:58:41  
Minimum: 41.50 14-11-2018,09:58:28  
Sample Rate: 0.10  
Average: 49.96




Start Time: 14-11-2018,14:31:22  
Maximum: 72.90 14-11-2018,14:31:51  
Minimum: 44.00 14-11-2018,14:31:41  
Sample Rate: 0.10  
Average: 50.72



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





**Day 3 (15.11.2018):**





**Coastal Protection Batumi**


Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2

**Day 4 (16.11.2018):**




Start Time: 16-11-2018,09:27:02  
Maximum: 68.10 16-11-2018,09:27:37  
Minimum: 37.90 16-11-2018,09:27:09  
Sample Rate: 0.10  
Average: 46.66




Start Time: 16-11-2018,14:59:39  
Maximum: 71.40 16-11-2018,15:00:09  
Minimum: 39.10 16-11-2018,14:59:46  
Sample Rate: 0.10  
Average: 51.32



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





**Day 5 (17.11.2018):**







**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2

**Test results for The Magnolia Hotel:  
Day I (13.11.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





**Day 2 (14.11.2018):**






**Coastal Protection Batumi**


Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Day 3 (15.11.2018):**




Start Time: 15-11-2018,09:08:10  
Maximum: 85.10 15-11-2018,09:11:37  
Minimum: 41.10 15-11-2018,09:08:42  
Sample Rate: 0.10  
Average: 48.79



Start Time: 15-11-2018,14:50:32  
Maximum: 83.80 15-11-2018,14:52:19  
Minimum: 40.60 15-11-2018,14:53:47  
Sample Rate: 0.10  
Average: 50.67





**Day 4 (16.11.2018):**







**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2

**Day 5 (17.11.2018):**





**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




#### Meteorological Data (13.11.2018 - 17.11.2018) Batumi, Georgia

##### Weather History & Observations

2018	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Visibility (km)			Wind (km/h)			Events
	Nov	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	sum		
13	14	12	10	12	10	9	100	91	77	1027	1026	1025	10	9	5	34	16	-	0.00 Rain
14	11	10	9	10	9	8	100	94	87	1025	1021	1017	10	9	6	26	10	-	0.00 Rain
15	13	10	8	8	7	6	100	85	67	1019	1017	1016	10	10	8	24	14	-	0.00 Rain
16	15	11	7	8	7	5	93	81	63	1019	1018	1017	10	10	10	32	21	-	0.00
17	17	13	9	11	8	5	94	78	48	1029	1027	1021	10	10	6	37	23	-	0.00 Rain

**Weather History Graph**



**Photo-Documentation:**





**Conclusion:**

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments".

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b>	
						(Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>School-lyceum "Taoba"</b>	13.11.2018	Day 1	Morning	09:21	51.68	<b>48.43</b>	<b>50</b>
			Noon	14:11	45.18		
			Evening	18:28	47.63	<b>47.63</b>	<b>45</b>
	14.11.2018	Day 2	Morning	09:15	47.27	<b>49.85</b>	<b>50</b>
			Noon	13:19	52.43		
			Evening	18.52	49.30	<b>49.30</b>	<b>45</b>
	15.11.2018	Day 3	Morning	09:19	49.73	<b>50.23</b>	<b>50</b>
			Noon	14:16	50.73		
			Evening	18:51	50.73	<b>50.73</b>	<b>45</b>
	16.11.2018	Day 4	Morning	09:23	52.37	<b>49.86</b>	<b>50</b>
			Noon	13:18	47.35		
			Evening	18:37	49.71	<b>49.71</b>	<b>45</b>
	17.11.2018	Day 5	Morning	09:17	49.52	<b>52.41</b>	<b>50</b>
			Noon	13.28	55.30		
			Evening	18:13	50.65	<b>50.65</b>	<b>45</b>

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b> (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>Shota Rustaveli University</b>	13.11.2018	Day 1	Morning	09:31	51.25	<b>49.71</b>	<b>50</b>
			Noon	14:17	48.17		
			Evening	18:38	51.26	<b>51.26</b>	<b>45</b>
	14.11.2018	Day 2	Morning	09:58	49.96	<b>50.34</b>	<b>50</b>
			Noon	14:31	50.72		
			Evening	19:17	48.17	<b>48.17</b>	<b>45</b>
	15.11.2018	Day 3	Morning	09:38	48.63	<b>51.60</b>	<b>50</b>
			Noon	14:19	54.58		
			Evening	18:28	49.15	<b>49.15</b>	<b>45</b>
	16.11.2018	Day 4	Morning	09:27	46.66	<b>48.99</b>	<b>50</b>
			Noon	14:59	51.32		
			Evening	19:13	48.00	<b>48.00</b>	<b>45</b>
	17.11.2018	Day 5	Morning	09:59	46.43	<b>49.88</b>	<b>50</b>
			Noon	14:16	53.34		
			Evening	19:13	47.88	<b>47.88</b>	<b>45</b>

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b> (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>The Magnolia Hotel</b>	13.11.2018	Day 1	Morning	09:11	49.95	<b>50.83</b>	<b>50</b>
			Noon	13:38	51.71		
			Evening	18:13	49.41	<b>49.41</b>	<b>45</b>
	14.11.2018	Day 2	Morning	09:41	50.37	<b>50.85</b>	<b>50</b>
			Noon	14:31	51.33		
			Evening	18:22	48.20	<b>48.20</b>	<b>45</b>
	15.11.2018	Day 3	Morning	09:19	48.79	<b>49.73</b>	<b>50</b>
			Noon	14.02	50.67		
			Evening	18:38	49.90	<b>49.90</b>	<b>45</b>
	16.11.2018	Day 4	Morning	09:22	48.18	<b>48.70</b>	<b>50</b>
			Noon	14:10	49.23		
			Evening	18:52	48.57	<b>48.57</b>	<b>45</b>
	17.11.2018	Day 5	Morning	09:12	48.97	<b>51.24</b>	<b>50</b>
			Noon	14:57	53.51		
			Evening	18:40	50.17	<b>50.17</b>	<b>45</b>

## 8.1.6 December



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

### Report on: Noise Measurement

#### Monitoring Test

Period of Inspection: 2018/10 - 2018/14	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
---	------------------------------------	-------------	---

#### Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

#### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 10 - 45 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

**Noise Standards:** Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”


#### Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms			
		L day (DBA)	Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40	40
3	Residential and sleeping areas	35	30	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35	35
6	Trading halls and guest rooms	55	55	55	55
7	Restaurants, bars, cafes	50	50	50	50
8	Spectator/listeners' hall	30	30	30	30
9	Sport halls and pools	55	55	55	55
10	Small offices ( $\leq 100 \text{ m}^3$ ), working premises and premises	40	40	40	40

	without office technique			
I1	Large offices ( $\geq 100 \text{ m}^3$ ), working premises and premises with office technique	45	45	45
I2	Conversation premises	35	35	35
I3	Territories, distanced from the low multistoried residential houses (number of the floors $>6$ ), medical establishments, children and social service objects	50	45	40
I4	Territories, distanced from the multistoried residential houses (number of the floors $>6$ ), cultural, educational, administrative and scientific establishments	55	50	45
I5	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

**Note:** The threshold #I3 and highlighted in the table (yellow) is thresholds, which are considered.


**Map with samples points:**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum “Taoba”:  
Day I (10.12.2018):**




Start Time: 10-12-2018,09:27:10  
Maximum: 87.40 10-12-2018,09:28:38  
Minimum: 37.10 10-12-2018,09:28:37  
Sample Rate: 0.10  
Average: 49.60



Start Time: 10-12-2018,13:18:34  
Maximum: 78.00 10-12-2018,13:20:21  
Minimum: 42.50 10-12-2018,13:19:39  
Sample Rate: 0.10  
Average: 50.65




**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Start Time: 10-12-2018, 18:34:08  
Maxnum: 77.00 10-12-2018, 18:35:39  
Minnum: 42.10 10-12-2018, 18:35:52  
Sample Rate: 0.10  
Average: 48.57


**Day 2 (11.12.2018):**



Start Time: 11-12-2018, 09:31:52  
Maxnum: 73.65 11-12-2018, 09:32:04  
Minnum: 42.10 11-12-2018, 09:32:32  
Sample Rate: 0.10  
Average: 50.14





**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Day 3 (12.12.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Day 4 (13.12.2018):**







**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Day 5 (14.12.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




**Test results for Shota Rustaveli University:  
Day I (10.12.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




Start Time: 10-12-2018, 13:15:48  
Maximum: 84.10 10-12-2018, 13:17:31  
Minimum: 42.60 10-12-2018, 13:17:09  
Sample Rate: 0.10  
Average: 51.71




Start Time: 10-12-2018, 18:18:52  
Maximum: 84.90 10-12-2018, 18:21:32  
Minimum: 41.90 10-12-2018, 18:19:26  
Sample Rate: 0.10  
Average: 49.41

**Day 2 (11.12.2018):**




Start Time: 11-12-2018 09:17:45  
Maximum: 90.70 11-12-2018,09:20:37  
Minimum: 36.80 11-12-2018,09:20:13  
Sample Rate: 0.10  
Average: 50.37




Start Time: 11-12-2018,14:45:42  
Maximum: 82.70 11-12-2018,14:46:38  
Minimum: 38.40 11-12-2018,14:46:24  
Sample Rate: 0.10  
Average: 51.33



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





**Day 3 (12.12.2018):**







**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2



**Day 4 (13.12.2018):**




Start Time: 13-12-2018 09:19:40  
Maximum: 80.40 13-12-2018,09:22:33  
Minimum: 39.70 13-12-2018,09:21:11  
Sample Rate: 0.10  
Average: 48.18




Start Time: 13-12-2018,14:46:55  
Maximum: 82.00 13-12-2018,14:47:28  
Minimum: 39.00 13-12-2018,14:47:48  
Sample Rate: 0.10  
Average: 49.23



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





**Day 5 (14.12.2018):**







**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2



**Test results for The Magnolia Hotel:  
Day I (10.12.2018):**



Start Time: 10-12-2018,09:11:50  
Maximum: 78.00 10-12-2018,09:11:53  
Minimum: 42.30 10-12-2018,09:13:17  
Sample Rate: 0.10  
Average: 49.95




Start Time: 10-12-2018,13:29:38  
Maximum: 84.10 10-12-2018,13:31:19  
Minimum: 42.60 10-12-2018,13:30:58  
Sample Rate: 0.10  
Average: 51.71




**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





**Day 2 (11.12.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2

**Day 3 (12.12.2018):**




Start Time: 12-12-2018,09:51:09  
Maximum: 89.10 12-12-2018,09:54:26  
Minimum: 41.20 12-12-2018,09:51:37  
Sample Rate: 0.10  
Average: 48.79




Start Time: 12-12-2018,14:39:17  
Maximum: 83.80 12-12-2018,14:40:58  
Minimum: 40.60 12-12-2018,14:42:34  
Sample Rate: 0.10  
Average: 50.67



**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2





#### **Day 4 (13.12.2018):**






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2






**Coastal Protection Batumi**  
Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2

**Day 5 (14.12.2018):**



Start Time: 14-12-2018,09:39:13  
Maximum: 72.80 14-12-2018,09:40:51  
Minimum: 40.00 14-12-2018,09:41:25  
Sample Rate: 0.10  
Average: 48.97




Start Time: 14-12-2018,14:19:03  
Maximum: 77.70 14-12-2018,14:20:08  
Minimum: 40.90 14-12-2018,14:19:34  
Sample Rate: 0.10  
Average: 53.51



**Coastal Protection Batumi**

Contract No: P42414-SUTIP4-JCB-01-2016 and Amendment #2




Start Time: 14-12-2018, 18:22:17  
Maximum: 74.30 14-12-2018, 18:22:20  
Minimum: 42.70 14-12-2018, 18:24:21  
Sample Rate: 0.10  
Average: 50.17

**Meteorological Data (10.12.2018 - 14.12.2018) Batumi, Georgia**

**Weather History & Observations**

2018	Temp. (°F)			Dew Point (°F)			Humidity (%)			Sea Level Press. (in)			Visibility (mi)			Wind (mph)			Precip. (in)	Events
Dec	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	avg	high	sum		
10	66	58	50	39	36	34	58	46	32	29.95	29.87	29.80	6	6	6	28	21	-	0.00	
11	71	62	53	54	44	36	94	58	27	29.95	29.75	29.56	6	6	4	33	15	52	0.00	Rain
12	53	50	46	50	47	43	94	86	72	29.95	29.86	29.74	6	6	3	24	12	-	0.00	Rain
13	50	44	39	45	41	36	93	87	76	30.30	30.13	29.98	6	5	3	26	10	38	0.00	Rain
14	46	42	39	37	36	36	87	77	66	30.33	30.30	30.27	6	6	6	22	14	-	0.00	Rain

**Weather History Graph**



**Photo-Documentation:**





**Conclusion:**

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments".

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b>	
						(Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>School-lyceum "Taoba"</b>	10.12.2018	Day 1	Morning	09:27	49.80	<b>50.22</b>	<b>50</b>
			Noon	13:18	50.65		
			Evening	18:34	48.57	<b>48.57</b>	<b>45</b>
	11.12.2018	Day 2	Morning	09:31	50.14	<b>50.52</b>	<b>50</b>
			Noon	14:21	50.90		
			Evening	18:13	47.88	<b>47.88</b>	<b>45</b>
	12.12.2018	Day 3	Morning	09:18	49.52	<b>50.96</b>	<b>50</b>
			Noon	14:15	52.40		
			Evening	18:19	49.30	<b>49.30</b>	<b>45</b>
	13.12.2018	Day 4	Morning	09:28	51.17	<b>51.60</b>	<b>50</b>
			Noon	14:11	52.03		
			Evening	18:28	47.45	<b>47.45</b>	<b>45</b>
	14.12.2018	Day 5	Morning	09:10	49.62	<b>50.51</b>	<b>50</b>
			Noon	14:38	51.61		
			Evening	18:22	48.47	<b>48.47</b>	<b>45</b>

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b> (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>Shota Rustaveli University</b>	10.12.2018	Day 1	Morning	09:27	49.95	<b>50.83</b>	<b>50</b>
			Noon	13:15	51.71		
			Evening	18:18	49.41	<b>49.41</b>	<b>45</b>
	11.12.2018	Day 2	Morning	09:17	50.37	<b>50.85</b>	<b>50</b>
			Noon	14:45	51.33		
			Evening	18:51	48.20	<b>48.20</b>	<b>45</b>
	12.12.2018	Day 3	Morning	09:19	48.79	<b>49.73</b>	<b>50</b>
			Noon	14:22	50.67		
			Evening	18:43	49.90	<b>49.90</b>	<b>45</b>
	13.12.2018	Day 4	Morning	09:19	48.18	<b>48.70</b>	<b>50</b>
			Noon	14:55	49.23		
			Evening	18:55	48.57	<b>48.57</b>	<b>45</b>
	14.12.2018	Day 5	Morning	09:28	48.97	<b>51.24</b>	<b>50</b>
			Noon	14:28	53.51		
			Evening	18:29	50.17	<b>50.17</b>	<b>45</b>

<b>Location</b>	<b>Days</b>	<b>Period of day</b>	<b>Time of taken sample</b>	<b>Monitoring result of daily mean (Average); dBA</b>	<b>Daily values (Arithmetical average) dBA</b>	<b>Thresholds of daily mean by Georgian law</b> (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA	
<b>The Magnolia Hotel</b>	10.12.2018	Day 1	Morning	09:11	49.95	<b>50.83</b>	<b>50</b>
			Noon	13:29	51.71		
			Evening	18:39	49.41	<b>49.41</b>	<b>45</b>
	11.12.2018	Day 2	Morning	09:19	50.37	<b>50.85</b>	<b>50</b>
			Noon	14:38	51.33		
			Evening	18:08	48.20	<b>48.20</b>	<b>45</b>
	12.12.2018	Day 3	Morning	09:51	48.79	<b>51.23</b>	<b>50</b>
			Noon	14:39	53.67		
			Evening	18:32	49.90	<b>49.90</b>	<b>45</b>
	13.12.2018	Day 4	Morning	09:49	48.18	<b>48.70</b>	<b>50</b>
			Noon	14:29	49.23		
			Evening	18:09	48.57	<b>48.57</b>	<b>45</b>
	14.12.2018	Day 5	Morning	09.39	48.97	<b>49.84</b>	<b>50</b>
			Noon	14.19	53.51		
			Evening	18.22	50.17	<b>50.17</b>	<b>45</b>

## 8.2 Annex 2 - Air Measurements (July – December, 2018)

### 8.2.1 July

საქართველოს მთავრობის დაცვისა და სოფლის მინისტრის სამინისტრო  
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



სსიპ გარემოს ეროვნული სააგენტო  
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 121-522

24 07 2018

შპს „სტრუკ გრუპ ჯორჯია“-ს დირექტორს  
ბ-ნ ედვარდ სტრუიკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ს.ო.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფზ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწროვ, თქვენს მიერ მითითებული ატმოსფერული ჰარის 1 (ერთი) წერტილში ივლისს თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 1 გვ.

პატივისცემით,

სააგენტოს უფროსი



ნინო თანდილაშვილი



The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

17.07.2018 Agreement - N nF-3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon dioxide Mg/m <sup>3</sup>	NO <sub>2</sub> Nitrogen dioxide Mg/m <sup>3</sup>	SO <sub>2</sub> Sulfur dioxide Mg/m <sup>3</sup>	DustMg/m <sup>3</sup>
1	Along the Coastline	37°17'15.8" N / 46°10'9.8" E	1.97	0.007	<0.1	0.008
2	Maximum permissible concentrations (MPC)	Along the coastline	5.0	0.2	0.5	0.5

Measurements were carried out using the following tools: Sulfur dioxide -GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon dioxide and Nitrogen dioxide- 3JAH;

Measurements were conducted:

Senior specialist

Invited specialist

Giorgi Khachishvili  
Giorgi Kargareli

Agreed:

Head of department



Marine Arabidze

## 8.2.2 August

საქართველოს გარემოს დაცვისა და სოფლის მუნიციპალის სამინისტრო  
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



საიდ გარემოს მროველი სააგენტო  
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 121-600

21 08 2018

შპს „სტრუკ გრუპ ჯორჯია“-ს დირექტორს  
ბ-5 ედვარდ სტრუკს

ბატონი ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ხ.ი.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში აგვისტოს თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსი



ნინო თანდილაშვილი



ატმოსფერულ კაცინი დამაპინძურებელი ინგრედიენტების გაზომვის შედეგები  
ქალაქ ბილიუმი

07.08.2018

ხელშეკრულება-№ფ-311

№	გაზომვის ჩატარების ადგილი	კონიტივატები	გაზომვის შედეგები			
			CO ნამშრენელი მგ/მ³	NO <sub>2</sub> აზოტის დიოქსიდი მგ/მ³	SO <sub>2</sub> გრაფიტის დიოქსიდი მგ/მ³	მსუნი მგ/მ³
1	შოთა რუსთაველი ჭურა	718722/4614281	1,83	0,006	<0,1	0,015
2	სასტუმრო მაგნოლია	71788/4613579	1,24	0,002	<0,1	0,032
3	სკოლა ლილები-თაბა	715840/4611035	0,98	0,001	<0,1	0,027
4	ზღვრულად დასაშეცვები (ზღვ)		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა შემდეგი ხელსაწყობის გამოყენებით: კონტრილის დოკუმენტი - GASALERTMICRO 5; გავვერი - CASELLA CEL-712 Microdust Pro; ნარჩენებანგი და აზოტის დოკუმენტი - ელAH;

შემსურლებლები:

მთავარი სპეციალისტი

ომარ ყენა

Y/DR

გიორგი კარგართველი



შემამახმადვლია:

გარემოს დაბინძურების მონიტორინგის  
დეპარტამენტის უფროლი

მარინე არაშაბაძე

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

07.08.2018

Agreement - N nf - 3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon dioxide Mg/m <sup>3</sup>	NO <sub>2</sub> Nitrogen dioxide Mg/m <sup>3</sup>	SO <sub>2</sub> Sulfur dioxide Mg/m <sup>3</sup>	Dust Mg/m <sup>3</sup>
1	Shota Rustaveli street	718722/4614281	1,83	0,006	<0,1	0,015
2	Hotel Magnolia	71788/4613579	1,24	0,002	<0,1	0,032
3	Private school - "Taoba"	715840/4611035	0,98	0,001	<0,1	0,027
4	Maximum permissible concentrations (MPC)	Along the coastline	5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; ; Dust - CASELLA CEL-712 Microdust Pro; Carbon dioxide and Nitrogen dioxide - 37AAH;

Measurements were conducted:

Main specialist

Invited specialist



Omar Yenea



Agreed:  
Head of department

Marine Arabidze

### **8.2.3 September**

საქართველოს გარემოს დაცვისა და სოფლის მიწოდების სამინისტრო  
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



**სსიპ გარემოს ეროვნული სააგენტო  
LEPL NATIONAL ENVIRONMENTAL AGENCY**

N 12/1-714

25 09 2018

შპს „სტრუკტურულ ჯორჯია“-ს დირექტორს  
ბ-ნ ედვარდ სტრუკას

შპს „სტრუკტურულ ჯორჯია“-ს დირექტორს

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ხ.ო.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუკტურულ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდით, ქ. მათევაშვილი, სანაპირო ზოლის გასწვრივ, თქვენს მიერ შითოთებული ატმოსფერული ჰაერის 3 (ტრი) წერტილში სტერეომირის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსი



ნინო თანდილაშვილი

ატმოსფერულ ჰაერში დამაბინძურებელი ინგრუდიუნტების გაზომვის შედევები  
ქალაქ ბათუმში

19.09.2018

ხელშეკრულება-N №ფ-3/11

№	გაზომვის ჩატარების ადგილი	კონკრეტული კონკრეტული	გაზომვის შედევები			
			CO მგ/მ³	NO <sub>2</sub> აზომების დოკუმენტი მგ/მ³	SO <sub>2</sub> გაგრძელდებული დოკუმენტი მგ/მ³	მტკვრი მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,62	0,007	<0,1	0,019
2	სასტუმრო მავნენლია	71788/4613579	1,14	0,001	<0,1	0,029
3	სკოლა ლიკეულად დასაშვები	715840/4611035	0,76	0,001	<0,1	0,031
4	ზღვრულად დასაშვები (ზევე) კონცენტრაციები		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა ჭრელი ხელასწერების გამოყენებით: გაფირდის დოკუმენტი - GASALERTMICRO 5; მარკი - CASELLA CEL-712 Microdust Pro; ნარჩენებანგი და აზომების დოკუმენტი - ELAH;

შემსრულებელები:

მთავარი სპეციალისტი

მთავარი სპეციალისტი

უფროსი სპეციალისტი

შემთანხმებული:

გარემოს დაბიმტვების მონიტორინგის  
დეპარტამენტის უფროსი

გარინჯ არაგაცი



ომარ ყვნა  
სერგო ხაგვა  
გორგი ხაგვა

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

19.09.2018

Agreement – N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m <sup>3</sup>	NO <sub>2</sub> Nitrogen dioxide mg/m <sup>3</sup>	SO <sub>2</sub> Sulfur dioxide mg/m <sup>3</sup>	Dust mg/m <sup>3</sup>
1	Shota Rustaveli street	718722/4614281	1,62	0,007	<0,1	0,019
2	Hotel Magnolia	71788/4613579	1,14	0,001	<0,1	0,029
3	Private school -"Taoba"	715840/4611035	0,76	0,001	<0,1	0,031
4	Maximum permissible concentrations (MPC)	Along the coastline	5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon Poxide and Nitrogen dioxide - 3JAH;

Measurements were conducted:

Main specialist

Main specialist

Senior specialist

 Omar Yenea

 Sergo khacava

Giorgi khachishvili

Agreed:

Head of department

 Marine Arabidze

### 8.2.4 October

საქართველოს მარემოს დაცვისა და ხოფლის მინისტრის სამინისტრო  
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



სსიპ მარემოს ეროვნული სააგენტო  
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-790

24 10 2018.

შპს „სტრუკ გრუპ ჯორჯია“-ს დირექტორს  
ბ-ნ ედვარდ სტრუკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ს.ი.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ურთი) წერტილში ოქტომბრის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსის  
მოვალეობის შემსრულებელი



ატმოსფერულ ჰაერში დამაბინძურებელი ინგრედენტების გაზომვის შეფეხვი  
ქალაქ ჩიათები

17.09.2018

ხელშესრულება-N009-3/11

№	გაზომვის ჩატარების ადგილი	კონკრეტული კონდიციები	გაზომვის შედეგები			
			CO ნახშირანგი მგ/მ³	NO <sub>2</sub> აშენები დოკუმენტი მგ/მ³	SO <sub>2</sub> გამგირდის დოკუმენტი მგ/მ³	მტკერი მგ/მ³
1	შიომა რუსთავილი ქაქა	718722/4614281	1,58	0,006	<0,247	0,022
2	სასტუმრო მაგნოლია	71788/4613579	1,13	0,002	<0,247	0,028
3	სკოლა ლიკეუმი-თაობა	715840/4611035	0,79	0,001	<0,247	0,027
4	ზღვრულად დასახუტები (ზღვა) კანივნტრაციები (ზღვა)		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა ზელსაწყლების გამოყენებით: გოგონდის დოკუმენტი - GASALERT MICRO 5; ტევერი - CASELLA CEL-712 Microdust Pro; ნობშირჭავი და აშოტის დოკუმენტი - E-LAH;

შემსულობებები:

მთავარი სპეციალისტი

მთავარი სპეციალისტი

უფროსი სპეციალისტი

შეთანხმებულია:

გარემოს დაზიანებულების მონიტორინგის  
დეპარტამენტის უფროსი

გიორგი გარგარიშვილი

გიორგი გარგარიშვილი



The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

17.09.2018

Agreement - N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m <sup>3</sup>	NO <sub>2</sub> Nitrogen dioxide mg/m <sup>3</sup>	SO <sub>2</sub> Sulfur dioxide mg/m <sup>3</sup>	Dust mg/m <sup>3</sup>
1	Shota Rustaveli street	718722/4614281	1,58	0,006	<0,247	0,022
2	Hotel Magnolia	71788/4613579	1,13	0,002	<0,247	0,028
3	Private school - "Taoba"	715840/4611035	0,79	0,001	<0,247	0,027
4	Maximum permissible concentrations (MPC)	Along the coastline	5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon Poxide and Nitrogen dioxide - 37LAH;

Measurements were conducted:

Main specialist

Main specialist

Senior specialist

*Nenikos* Omar Yenea

*Sergo khacava*

*Giorgi kargareli*



Agreed:

Head of department

Marine Arabidze

### **8.2.5 November**

საქართველოს გარემოს დაცვისა და სოფლის მიურნების სამინისტრო  
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



**სსიპ მარემოს ეროვნული სააგენტო  
LEPL NATIONAL ENVIRONMENTAL AGENCY**

N 121-876

22 11 2018

შპს „სტრუკ გრუპ ჯორჯია“-ს დირექტორს  
ბ-ნ ედვარდ სტრუკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ს.ი.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში წოებითი თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსის

მოვალეობის შემსრულებელი



ატმოსფერულ ჰაერის დამაბინაურებელი ინგრედინტების გაზომვის შეფასება  
ქალაქ ჩახუშეთი

16.11.2018

ხელშეკრულება-№ფ-3/11

N	გაზომვის ჩატარების ადგილი	კონიდინგები	გაზომვის შეფასება			
			CO ნახსენები მგ/მ³	NO <sub>2</sub> აზოტის დიოქსიდი მგ/მ³	SO <sub>2</sub> მაგნეზიუმის დიოქსიდი მგ/მ³	მჟავები მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,41	0,005	<0,247	0,021
2	სასტუმრო მაგნოლია	71788/4613579	1,09	0,003	<0,247	0,019
3	სკოლა ლიცეუმი-თარიღა	715840/4611035	0,93	0,002	<0,247	0,017
4	ზღვრულად დასაშუალები (ზღვე)		5,0	0,2	0,5	0,5

გაზომვის ჩატარება შემთხვევი ხელასაწყობის გამოყენებით: გუგორდის დიოქსიდი - GASALERTMICRO 5; მჟავები - CASELLA CEL-712 Microdust Pro; ნანომორფანგი და აზოტის დიოქსიდი - ELAH;

შემსრულებლები:

მთავარი სპეციალისტი

მთავარი სპეციალისტი

მოწვევლი სპეციალისტი

შემსრულებელი:

გარუმის დაბინძურების მონიტორინგის  
დაკარგულების უფროსი

მარიანე არაგაძე



The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

16.11.2018

Agreement - N n f -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m <sup>3</sup>	NO <sub>2</sub> Nitrogen dioxide mg/m <sup>3</sup>	SO <sub>2</sub> Sulfur dioxide mg/m <sup>3</sup>	Dust mg/m <sup>3</sup>
1	Shota Rustaveli street	718722/4614281	1,41	0,005	<0,247	0,021
2	Hotel Magnolia	71788/4613579	1,09	0,003	<0,247	0,019
3	Private school - "Taoba"	715840/4611035	0,93	0,002	<0,247	0,017
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon Poxide and Nitrogen dioxide - 370AH;

Measurements were conducted:

Main specialist

Main specialist

Invited specialist

*Denis Omar Yenea*  
Denis Omar Yenea  
*Sergo Khartsava*  
Sergo Khartsava  
*Badri Tsatava*  
Badri Tsatava

Agreed:

Head of department

Marine Arabidze



### 8.2.6 December

საქართველოს გარემოს დაცვისა და სოფლის მენეჯმენტის სამინისტრო  
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



სსიპ გარემოს ენიონული სააგენტო  
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-1042

25 12 2018

შპს „სტრუკ გრუპ ჯორჯია“-ს დირექტორს  
ბ-ნ ედვარდ სტრუკის

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ს.ი.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდით, ქ. ზათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში დეკემბრის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,



სააგენტოს უფროსი

ანდრო ასლანიშვილი



The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

19.12.2018

Agreement – N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m <sup>3</sup>	NO <sub>2</sub> Nitrogen dioxide mg/m <sup>3</sup>	SO <sub>2</sub> Sulfur dioxide mg/m <sup>3</sup>	Dust mg/m <sup>3</sup>
1	Shota Rustaveli street	718722/4614281	1,39	0,005	<0,247	0,018
2	Hotel Magnolia	71788/4613579	0,98	0,002	<0,247	0,019
3	Private school - "Taoba"	715840/4611035	0,95	0,001	<0,247	0,017
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon Poxide and Nitrogen dioxide - 3JIAH;

Measurements were conducted:

Main specialist

Invited specialist

Sergo Khatsava  
Giorgi kargareTeli

Marine Arabidze



Agreed:

Head of department

ატმოსფერულ ჰაერის დამაბინძურებელი ინგრედიენტების გაზომის შეფასები  
ქალაქ ჩაოცემი

ქალაქ ჩაოცემი

19.12.2018

ხელშეკრულება-Nშფ-3/11

N	გაზომვის ჩატარების აღზღიული	კონდიციები	გაზომვის შედეგები			
			CO ნახშირანგი მგ/მ³	NO <sub>2</sub> აზოტის დიაქსიდი მგ/მ³	SO <sub>2</sub> გარენას დიაქსიდი მგ/მ³	მჟავრი მგ/მ³
1	შოთა რუსთაველი ქარა	718722/4614281	1,39	0,005	<0,247	0,018
2	სასტუმრო მაგნოლია	71788/4613579	0,98	0,002	<0,247	0,019
3	სკოლა ლიკელმი-თაობა	715840/4611035	0,95	0,001	<0,247	0,017
4	ზღვრული დასაშეცხი კონცენტრაციები (ზღვ)		5,0	0,2	0,5	0,5

გაზომვის შედეგი ხელშეკრულის გამოყენებით: გაზომვის დოკუმენტი - GASALERT MICRO 5; მშენები - CASELLA CEL-712  
Microdust Pro; ნაზმინიუნგი და აზოტის დიაქსიდი - ელან;

შესტერლებლები:

მთავარი საჭიროალისტი

მოწვევლი სპეციალისტი

შემანამებრეულია:

გარემოს დაბინძურების მონიტორინგის

დასარტონების უფროსი

მარინე არაშიძე



## 8.3 Annex 3 – Water turbidity Measurements (July – December, 2018)

### 8.3.1 July



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



### Water Turbidity Test Report

(Monitoring)

Sample taking date: 2018/07/10	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716483; Y= 4611964)
			GPS 2: (X= 716503; Y= 4611938)

#### Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

#### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716483; Y= 4611964) & GPS 2: (X= 716503; Y= 4611938).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

**Water turbidity standards:** In accordance with the UKTAG proposed standard for suspended solids, August 2007

#### UKTAG proposed standard

Water Turbidity (weighted particles) mg/l	Min	Max
	25 mg/l 100 mg/l 200 mg/l 400 mg/l	100 mg/l low risk 200 mg/l moderate risk 400 mg/l high risk 400 < mg/l unacceptable risk

#### Map with samples points:





Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016





N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716483; Y= 4611964)	Suspended Solids	mg/L	27.16	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X= 716503; Y= 4611938)	Suspended Solids	mg/L	25.54	Photometric

**Conclusion:**

Based on the results of the tests conducted in two places GPS 1: (X= 716483; Y= 4611964) & GPS 2: (X= 716503; Y= 4611938), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



### 8.3.2 August



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



## Water Turbidity Test Report (Monitoring)

Sample taking date: 2018/08/07	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716510; Y= 4611927) GPS 2: (X= 716477; Y= 4611965)
--------------------------------	------------------------------------	------------	--

### Introduction

Under the project Coastal Protection Batumi contractor "Struik Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716510; Y= 4611927) & GPS 2: (X= 716477; Y= 4611965).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

**Water turbidity standards:** In accordance with the UKTAG proposed standard for suspended solids, August 2007

### UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

### Map with samples points:





Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: ( X= 716510; Y= 4611927)	Suspended Solids	mg/L	31.11	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: ( X= 716477; Y= 4611965)	Suspended Solids	mg/L	29.53	Photometric

**Conclusion:**

Based on the results of the tests conducted in two places GPS 1: (X= 716510; Y= 4611927) & GPS 2: (X= 716477; Y= 4611965), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



### 8.3.3 September



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



## Water Turbidity Test Report (Monitoring)

Sample taking date: 2018/09/11	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716480; Y= 4611971) GPS 2: (X= 716502; Y= 4611938)
--------------------------------	------------------------------------	------------	--

#### Introduction

Under the project Coastal Protection Batumi contractor "Struik Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

#### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716480; Y= 4611971) & GPS 2: (X= 716502; Y= 4611938).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

**Water turbidity standards:** In accordance with the UKTAG proposed standard for suspended solids, August 2007

#### UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

#### Map with samples points:





N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716480; Y= 4611971)	Suspended Solids	mg/L	37.49	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X= 716502; Y= 4611938)	Suspended Solids	mg/L	36.17	Photometric

**Conclusion:**

Based on the results of the tests conducted in two places GPS 1: (X= 716480; Y= 4611971) & GPS 2: (X= 716502; Y= 4611938), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



### 8.3.4 October



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



## Water Turbidity Test Report (Monitoring)

Sample taking date: 2018/10/09	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716509; Y= 4611926) GPS 2: (X=716477; Y= 4611965)
--------------------------------	------------------------------------	------------	---

### Introduction

Under the project Coastal Protection Batumi contractor "Struik Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716509; Y= 4611926) & GPS 2: (X=716477; Y= 4611965).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

**Water turbidity standards:** In accordance with the UKTAG proposed standard for suspended solids, August 2007

### UKTAG proposed standard

Water Turbidity (weighted particles) mg/l	Min	Max
	25 mg/l 100 mg/l 200 mg/l 400 mg/l	100 mg/l low risk 200 mg/l moderate risk 400 mg/l high risk 400 < mg/l unacceptable risk

### Map with samples points:



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716509; Y= 4611926)	Suspended Solids	mg/L	34.12	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716477; Y= 4611965)	Suspended Solids	mg/L	38.43	Photometric

**Conclusion:**

Based on the results of the tests conducted in two places GPS 1: (X= 716509; Y= 4611926) & GPS 2: (X=716477; Y= 4611965), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



### 8.3.5 November



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



### Water Turbidity Test Report

(Monitoring)

Sample taking date: 2018/11/09	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716502; Y= 4611932) GPS 2: (X=716495; Y= 4611959)
--------------------------------	------------------------------------	------------	---

#### Introduction

Under the project Coastal Protection Batumi contractor "Struik Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

#### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716502; Y= 4611932) & GPS 2: (X=716495; Y= 4611959).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

**Water turbidity standards:** In accordance with the UKTAG proposed standard for suspended solids, August 2007

#### UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

#### Map with samples points:





Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016




N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716502; Y= 4611932)	Suspended Solids	mg/L	31.82	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716495; Y= 4611959)	Suspended Solids	mg/L	29.17	Photometric

**Conclusion:**

Based on the results of the tests conducted in two places GPS 1: (X= 716502; Y= 4611932) & GPS 2: (X=716495; Y= 4611959), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



### 8.3.6 December



Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



## Water Turbidity Test Report (Monitoring)

Sample taking date: 2018/12/10	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716498; Y= 4611937) GPS 2: (X=716475; Y= 4611964)
--------------------------------	------------------------------------	------------	---

### Introduction

Under the project Coastal Protection Batumi contractor "Struik Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

### General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716498; Y= 4611937) & GPS 2: (X=716475; Y= 4611964).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

**Water turbidity standards:** In accordance with the UKTAG proposed standard for suspended solids, August 2007

### UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

### Map with samples points:





Coastal Protection Batumi  
Contract No: P42414-SUTIP4-ICB-01-2016



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716498; Y= 4611937)	Suspended Solids	mg/L	43.18	Photometric



  

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716475; Y= 4611964)	Suspended Solids	mg/L	39.49	Photometric

**Conclusion:**

Based on the results of the tests conducted in two places GPS 1: (X= 716498; Y= 4611937) & GPS 2: (X=716475; Y= 4611964), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



## 8.4 Annex 4 – Site re-entry walk over surveys (Flora and Fauna) (July – December, 2018)

### 8.4.1 July

#### Site re-entry walk over survey for preventing damage to Flora and Fauna

Batum Costal Protection

Report #15 (July)

Location - Batumi City

Date: 06<sup>th</sup> July, 2018

This report reflects information about conducted site re-entry walk over survey on 06<sup>th</sup> July, 2018 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
			24/02/2017	10/02/2018	07/03/2018	10/04/2018	04/05/2018	08/06/2018
დიდი კოვონა	Podiceps cristatus	67	18	3	5	7	-	-
მცირე კოვონა	Tachybaptus ruficollis	3	-	-	-	-	-	-

დიდი ჩვამა	<i>Phalacrocorax carbo</i>	14	15	21	3	1	2	-
რუხი ყანჩა	<i>Ardea cinerea</i>	2	-	1	-	-	-	-
დიდი თეთრი ყანჩა	<i>Ardea alba</i>	1	1	1	-	-	-	-
შცირე თეთრი ყანჩა	<i>Egretta garzetta</i>	-	-	-	-	1	-	-
ღამის ყანჩა	<i>Nycticorax nycticorax</i>	-	-	-	-	-	-	-
ალკუნი	<i>Alcedo atthis</i>	-	-	-	-	-	-	-
ქოჩორა ყვინთია	<i>Aythya fuligula</i>	28	7	-	-	-	-	-
ძერა	<i>Milvus migrans</i>	1	-	3	1	5	-	-
ჩვეულებრივი კაკაჩა	<i>Buteo buteo</i>	2	-	-	-	-	-	-
მულოტა	<i>Fulica atra</i>	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	<i>Motacilla alba</i>	5	9	5	9	8	7	5
სკვინჩა	<i>Fringilla coelebs</i>	2	1	-	3	2	3	3
ჩიტბატონა	<i>Carduelis carduelis</i>	-	-	-	-	-	-	-
სახლის ბეღურა	<i>Passer domesticus</i>	11	4	9	8	12	5	6
მინდვრის ბეღურა	<i>Passer montanus</i>	-	-	-	-	-	-	-
რუხი ყვავი	<i>Corvus cornix</i>	8	14	6	11	4	13	4
ჩვეულებრივი თევზიყლაპა	<i>Sterna hirundo</i>	1	-	-	-	-	-	-
ყვითელფეხა თოლია	<i>Larus michahellis</i>	135	150	120	90	75	46	29
ტბის თოლია	<i>Chroicocephalus ridibundus</i>	56	320	45	37	27	-	-
მებორნე	<i>Actitis hypoleucos</i>	-	-	-	-	-	-	-
მცირე წინტალა	<i>Charadrius dubius</i>	-	-	-	-	1	-	-
მიმინო	<i>Accipiter nisus</i>	-	-	-	-	-	-	-
შევარდენი	<i>Falco subbuteo</i>	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	<i>Larus cachinnans</i>	-	-	-	-	-	-	-
ჩვეულებრივი ჭიაჭი	<i>Phylloscopus collybita</i>	-	-	-	-	-	-	-
სოფლის მერცხალი	<i>Hirundo rustica</i>	-	-	-	-	6	19	13
ჭინჭრაქა	<i>Troglodytes troglodytes</i>	-	-	-	-	-	-	-
მთის ბოლოქანქალა	<i>Motacilla cinerea</i>	-	-	-	-	-	-	-
ტურუხტანი	<i>Philomachus pugnax</i>	-	-	-	-	-	-	-
ყორანი	<i>Corvus corone</i>	-	-	-	2	1	-	-
გარეული იხვი	<i>Anas platyrhynchos</i>	-	2	-	-	-	-	-
ყვითელი ბოლოქანქარა	<i>Motacilla citreola</i>	-	-	-	8	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2018	01/03/2018	07/03/2018	10/04/2018	04/05/2018	08/06/2018	06/07/2018
წავი *	Lutra lutra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	-	2	-	-	7
კასკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხეველა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylus japonica	Apiaceae	ძაღლის ბირჟა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ვრთწლიანი ვრიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisiifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭიჭა	Stinking hawksbeard	-

<i>Cychorium intibus</i>	Asteraceae	ვარდკაჭკაჭა	Common chicory	-
<i>Lactuca seriola</i>	Asteraceae	ღორის ქადა	Prickly lettuce	-
<i>Sonchus oleraceus</i>	Asteraceae	ღიჟა	Common sowthistle	-
<i>Erigeron canadensis</i>	Asteraceae	ცხენისკუდა	Canadian horseweed	-
<i>Xanthium strumarium</i>	Asteraceae	ღორის ბირვა	Rough cocklebur	-
<i>Arctium lappa</i>	Asteraceae	ოროვანდი	Greater burdock	-
<i>Tagetes minuta</i>	Asteraceae	ხავერდა	Muster John Henry	-
<i>Anthemis euxina</i>	Asteraceae	ირაგა ეუჯისინური	Cota tinctoria	-
<i>Bidens tripartita</i>	Asteraceae	ორკბილა	three-lobe beggarticks	-
<i>Leontodon danubialis</i>	Asteraceae	ლომისკბილა	Hawkbits	-
<i>Amaranthus albus</i>	Amaranthus albus	ჯოჯლაყა თეთრი	Common tumbleweed	-
<i>Chenopodium album</i>	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
<i>Chenopodium ambrosioides</i>	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
<i>Lepidium texanum</i>	Cruciferae	წიწმატი ველური	Peppergrass	-
<i>Lepidium sativum</i>	Cruciferae	წიწმატი ტყის	Garden cress	-
<i>Raphanus maritimus</i>	Cruciferae	ზღვის ბოლოვი	Wild radish	-
<i>Cyperus badius</i>	Cruciferae	წამალწვრილი	Coco-grass	-
<i>Luzula multiflora</i>	Juncaceae	ისლურა	Common woodrush	-
<i>Equisetum ramosissimum</i>	Equisetaceae	შვიტა	Branched horsetail	-
<i>Lotus corniculatus</i>	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
<i>Lespedeza striata</i>	Fabaceae	იაპონური სამყურა	Japanese clover	-
<i>Trifolium campestre</i>	Fabaceae	სამყურა ველის	Hop trefoil	-
<i>Trifolium arvense</i>	Fabaceae	ბურტყლა სამყურა	Hare's-foot clover	-
<i>Trifolium pratense</i>	Fabaceae	წითელი სამყურა	Red clover	-
<i>Prunella vulgaris</i>	Lamiaceae	გობისცხვირა	Common self-heal	-
<i>Mentha pulegium</i>	Lamiaceae	ომბალო	Peppercress	-
<i>Lythrum salicaria</i>	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
<i>Malva neglecta</i>	Malvaceae	ბალბა	Common mallow	-
<i>Ficus carica</i>	Moraceae	ლეღვი	Common fig	2 trees
<i>Morus alba</i>	Moraceae	თეთრი თუთა	White mulberry	2 trees
<i>Oxalis corniculata</i>	Moraceae	მჟაველა	Creeping woodsorrel	-
<i>Phytolacca americana</i>	Phytolaccaceae	ჭიაფერა	American pokeweed	-
<i>Plantago lanceolata</i>	Plantaginaceae	ლანცეტა მრავალძარღვა	English plantain	-
<i>Plantago major</i>	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
<i>Setaria glauca</i>	Poaceae	ყვითელი ძურწა	Pearl millet	-
<i>Sporobolus fertilis</i>	Poaceae	სპორომოლუსი ინდური	Dropseeds	-
<i>Poa annua</i>	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
<i>Digitaria violascens</i>	Poaceae	მწყერფება	Finger-grass	-
<i>Echinochloa crusgalli</i>	Poaceae	ბურჩხა	Barnyard grass	-
<i>Cynodon dactylon</i>	Poaceae	გლერტა	Vilfa stellata	-
<i>Sieglungia decumbens</i>	Poaceae	სიგლონგია	Heath grass	-
<i>Eleusine indica</i>	Poaceae	ინდური ელუუზინა	Indian goosegrass	-

Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-
Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ბოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მჯავარი ბლაგფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომეავა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გელსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუბო	Nutmeg tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	თნტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძაღყურძენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

**Conclusion:** To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

**Note:**

**Species indicated with \* sign in above table belong to IUCN Red List (VU /IUCN near threatened).**

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

## 8.4.2 August

### Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #16 (August)

Location - Batumi City

Date: 11<sup>th</sup> August, 2018

This report reflects information about conducted site re-entry walk over survey on 11<sup>th</sup> August, 2018 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity							
Georgian Name	Scientific Name	Baseline date	Date						
			24/02/2017	07/03/2018	10/04/2018	04/05/2018	08/06/2018	06/07/2018	11/08/2018
დიდი კოკონა	Podiceps cristatus	67	3	5	7	-	-	-	-
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	-	-	-	-	2

დიდი ჩვამა	<i>Phalacrocorax carbo</i>	14	21	3	1	2	-	-
რუხი ყანჩა	<i>Ardea cinerea</i>	2	1	-	-	-	-	-
დიდი თეთრი ყანჩა	<i>Ardea alba</i>	1	1	-	-	-	-	1
მცირე თეთრი ყანჩა	<i>Egretta garzetta</i>	-	-	-	1	-	-	-
ღამის ყანჩა	<i>Nycticorax nycticorax</i>	-	-	-	-	-	-	-
ალკუნი	<i>Alcedo atthis</i>	-	-	-	-	-	-	-
ქოჩორა ყვიწთია	<i>Aythya fuligula</i>	28	-	-	-	-	-	-
ძერა	<i>Milvus migrans</i>	1	3	1	5	-	-	-
ჩვეულებრივი კაკაჩა	<i>Buteo buteo</i>	2	-	-	-	-	-	-
მელოტა	<i>Fulica atra</i>	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	<i>Motacilla alba</i>	5	5	9	8	7	5	11
სკვინჩა	<i>Fringilla coelebs</i>	2	-	3	2	3	3	3
ჩიტბატონა	<i>Carduelis carduelis</i>	-	-	-	-	-	-	-
სახლის ბეღურა	<i>Passer domesticus</i>	11	9	8	12	5	6	17
მინდვრის ბეღურა	<i>Passer montanus</i>	-	-	-	-	-	-	-
რუხი ყვავი	<i>Corvus cornix</i>	8	6	11	4	13	4	6
ჩვეულებრივი თევზიყლაბა	<i>Sterna hirundo</i>	1	-	-	-	-	-	-
ყვითელფეხა თოლია	<i>Larus michahellis</i>	135	120	90	75	46	29	85
ტბის თოლია	<i>Chroicocephalus ridibundus</i>	56	45	37	27	-	-	-
მებორნე	<i>Actitis hypoleucos</i>	-	-	-	-	-	-	-
მცირე წინტალა	<i>Charadrius dubius</i>	-	-	-	1	-	-	-
მიმინო	<i>Accipiter nisus</i>	-	-	-	-	-	-	-
შევარდენი	<i>Falco subbuteo</i>	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	<i>Larus cachinnans</i>	-	-	-	-	-	-	-
ჩვეულებრივი ჭიაჭი	<i>Phylloscopus collybita</i>	-	-	-	-	-	-	-
სოფლის მერცხალი	<i>Hirundo rustica</i>	-	-	-	6	19	13	22
ჭინჭრაქა	<i>Troglodytes troglodytes</i>	-	-	-	-	-	-	-
მთის ბოლოქანქალა	<i>Motacilla cinerea</i>	-	-	-	-	-	-	-
ტურუხტანი	<i>Philomachus pugnax</i>	-	-	-	-	-	-	-
ყორანი	<i>Corvus corone</i>	-	-	2	1	-	-	-
გარეული იხვი	<i>Anas platyrhynchos</i>	-	-	-	-	-	-	-
ყვითელი ბოლოქანქარა	<i>Motacilla citreola</i>	-	-	8	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	07/03/2018	10/04/2018	04/05/2018	08/06/2018	06/07/2018	11/08/2018
წავი *	Lutra lutra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	2	-	-	7	3
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylus japonica	Apiaceae	ძაღლის ბირჟა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერთგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisiifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoifolia	Asteraceae	კიჭიჭა	Stinking hawksbeard	-

<i>Cichorium intibus</i>	Asteraceae	ვარდკაჭკაჭა	Common chicory	-
<i>Lactuca seriola</i>	Asteraceae	ღორის ქადა	Prickly lettuce	-
<i>Sonchus oleraceus</i>	Asteraceae	ღიჟა	Common sowthistle	-
<i>Erigeron canadensis</i>	Asteraceae	ცხენისკუდა	Canadian horseweed	-
<i>Xanthium strumarium</i>	Asteraceae	ღორის ბირვა	Rough cocklebur	-
<i>Arctium lappa</i>	Asteraceae	ოროვნენდი	Greater burdock	-
<i>Tagetes minuta</i>	Asteraceae	ხავერდა	Muster John Henry	-
<i>Anthemis euxina</i>	Asteraceae	ირაგა ეუჯესინური	Cota tinctoria	-
<i>Bidens tripartita</i>	Asteraceae	ორვბილა	three-lobe beggarticks	-
<i>Leontodon danubialis</i>	Asteraceae	ლომისკბილა	Hawkbits	-
<i>Amaranthus albus</i>	Amaranthus albus	ჯოჯლაყა თეთრი	Common tumbleweed	-
<i>Chenopodium album</i>	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
<i>Chenopodium ambrosioides</i>	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
<i>Lepidium texanum</i>	Cruciferae	წიწმატი ველური	Peppergrass	-
<i>Lepidium sativum</i>	Cruciferae	წიწმატი ტყის	Garden cress	-
<i>Raphanus maritimus</i>	Cruciferae	ზღვის ბილოვი	Wild radish	-
<i>Cyperus badius</i>	Cruciferae	წამალწვრილი	Coco-grass	-
<i>Luzula multiflora</i>	Juncaceae	ისლურა	Common woodrush	-
<i>Equisetum ramosissimum</i>	Equisetaceae	შვიტა	Branched horsetail	-
<i>Lotus corniculatus</i>	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
<i>Lespedeza striata</i>	Fabaceae	იაპონური სამყურა	Japanese clover	-
<i>Trifolium campestre</i>	Fabaceae	სამყურა ველის	Hop trefoil	-
<i>Trifolium arvense</i>	Fabaceae	ბურტყლა სამყურა	Hare's-foot clover	-
<i>Trifolium pratense</i>	Fabaceae	წითელი სამყურა	Red clover	-
<i>Prunella vulgaris</i>	Lamiaceae	გობისცხვირა	Common self-heal	-
<i>Mentha pulegium</i>	Lamiaceae	ომბალო	Peppercress	-
<i>Lythrum salicaria</i>	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
<i>Malva neglecta</i>	Malvaceae	ბალბა	Common mallow	-
<i>Ficus carica</i>	Moraceae	ლევცი	Common fig	2 trees
<i>Morus alba</i>	Moraceae	თეთრი თუთა	White mulberry	2 trees
<i>Oxalis corniculata</i>	Moraceae	მჯაველა	Creeping woodsorrel	-
<i>Phytolacca americana</i>	Phytolaccaceae	ჭიაფერა	American pokeweed	-
<i>Plantago lanceolata</i>	Plantaginaceae	ლანცეტა მრავალძარღვა	English plantain	-
<i>Plantago major</i>	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
<i>Setaria glauca</i>	Poaceae	ყვითელი ძურწა	Pearl millet	-
<i>Sporobolus fertilis</i>	Poaceae	სპორობლუსი ინდური	Dropseeds	-
<i>Poa annua</i>	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
<i>Digitaria violascens</i>	Poaceae	მწყერფება	Finger-grass	-
<i>Echinochloa crusgalli</i>	Poaceae	ბურჩხა	Barnyard grass	-
<i>Cynodon dactylon</i>	Poaceae	გლერტა	Vilfa stellata	-
<i>Sieglungia decumbens</i>	Poaceae	სიგლინგია	Heath grass	-
<i>Eleusine indica</i>	Poaceae	ინდური ელუუზინა	Indian goosegrass	-

<i>Paspalum dilatatum</i>	Poaceae	ფართო წიწიშურა	Dallisgrass	-
<i>Polygonum nodosum</i>	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
<i>Polygonum persicaria</i>	Polygonaceae	ბოსტნის წალიკა	Lady's thumb	-
<i>Polygonum perfoliatum</i>	Polygonaceae	გაჩვეუტილფოთოლა წალიკა	Mile-a-minute weed	-
<i>Polygonum convolvulus</i>	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
<i>Rumex obtusifolius</i>	Polygonaceae	მჯავრა ბლაგვფოთოლა	Bitter dock	-
<i>Rumex acetosella</i>	Polygonaceae	კოკომქავა	Sheep's sorrel	-
<i>Portulaca oleracea</i>	Portulacaceae	დანდური	Common purslane	-
<i>Salix alba</i>	Salicaceae	წნორი	White willow	2 trees
<i>Verbascum blattaria</i>	Scrophulariaceae	გულსოსანა	Moth mullein	-
<i>Rhus javanica</i>	Anacardiaceae	იაპონური თუთუბო	Nutmeg tree	-
<i>Datura stramonium</i>	Anacardiaceae	ლემა	Jimsonweed	-
<i>Physalis ixocarpa</i>	Solanaceae	ონტკოფა	Tomatillo	-
<i>Solanum nigrum</i>	Solanaceae	ძაღლყურძენა	European black nightshade	-
<i>Verbena officinalis</i>	Verbenaceae	ცოცხანა	Common vervain	-
<i>Verbena brasiliensis</i>	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

**Conclusion:** To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.


**Note:**

**Species indicated with \* sign in above table belong to IUCN Red List (VU /IUCN near threatened).**

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

### 8.4.3 September

#### Site re-entry walk over survey for preventing damage to Flora and Fauna

Batum Costal Protection

Report #17 (September)

Location - Batumi City

Date: 07<sup>th</sup> September, 2018

This report reflects information about conducted site re-entry walk over survey on 07<sup>th</sup> September, 2018 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity							
Georgian Name	Scientific Name	Baseline date	Date						
			24/02/2017	10/04/2018	04/05/2018	08/06/2018	06/07/2018	11/08/2018	06/09/2018
დიდი კოკონა	Podiceps cristatus	67	5	7	-	-	-	-	-
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	-	-	2	-	-

დიდი ჩვამა	<i>Phalacrocorax carbo</i>	14	3	1	2	-	-	1
რუხი ყანჩა	<i>Ardea cinerea</i>	2	-	-	-	-	-	-
დიდი თეთრი ყანჩა	<i>Ardea alba</i>	1	-	-	-	-	1	-
მცირე თეთრი ყანჩა	<i>Egretta garzetta</i>	-	-	1	-	-	-	-
ღამის ყანჩა	<i>Nycticorax nycticorax</i>	-	-	-	-	-	-	-
ალკუნი	<i>Alcedo atthis</i>	-	-	-	-	-	-	-
ქოჩორა ყვიწითა	<i>Aythya fuligula</i>	28	-	-	-	-	-	-
ძერა	<i>Milvus migrans</i>	1	1	5	-	-	-	1
ჩვეულებრივი კაკაჩა	<i>Buteo buteo</i>	2	-	-	-	-	-	-
მელოტა	<i>Fulica atra</i>	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	<i>Motacilla alba</i>	5	9	8	7	5	11	10
სკვინჩა	<i>Fringilla coelebs</i>	2	3	2	3	3	3	1
ჩიტბატონა	<i>Carduelis carduelis</i>	-	-	-	-	-	-	-
სახლის ბეღურა	<i>Passer domesticus</i>	11	8	12	5	6	17	23
მინდვრის ბეღურა	<i>Passer montanus</i>	-	-	-	-	-	-	-
რუხი ყვავი	<i>Corvus cornix</i>	8	11	4	13	4	6	9
ჩვეულებრივი თევზიყლაბა	<i>Sterna hirundo</i>	1	-	-	-	-	-	-
ყვითელფეხა თოლია	<i>Larus michahellis</i>	135	90	75	46	29	85	69
ტბის თოლია	<i>Chroicocephalus ridibundus</i>	56	37	27	-	-	-	-
მებორნე	<i>Actitis hypoleucos</i>	-	-	-	-	-	-	-
მცირე წინტალა	<i>Charadrius dubius</i>	-	-	1	-	-	-	-
მიმინო	<i>Accipiter nisus</i>	-	-	-	-	-	-	1
შევარდენი	<i>Falco subbuteo</i>	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	<i>Larus cachinnans</i>	-	-	-	-	-	-	-
ჩვეულებრივი ჭიაჭი	<i>Phylloscopus collybita</i>	-	-	-	-	-	-	-
სოფლის მერცხალი	<i>Hirundo rustica</i>	-	-	6	19	13	22	4
ჭინჭრაქა	<i>Troglodytes troglodytes</i>	-	-	-	-	-	-	-
მთის ბოლოქანქალა	<i>Motacilla cinerea</i>	-	-	-	-	-	-	-
ტურუხტანი	<i>Philomachus pugnax</i>	-	-	-	-	-	-	-
ყორანი	<i>Corvus corone</i>	-	2	1	-	-	-	1
გარეული იხვი	<i>Anas platyrhynchos</i>	-	-	-	-	-	-	-
ყვითელი ბოლოქანქარა	<i>Motacilla citreola</i>	-	8	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	10/04/2018	04/05/2018	08/06/2018	06/07/2018	11/08/2018	07/09/2018
წავი *	Lutra lutra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	2	-	-	7	3	4
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylus japonica	Apiaceae	ძაღლის ბირჟა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერთგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisiifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoifolia	Asteraceae	კიჭიჭა	Stinking hawksbeard	-

<i>Cichorium intibus</i>	Asteraceae	ვარდკაჭკაჭა	Common chicory	-
<i>Lactuca seriola</i>	Asteraceae	ღორის ქადა	Prickly lettuce	-
<i>Sonchus oleraceus</i>	Asteraceae	ღიჟა	Common sowthistle	-
<i>Erigeron canadensis</i>	Asteraceae	ცხენისკუდა	Canadian horseweed	-
<i>Xanthium strumarium</i>	Asteraceae	ღორის ბირვა	Rough cocklebur	-
<i>Arctium lappa</i>	Asteraceae	ოროვნენდი	Greater burdock	-
<i>Tagetes minuta</i>	Asteraceae	ხავერდა	Muster John Henry	-
<i>Anthemis euxina</i>	Asteraceae	ირაგა ეუჯესინური	Cota tinctoria	-
<i>Bidens tripartita</i>	Asteraceae	ორვბილა	three-lobe beggarticks	-
<i>Leontodon danubialis</i>	Asteraceae	ლომისკბილა	Hawkbits	-
<i>Amaranthus albus</i>	Amaranthus albus	ჯოჯლაყა თეთრი	Common tumbleweed	-
<i>Chenopodium album</i>	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
<i>Chenopodium ambrosioides</i>	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
<i>Lepidium texanum</i>	Cruciferae	წიწმატი ველური	Peppergrass	-
<i>Lepidium sativum</i>	Cruciferae	წიწმატი ტყის	Garden cress	-
<i>Raphanus maritimus</i>	Cruciferae	ზღვის ბილოვი	Wild radish	-
<i>Cyperus badius</i>	Cruciferae	წამალწვრილი	Coco-grass	-
<i>Luzula multiflora</i>	Juncaceae	ისლურა	Common woodrush	-
<i>Equisetum ramosissimum</i>	Equisetaceae	შვიტა	Branched horsetail	-
<i>Lotus corniculatus</i>	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
<i>Lespedeza striata</i>	Fabaceae	იაპონური სამყურა	Japanese clover	-
<i>Trifolium campestre</i>	Fabaceae	სამყურა ველის	Hop trefoil	-
<i>Trifolium arvense</i>	Fabaceae	ბურტყლა სამყურა	Hare's-foot clover	-
<i>Trifolium pratense</i>	Fabaceae	წითელი სამყურა	Red clover	-
<i>Prunella vulgaris</i>	Lamiaceae	გობისცხვირა	Common self-heal	-
<i>Mentha pulegium</i>	Lamiaceae	ომბალო	Peppercress	-
<i>Lythrum salicaria</i>	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
<i>Malva neglecta</i>	Malvaceae	ბალბა	Common mallow	-
<i>Ficus carica</i>	Moraceae	ლევცი	Common fig	2 trees
<i>Morus alba</i>	Moraceae	თეთრი თუთა	White mulberry	2 trees
<i>Oxalis corniculata</i>	Moraceae	მჯაველა	Creeping woodsorrel	-
<i>Phytolacca americana</i>	Phytolaccaceae	ჭიაფერა	American pokeweed	-
<i>Plantago lanceolata</i>	Plantaginaceae	ლანცეტა მრავალძარღვა	English plantain	-
<i>Plantago major</i>	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
<i>Setaria glauca</i>	Poaceae	ყვითელი ძურწა	Pearl millet	-
<i>Sporobolus fertilis</i>	Poaceae	სპორობლუსი ინდური	Dropseeds	-
<i>Poa annua</i>	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
<i>Digitaria violascens</i>	Poaceae	მწყერფება	Finger-grass	-
<i>Echinochloa crusgalli</i>	Poaceae	ბურჩხა	Barnyard grass	-
<i>Cynodon dactylon</i>	Poaceae	გლერტა	Vilfa stellata	-
<i>Sieglungia decumbens</i>	Poaceae	სიგლინგია	Heath grass	-
<i>Eleusine indica</i>	Poaceae	ინდური ელუუზინა	Indian goosegrass	-

<i>Paspalum dilatatum</i>	Poaceae	ფართო წიწიშურა	Dallisgrass	-
<i>Polygonum nodosum</i>	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
<i>Polygonum persicaria</i>	Polygonaceae	ბოსტნის წალიკა	Lady's thumb	-
<i>Polygonum perfoliatum</i>	Polygonaceae	გაჩვეუტილფოთოლა წალიკა	Mile-a-minute weed	-
<i>Polygonum convolvulus</i>	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
<i>Rumex obtusifolius</i>	Polygonaceae	მჯავრა ბლაგვფოთოლა	Bitter dock	-
<i>Rumex acetosella</i>	Polygonaceae	კოკომქავა	Sheep's sorrel	-
<i>Portulaca oleracea</i>	Portulacaceae	დანდური	Common purslane	-
<i>Salix alba</i>	Salicaceae	წნორი	White willow	2 trees
<i>Verbascum blattaria</i>	Scrophulariaceae	გულსოსანა	Moth mullein	-
<i>Rhus javanica</i>	Anacardiaceae	იაპონური თუთუბო	Nutmeg tree	-
<i>Datura stramonium</i>	Anacardiaceae	ლემა	Jimsonweed	-
<i>Physalis ixocarpa</i>	Solanaceae	ონტკოფა	Tomatillo	-
<i>Solanum nigrum</i>	Solanaceae	ძაღლყურძენა	European black nightshade	-
<i>Verbena officinalis</i>	Verbenaceae	ცოცხანა	Common vervain	-
<i>Verbena brasiliensis</i>	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

**Conclusion:** To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.


**Note:**

**Species indicated with \* sign in above table belong to IUCN Red List (VU /IUCN near threatened).**

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

#### 8.4.4 October

##### Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #18 (October)

Location - Batumi City

Date: 10<sup>th</sup> October, 2018

This report reflects information about conducted site re-entry walk over survey on 10<sup>th</sup> October, 2018 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity							
Georgian Name	Scientific Name	Baseline date	Date						
			24/02/2017	04/05/2018	08/06/2018	06/07/2018	11/08/2018	06/09/2018	10/10/2018
დიდი კოკონა	Podiceps cristatus	67	7	-	-	-	-	-	-
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	-	2	-	-	-

დიდი ჩვამა	<i>Phalacrocorax carbo</i>	14	1	2	-	-	1	3
რუხი ყანჩა	<i>Ardea cinerea</i>	2	-	-	-	-	-	-
დიდი თეთრი ყანჩა	<i>Ardea alba</i>	1	-	-	-	1	-	-
მცირე თეთრი ყანჩა	<i>Egretta garzetta</i>	-	1	-	-	-	-	1
ღამის ყანჩა	<i>Nycticorax nycticorax</i>	-	-	-	-	-	-	-
ალკუნი	<i>Alcedo atthis</i>	-	-	-	-	-	-	-
ქოჩორა ყვიწითა	<i>Aythya fuligula</i>	28	-	-	-	-	-	-
ძერა	<i>Milvus migrans</i>	1	5	-	-	-	1	2
ჩვეულებრივი კაკაჩა	<i>Buteo buteo</i>	2	-	-	-	-	-	-
მელოტა	<i>Fulica atra</i>	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	<i>Motacilla alba</i>	5	8	7	5	11	10	6
სკვინჩა	<i>Fringilla coelebs</i>	2	2	3	3	3	1	2
ჩიტბატონა	<i>Carduelis carduelis</i>	-	-	-	-	-	-	-
სახლის ბეღურა	<i>Passer domesticus</i>	11	12	5	6	17	23	9
მინდვრის ბეღურა	<i>Passer montanus</i>	-	-	-	-	-	-	-
რუხი ყვავი	<i>Corvus cornix</i>	8	4	13	4	6	9	7
ჩვეულებრივი თევზიყლაბა	<i>Sterna hirundo</i>	1	-	-	-	-	-	-
ყვითელფეხა თოლია	<i>Larus michahellis</i>	135	75	46	29	85	69	47
ტბის თოლია	<i>Chroicocephalus ridibundus</i>	56	27	-	-	-	-	-
მებორნე	<i>Actitis hypoleucos</i>	-	-	-	-	-	-	-
მცირე წინტალა	<i>Charadrius dubius</i>	-	1	-	-	-	-	1
მიმინო	<i>Accipiter nisus</i>	-	-	-	-	-	1	1
შევარდენი	<i>Falco subbuteo</i>	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	<i>Larus cachinnans</i>	-	-	-	-	-	-	-
ჩვეულებრივი ჭიაჭი	<i>Phylloscopus collybita</i>	-	-	-	-	-	-	-
სოფლის მერცხალი	<i>Hirundo rustica</i>	-	6	19	13	22	4	4
ჭინჭრაქა	<i>Troglodytes troglodytes</i>	-	-	-	-	-	-	-
მთის ბოლოქანქალა	<i>Motacilla cinerea</i>	-	-	-	-	-	-	-
ტურუხტანი	<i>Philomachus pugnax</i>	-	-	-	-	-	-	-
ყორანი	<i>Corvus corone</i>	-	1	-	-	-	1	-
გარეული იხვი	<i>Anas platyrhynchos</i>	-	-	-	-	-	-	-
ყვითელი ბოლოქანქარა	<i>Motacilla citreola</i>	-	-	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	04/05/2018	08/06/2018	06/07/2018	11/08/2018	07/09/2018	10/10/2018
წავი *	Lutra lutra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	-	7	3	4	2
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylus japonica	Apiaceae	ძაღლის ბირჟა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერთგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisiifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoifolia	Asteraceae	კიჭიჭა	Stinking hawksbeard	-

<i>Cichorium intibus</i>	Asteraceae	ვარდკაჭკაჭა	Common chicory	-
<i>Lactuca seriola</i>	Asteraceae	ღორის ქადა	Prickly lettuce	-
<i>Sonchus oleraceus</i>	Asteraceae	ღიჟა	Common sowthistle	-
<i>Erigeron canadensis</i>	Asteraceae	ცხენისკუდა	Canadian horseweed	-
<i>Xanthium strumarium</i>	Asteraceae	ღორის ბირვა	Rough cocklebur	-
<i>Arctium lappa</i>	Asteraceae	ოროვნენდი	Greater burdock	-
<i>Tagetes minuta</i>	Asteraceae	ხავერდა	Muster John Henry	-
<i>Anthemis euxina</i>	Asteraceae	ირაგა ეუჯესინური	Cota tinctoria	-
<i>Bidens tripartita</i>	Asteraceae	ორვბილა	three-lobe beggarticks	-
<i>Leontodon danubialis</i>	Asteraceae	ლომისკბილა	Hawkbits	-
<i>Amaranthus albus</i>	Amaranthus albus	ჯოჯლაყა თეთრი	Common tumbleweed	-
<i>Chenopodium album</i>	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
<i>Chenopodium ambrosioides</i>	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
<i>Lepidium texanum</i>	Cruciferae	წიწმატი ველური	Peppergrass	-
<i>Lepidium sativum</i>	Cruciferae	წიწმატი ტყის	Garden cress	-
<i>Raphanus maritimus</i>	Cruciferae	ზღვის ბილოვი	Wild radish	-
<i>Cyperus badius</i>	Cruciferae	წამალწვრილი	Coco-grass	-
<i>Luzula multiflora</i>	Juncaceae	ისლურა	Common woodrush	-
<i>Equisetum ramosissimum</i>	Equisetaceae	შვიტა	Branched horsetail	-
<i>Lotus corniculatus</i>	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
<i>Lespedeza striata</i>	Fabaceae	იაპონური სამყურა	Japanese clover	-
<i>Trifolium campestre</i>	Fabaceae	სამყურა ველის	Hop trefoil	-
<i>Trifolium arvense</i>	Fabaceae	ბურტყლა სამყურა	Hare's-foot clover	-
<i>Trifolium pratense</i>	Fabaceae	წითელი სამყურა	Red clover	-
<i>Prunella vulgaris</i>	Lamiaceae	გობისცხვირა	Common self-heal	-
<i>Mentha pulegium</i>	Lamiaceae	ომბალო	Peppercress	-
<i>Lythrum salicaria</i>	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
<i>Malva neglecta</i>	Malvaceae	ბალბა	Common mallow	-
<i>Ficus carica</i>	Moraceae	ლევცი	Common fig	2 trees
<i>Morus alba</i>	Moraceae	თეთრი თუთა	White mulberry	2 trees
<i>Oxalis corniculata</i>	Moraceae	მჯაველა	Creeping woodsorrel	-
<i>Phytolacca americana</i>	Phytolaccaceae	ჭიაფერა	American pokeweed	-
<i>Plantago lanceolata</i>	Plantaginaceae	ლანცეტა მრავალძარღვა	English plantain	-
<i>Plantago major</i>	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
<i>Setaria glauca</i>	Poaceae	ყვითელი ძურწა	Pearl millet	-
<i>Sporobolus fertilis</i>	Poaceae	სპორობლუსი ინდური	Dropseeds	-
<i>Poa annua</i>	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
<i>Digitaria violascens</i>	Poaceae	მწყერფება	Finger-grass	-
<i>Echinochloa crusgalli</i>	Poaceae	ბურჩხა	Barnyard grass	-
<i>Cynodon dactylon</i>	Poaceae	გლერტა	Vilfa stellata	-
<i>Sieglungia decumbens</i>	Poaceae	სიგლინგია	Heath grass	-
<i>Eleusine indica</i>	Poaceae	ინდური ელუუზინა	Indian goosegrass	-

<i>Paspalum dilatatum</i>	Poaceae	ფართო წიწიშურა	Dallisgrass	-
<i>Polygonum nodosum</i>	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
<i>Polygonum persicaria</i>	Polygonaceae	ბოსტნის წალიკა	Lady's thumb	-
<i>Polygonum perfoliatum</i>	Polygonaceae	გაჩვერტილფოთოლა წალიკა	Mile-a-minute weed	-
<i>Polygonum convolvulus</i>	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
<i>Rumex obtusifolius</i>	Polygonaceae	მჯავრნა ბლაგვფოთოლა	Bitter dock	-
<i>Rumex acetosella</i>	Polygonaceae	კოკომქავა	Sheep's sorrel	-
<i>Portulaca oleracea</i>	Portulacaceae	დანდური	Common purslane	-
<i>Salix alba</i>	Salicaceae	წნორი	White willow	2 trees
<i>Verbascum blattaria</i>	Scrophulariaceae	გულსოსანა	Moth mullein	-
<i>Rhus javanica</i>	Anacardiaceae	იაპონური თუთუბო	Nutmeg tree	-
<i>Datura stramonium</i>	Anacardiaceae	ლემა	Jimsonweed	-
<i>Physalis ixocarpa</i>	Solanaceae	ონტკოფა	Tomatillo	-
<i>Solanum nigrum</i>	Solanaceae	ძაღლყურძენა	European black nightshade	-
<i>Verbena officinalis</i>	Verbenaceae	ცოცხანა	Common vervain	-
<i>Verbena brasiliensis</i>	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

**Conclusion:** To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.


**Note:**

**Species indicated with \* sign in above table belong to IUCN Red List (VU /IUCN near threatened).**

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

### 8.4.5 November

#### Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #19 (November)

Location - Batumi City

Date: 9<sup>th</sup> November, 2018

This report reflects information about conducted site re-entry walk over survey on 9<sup>th</sup> November, 2018 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity							
Georgian Name	Scientific Name	Baseline date	Date						
			24/02/2017	08/06/2018	06/07/2018	11/08/2018	06/09/2018	10/10/2018	09/11/2018
დიდი კოკონა	<i>Podiceps cristatus</i>	67	-	-	-	-	-	-	17
მცირე კოკონა	<i>Tachybaptus ruficollis</i>	3	-	-	2	-	-	-	-

დიდი ჩვამა	<i>Phalacrocorax carbo</i>	14	2	-	-	1	3	3
რუხი ყანჩა	<i>Ardea cinerea</i>	2	-	-	-	-	-	1
დიდი თეთრი ყანჩა	<i>Ardea alba</i>	1	-	-	1	-	-	-
მცირე თეთრი ყანჩა	<i>Egretta garzetta</i>	-	-	-	-	-	1	1
ღამის ყანჩა	<i>Nycticorax nycticorax</i>	-	-	-	-	-	-	-
ალკუნი	<i>Alcedo atthis</i>	-	-	-	-	-	-	-
ქოჩორა ყვინთია	<i>Aythya fuligula</i>	28	-	-	-	-	-	-
ძერა	<i>Milvus migrans</i>	1	-	-	-	1	2	2
ჩვეულებრივი კაკაჩა	<i>Buteo buteo</i>	2	-	-	-	-	-	-
მელოტა	<i>Fulica atra</i>	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	<i>Motacilla alba</i>	5	7	5	11	10	6	14
სკვინჩა	<i>Fringilla coelebs</i>	2	3	3	3	1	2	1
ჩიტბატონა	<i>Carduelis carduelis</i>	-	-	-	-	-	-	-
სახლის ბეღურა	<i>Passer domesticus</i>	11	5	6	17	23	9	6
მინდვრის ბეღურა	<i>Passer montanus</i>	-	-	-	-	-	-	-
რუხი ყვავი	<i>Corvus cornix</i>	8	13	4	6	9	7	9
ჩვეულებრივი თევზიყლაბა	<i>Sterna hirundo</i>	1	-	-	-	-	-	-
ყვითელფეხა თოლია	<i>Larus michahellis</i>	135	46	29	85	69	47	35
ტბის თოლია	<i>Chroicocephalus ridibundus</i>	56	-	-	-	-	-	7
მებორნე	<i>Actitis hypoleucos</i>	-	-	-	-	-	-	-
მცირე წინტალა	<i>Charadrius dubius</i>	-	-	-	-	-	1	-
მიმინო	<i>Accipiter nisus</i>	-	-	-	-	1	1	2
შევარდენი	<i>Falco subbuteo</i>	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	<i>Larus cachinnans</i>	-	-	-	-	-	-	-
ჩვეულებრივი ჭიაჭი	<i>Phylloscopus collybita</i>	-	-	-	-	-	-	-
სოფლის მერცხალი	<i>Hirundo rustica</i>	-	19	13	22	4	4	-
ჭინჭრაქა	<i>Troglodytes troglodytes</i>	-	-	-	-	-	-	-
მთის ბოლოქანქალა	<i>Motacilla cinerea</i>	-	-	-	-	-	-	-
ტურუხტანი	<i>Philomachus pugnax</i>	-	-	-	-	-	-	-
ყორანი	<i>Corvus corone</i>	-	-	-	-	1	-	-
გარეული იხვი	<i>Anas platyrhynchos</i>	-	-	-	-	-	-	-
ყვითელი ბოლოქანქარა	<i>Motacilla citreola</i>	-	-	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	08/06/2018	06/07/2018	11/08/2018	07/09/2018	10/10/2018	09/11/2018
წვერი	Lutra lutra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბურქარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	7	3	4	2	-
ვასკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბექო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ბირვა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisiifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭვიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდვაჭვაჭა	Common chicory	-

<i>Lactuca seriola</i>	Asteraceae	ღორის ქადა	Prickly lettuce	-
<i>Sonchus oleraceus</i>	Asteraceae	ღიჭა	Common sowthistle	-
<i>Erigeron canadensis</i>	Asteraceae	ცხენისკუდა	Canadian horseweed	-
<i>Xanthium strumarium</i>	Asteraceae	ღორის ბირჟა	Rough cocklebur	-
<i>Arctium lappa</i>	Asteraceae	ოროვნები	Greater burdock	-
<i>Tagetes minuta</i>	Asteraceae	ხავერდა	Muster John Henry	-
<i>Anthemis euxina</i>	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
<i>Bidens tripartita</i>	Asteraceae	ორგზილა	three-lobe beggarticks	-
<i>Leontodon danubialis</i>	Asteraceae	ლომისკბილა	Hawkbits	-
<i>Amaranthus albus</i>	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
<i>Chenopodium album</i>	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
<i>Chenopodium ambrosioides</i>	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
<i>Lepidium texanum</i>	Cruciferae	წიწმატი ველური	Peppergrass	-
<i>Lepidium sativum</i>	Cruciferae	წიწმატი ტყის	Garden cress	-
<i>Raphanus maritimus</i>	Cruciferae	ზღვის ბოლოვი	Wild radish	-
<i>Cyperus badius</i>	Cruciferae	წამალწვრილი	Coco-grass	-
<i>Luzula multiflora</i>	Juncaceae	ისლურა	Common woodrush	-
<i>Equisetum ramosissimum</i>	Equisetaceae	შვიტა	Branched horsetail	-
<i>Lotus corniculatus</i>	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
<i>Lespedeza striata</i>	Fabaceae	იაპონური სამყურა	Japanese clover	-
<i>Trifolium campestre</i>	Fabaceae	სამყურა ველის	Hop trefoil	-
<i>Trifolium arvense</i>	Fabaceae	ბურტყლა სამყურა	Hare's-foot clover	-
<i>Trifolium pratense</i>	Fabaceae	წითელი სამყურა	Red clover	-
<i>Prunella vulgaris</i>	Lamiaceae	გობისცხვირა	Common self-heal	-
<i>Mentha pulegium</i>	Lamiaceae	ომბალო	Peppercress	-
<i>Lythrum salicaria</i>	Lythraceae	ცოცხაგარა	Purple loosestrife	-
<i>Malva neglecta</i>	Malvaceae	ბალბა	Common mallow	-
<i>Ficus carica</i>	Moraceae	ლელვი	Common fig	2 trees
<i>Morus alba</i>	Moraceae	თეთრი თუთა	White mulberry	2 trees
<i>Oxalis corniculata</i>	Moraceae	მაველა	Creeping woodsorrel	-
<i>Phytolacca americana</i>	Phytolaccaceae	ჭიაფერა	American pokeweed	-
<i>Plantago lanceolata</i>	Plantaginaceae	ლანცეტტა მრავალძარღვა	English plantain	-
<i>Plantago major</i>	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
<i>Setaria glauca</i>	Poaceae	ყვითელი ძურწა	Pearl millet	-
<i>Sporobolus fertilis</i>	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
<i>Poa annua</i>	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
<i>Digitaria violascens</i>	Poaceae	მწყერფება	Finger-grass	-
<i>Echinochloa crusgalli</i>	Poaceae	ბურჩა	Barnyard grass	-
<i>Cynodon dactylon</i>	Poaceae	გლერტა	Vilfa stellata	-
<i>Sieglungia decumbens</i>	Poaceae	სიგლინგია	Heath grass	-
<i>Eleusine indica</i>	Poaceae	ინდური ელუზინა	Indian goosegrass	-
<i>Paspalum dilatatum</i>	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფითოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ბოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვეუტილფითოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მჯავრა ბლაგვფითოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომუვა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუბო	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძაღლურმენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-


**Conclusion:** To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nesting near the project working areas. In case of any breeding and nesting period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

**Note:**

**Species indicated with \* sign in above table belong to IUCN Red List (VU /IUCN near threatened).**

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

### 8.4.6 December

#### Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #20 (December)

Location - Batumi City

Date: 10<sup>th</sup> December, 2018

This report reflects information about conducted site re-entry walk over survey on 10<sup>th</sup> December, 2018 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity							
Georgian Name	Scientific Name	Baseline date	Date						
			24/02/2017	06/07/2018	11/08/2018	06/09/2018	10/10/2018	09/11/2018	10/12/2018
დიდი კოკონა	Podiceps cristatus	67	-	-	-	-	-	17	15
მცირე კოკონა	Tachybaptus ruficollis	3	-	2	-	-	-	-	-

დიდი ჩვამა	<i>Phalacrocorax carbo</i>	14	-	-	1	3	3	2
რუხი ყანჩა	<i>Ardea cinerea</i>	2	-	-	-	-	1	-
დიდი თეთრი ყანჩა	<i>Ardea alba</i>	1	-	1	-	-	-	-
მცირე თეთრი ყანჩა	<i>Egretta garzetta</i>	-	-	-	-	1	1	1
ღამის ყანჩა	<i>Nycticorax nycticorax</i>	-	-	-	-	-	-	-
ალკუნი	<i>Alcedo atthis</i>	-	-	-	-	-	-	-
ქოჩორა ყვინთია	<i>Aythya fuligula</i>	28	-	-	-	-	-	-
ძერა	<i>Milvus migrans</i>	1	-	-	1	2	2	-
ჩვეულებრივი კაკაჩა	<i>Buteo buteo</i>	2	-	-	-	-	-	-
მელოტა	<i>Fulica atra</i>	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	<i>Motacilla alba</i>	5	5	11	10	6	14	10
სკვინჩა	<i>Fringilla coelebs</i>	2	3	3	1	2	1	4
ჩიტბატონა	<i>Carduelis carduelis</i>	-	-	-	-	-	-	-
სახლის ბეღურა	<i>Passer domesticus</i>	11	6	17	23	9	6	13
მინდვრის ბეღურა	<i>Passer montanus</i>	-	-	-	-	-	-	-
რუხი ყვავი	<i>Corvus cornix</i>	8	4	6	9	7	9	11
ჩვეულებრივი თევზიყლაბა	<i>Sterna hirundo</i>	1	-	-	-	-	-	-
ყვითელფეხა თოლია	<i>Larus michahellis</i>	135	29	85	69	47	35	43
ტბის თოლია	<i>Chroicocephalus ridibundus</i>	56	-	-	-	-	7	29
მებორნე	<i>Actitis hypoleucos</i>	-	-	-	-	-	-	-
მცირე წინტალა	<i>Charadrius dubius</i>	-	-	-	-	1	-	-
მიმინო	<i>Accipiter nisus</i>	-	-	-	1	1	2	2
შევარდენი	<i>Falco subbuteo</i>	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	<i>Larus cachinnans</i>	-	-	-	-	-	-	-
ჩვეულებრივი ჭიაჭი	<i>Phylloscopus collybita</i>	-	-	-	-	-	-	-
სოფლის მერცხალი	<i>Hirundo rustica</i>	-	13	22	4	4	-	-
ჭინჭრაქა	<i>Troglodytes troglodytes</i>	-	-	-	-	-	-	-
მთის ბოლოქანქალა	<i>Motacilla cinerea</i>	-	-	-	-	-	-	-
ტურუხტანი	<i>Philomachus pugnax</i>	-	-	-	-	-	-	-
ყორანი	<i>Corvus corone</i>	-	-	-	1	-	-	3
გარეული იხვი	<i>Anas platyrhynchos</i>	-	-	-	-	-	-	-
ყვითელი ბოლოქანქარა	<i>Motacilla citreola</i>	-	-	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	06/07/2018	11/08/2018	07/09/2018	10/10/2018	09/11/2018	10/12/2018
წვერი	Lutra lutra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბურქარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	7	3	4	2	-	-
ვასკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბექო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylus japonica	Apiaceae	ძაღლის ბირვა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisiifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭვიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდვაჭვაჭა	Common chicory	-

<i>Lactuca seriola</i>	Asteraceae	ღორის ქადა	Prickly lettuce	-
<i>Sonchus oleraceus</i>	Asteraceae	ღიჭა	Common sowthistle	-
<i>Erigeron canadensis</i>	Asteraceae	ცხენისკუდა	Canadian horseweed	-
<i>Xanthium strumarium</i>	Asteraceae	ღორის ბირჟა	Rough cocklebur	-
<i>Arctium lappa</i>	Asteraceae	ოროვნები	Greater burdock	-
<i>Tagetes minuta</i>	Asteraceae	ხავერდა	Muster John Henry	-
<i>Anthemis euxina</i>	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
<i>Bidens tripartita</i>	Asteraceae	ორგზილა	three-lobe beggarticks	-
<i>Leontodon danubialis</i>	Asteraceae	ლომისკბილა	Hawkbits	-
<i>Amaranthus albus</i>	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
<i>Chenopodium album</i>	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
<i>Chenopodium ambrosioides</i>	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
<i>Lepidium texanum</i>	Cruciferae	წიწმატი ველური	Peppergrass	-
<i>Lepidium sativum</i>	Cruciferae	წიწმატი ტყის	Garden cress	-
<i>Raphanus maritimus</i>	Cruciferae	ზღვის ბოლოვი	Wild radish	-
<i>Cyperus badius</i>	Cruciferae	წამალწვრილი	Coco-grass	-
<i>Luzula multiflora</i>	Juncaceae	ისლურა	Common woodrush	-
<i>Equisetum ramosissimum</i>	Equisetaceae	შვიტა	Branched horsetail	-
<i>Lotus corniculatus</i>	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
<i>Lespedeza striata</i>	Fabaceae	იაპონური სამყურა	Japanese clover	-
<i>Trifolium campestre</i>	Fabaceae	სამყურა ველის	Hop trefoil	-
<i>Trifolium arvense</i>	Fabaceae	ბურტყლა სამყურა	Hare's-foot clover	-
<i>Trifolium pratense</i>	Fabaceae	წითელი სამყურა	Red clover	-
<i>Prunella vulgaris</i>	Lamiaceae	გობისცხვირა	Common self-heal	-
<i>Mentha pulegium</i>	Lamiaceae	ომბალო	Peppercress	-
<i>Lythrum salicaria</i>	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
<i>Malva neglecta</i>	Malvaceae	ბალბა	Common mallow	-
<i>Ficus carica</i>	Moraceae	ლელვი	Common fig	2 trees
<i>Morus alba</i>	Moraceae	თეთრი თუთა	White mulberry	2 trees
<i>Oxalis corniculata</i>	Moraceae	მაველა	Creeping woodsorrel	-
<i>Phytolacca americana</i>	Phytolaccaceae	ჭიაფერა	American pokeweed	-
<i>Plantago lanceolata</i>	Plantaginaceae	ლანცეტტა მრავალძარღვა	English plantain	-
<i>Plantago major</i>	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
<i>Setaria glauca</i>	Poaceae	ყვითელი ძურწა	Pearl millet	-
<i>Sporobolus fertilis</i>	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
<i>Poa annua</i>	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
<i>Digitaria violascens</i>	Poaceae	მწყერფება	Finger-grass	-
<i>Echinochloa crusgalli</i>	Poaceae	ბურჩა	Barnyard grass	-
<i>Cynodon dactylon</i>	Poaceae	გლერტა	Vilfa stellata	-
<i>Sieglungia decumbens</i>	Poaceae	სიგლინგია	Heath grass	-
<i>Eleusine indica</i>	Poaceae	ინდური ელუზინა	Indian goosegrass	-
<i>Paspalum dilatatum</i>	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფითოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ბოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვეუტილფითოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მჯავრა ბლაგვფითოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომუვა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუბო	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძაღლურმენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-


**Conclusion:** To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nesting near the project working areas. In case of any breeding and nesting period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

**Note:**

**Species indicated with \* sign in above table belong to IUCN Red List (VU /IUCN near threatened).**

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

## 9 PHOTOS

1 – Formation of rocks on site (3-7 tones)		2 – Pumping of WC with special municipal car	
3 – Housekeeping are conducted on daily bases		4 – All trucks during transportation of rocks from the quarries are tied with thick chain	
5 – Cleaning process with special municipal broom from dust and small pebbles		6 – Household waste taken process with municipal car on the landfill	
7 – Concrete washout pit was arranged on site and mixers are discharged on that area regularly		8 – Regular testing process for noise monitoring on three location	

<p>9 – Regular testing process for air quality by National Environmental Agency of Georgia</p> 	<p>10 – Regular testing process for water turbidity of seawater near the pier (Just Karaoke Cafe)</p> 
<p>11 – Counting the birds process for the walkover survey</p> 	<p>12 – HSE training process for new workers on site</p> 
<p>13 – HSE training process for concrete workers on site</p> 	<p>14 – Special HSE training for suppliers on the quarry sites</p> 