

Semi-annual Environmental Monitoring Report

Project Number: Sustainable Urban Transport Investment Program - Tranche 4
LOAN NUMBER 3273-GEO

Reporting period: January – June 2019

GEORGIA: GEORGIAN SUSTAINABLE URBAN TRANSPORT INVESTMENT PROGRAM - Tranche 4

(Financed by the Asian Development Bank)

Prepared by: Ketevan Papashvili, Environmental Specialist for ADB projects
Environmental and Resettlement Unit, Municipal Development Fund (MDF)
Tbilisi, Georgia

Endorsed by: Elguja Kvantchilashvili, Head of Environmental and Resettlement Unit
Municipal Development Fund (MDF)
Tbilisi, Georgia

June 2019

Table of Contents

1	INTRODUCTION	1
1.1	Preamble	1
1.2	Headline Information	1
2	PROJECT DESCRIPTION AND CURRENT ACTIVITIES	2
2.1	Project Description.....	2
2.2	Project Contracts and Management	4
2.3	Project Activities during Current Reporting Period	8
2.4	Description of Any Changes to Project Design	11
3	ENVIRONMENTAL SAFEGUARD ACTIVITIES	13
3.1	General Description of Environmental Safeguard Activities	13
3.2	Site Audits	14
3.3	Issues Tracking (Based on Non-Conformance Notices)	15
3.4	Trends.....	16
3.5	Unanticipated Environmental Impacts or Risks	16
4	RESULTS OF ENVIRONMENTAL MONITORING.....	17
4.1	Overview of Monitoring Conducted during Current Period	17
4.2	Trends.....	18
4.3	Summary of Monitoring Outcomes	18
4.4	Material Resources Utilization.....	18
4.4.1	Current Period.....	18
4.4.2	Cumulative Resource Utilization	18
4.5	Waste Management	18
4.5.2	Current Period.....	19
4.5.3	Cumulative Waste Generation	20
4.6	Health and Safety	20
4.6.1	Community Health and Safety	20
4.6.2	Worker Safety and Health.....	20
4.7	Trainings	22
5	FUNCTIONING OF THE SEMP.....	24
5.1	SEMP Review	24
6	GOOD PRACTICE AND OPPORTUNITY FOR IMPROVEMENT	1

6.1	Good Practice	1
6.2	Opportunities for Improvement.....	1
7	SUMMARY AND RECOMMENDATIONS	2
7.1	Summary	2
7.2	Recommendations	2
8	ANNEXES	3
8.1	Annex 1 - Noise Measurements (January - June, 2019)	3
8.1.1	January.....	3
8.1.2	August	15
8.1.2	February.....	31
8.1.3	March	59
8.1.4	April	87
8.1.5	May	116
8.1.6	June	145
8.2	Annex 2 - Air Measurements (January – June, 2019).....	174
8.2.1	January.....	174
8.2.2	February	177
8.2.3	March.....	180
8.2.4	April	183
8.2.5	May	186
8.2.6	June	189
8.3	Annex 3 – Water turbidity Measurements (January – June, 2019)	192
8.3.1	January.....	192
8.3.2	February	194
8.3.3	March.....	196
8.3.4	April	198
8.3.5	May	200
8.3.6	June	202
8.4	Annex 4 – Site re-entry walk over surveys (Flora and Fauna) (January – June, 2019).....	204
8.4.1	January.....	204
8.4.2	February	209
8.4.3	March.....	214
8.4.4	April	219
8.4.5	May	224
8.4.6	June	229
9	PHOTOS	234

Abbreviations

ADB	Asian Development Bank
EA	Executing Agency
EARF	Environmental Assessment and Review Framework
EIA	Environmental Impact Assessment
EIP	Environmental Impact Permit
EMP	Environmental Management Plan
EPSM	Engineering Procurement and Construction Management
GoG	Government of Georgia
SUTIP	Sustainable Urban Transport Investment Program
IA	Implementing Agency
IEE	Initial Environmental Examination
MDF	Municipal Development Fund of Georgia
MFF	Multi-tranche Financing Facility
MEPA	Ministry of Environmental Protection and Agriculture
MoRDI	Ministry of Regional Development & Infrastructure
SSEMP	Site-Specific Environmental Management Plan

1 INTRODUCTION

1.1 Preamble

1. This report represents the Semi - Annual Environmental Monitoring Review (SAEMR) for GEORGIAN SUSTAINABLE URBAN TRANSPORT INVESTMENT PROGRAM – TRANCHE 4 - **Coastal Protection Batumi project**. Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment N2.
2. This report is the fifth (5) EMR for the project, since the 2017.

1.2 Headline Information

3. Black Sea coast playing a significant role in economics of Georgia, cultural and tourist development as well. Coastal improvement is one of the priorities among other infrastructural projects, which will facilitate the future development of the City Batumi and Adjara region. Upgrading and improvement of local transport and transport-related infrastructure plays a significant role in the development of Georgia infrastructure. To this effect, a number of important activities have been implemented and financed from the budget of Georgia and from other sources. Recently several significant programs, financed through state budget, loans and grants, have been implemented with this regard.
 4. The Sustainable Urban Transport Investment Program (SUTIP) is financed by ADB under a multi tranche financing facility (MFF), and is aimed at promoting a sustainable, integrated, socially-affordable and cost-efficient urban transport system in cities of Georgia, to energize the economy and improve the quality of life of citizens. Projects involve rehabilitation and repair of existing infrastructure, provision of new facilities and capacity building.
 5. SUTIP - Tranche 4 was developed as the government's response to the transportation problems in urban areas, which include large traffic volumes causing increasing delays, as a result of previous under-investment in infrastructure maintenance and expansion. Tranche 4 was signed on 26 October 2015, and declared effective on 8 January 2016. Inception Mission was fielded on 26 January to 9 February 2016. Batumi coastal protection works contract was awarded in December 2016, and project implementation is ongoing.
 6. SUTIP - Tranche 4 comprises (i) urban infrastructure improvement, including one subproject: Batumi Coastal Protection; (ii) institutional strengthening, including management information system for MDF; and (iii) project management facility, including incremental administration and consulting services for audit, safeguards monitoring, and feasibility studies and detailed engineering design for sustainable urban transport projects. The government, through the Ministry of Finance, has submitted on 15 April 2015 the periodic financing request for Tranche 4, requesting a loan of \$20 million from ADB's ordinary capital resources. These investments will improve the urban environment, strengthen economic and tourism development, and regional integration.
 7. The Municipal Development Fund of Georgia (MDF) is the executing agency of the program, and is responsible for the general coordination and implementation of projects, for negotiating with ADB and with appropriate ministries and agencies of the Borrower. MDF is directly responsible for planning, designing, civil works on construction and rehabilitation of all subprojects in the frame of program.
-

2 PROJECT DESCRIPTION AND CURRENT ACTIVITIES

2.1 Project Description

8. Coastal improvement is one of the priorities among other infrastructural projects, which will facilitate the future development of the Batumi City and region. The proposed project is aimed at protecting the Batumi coast against erosion, which is affecting the coastline southwest of Batumi, over a length of about 5 km. Along this section a number of properties has been lost already in the past. Without adequate protection measures coastal erosion will continue and as a consequence the investment climate for tourism development could be negatively influenced.
 9. The main objective of the proposed project is to protect the Batumi coast against erosion. The coastline southwest of Batumi is affected by erosion over a length of about 5 km. Along this section a number of properties has been lost already in the past. Without adequate protection measures coastal erosion will continue at the airport area and at Adlia (village south of Batumi) and might even affect the beaches and the coastline of Batumi. As a consequence, the investment climate for tourism development could be negatively influenced.
 10. The evaluation of the alternatives to protect the coast against the erosion affecting the southern section of the littoral has shown that a soft intervention, featuring recirculation of the sediment between the northern section of the littoral (where it accumulates due to natural transport pattern) and the southern portion (from where it is removed due to erosion), is the most efficient way to protect and restore the beach.
 11. Therefore, the main intervention aiming at stabilizing this portion of the Batumi coastline features artificial nourishment in the southern portion of the littoral, just north of the airport, spread over a beach length of approximately 2,000 m, using material taken from the northern part of the coastline (where beach accretion is occurring).
 12. The interventions for the protection of the coast are listed here below:
 - Beach nourishment of the eroded sediment along the coast for about 1,680m, in the southern beach (approx. 120,000 m³);
 - Adapting the revetment to the existing local conditions for 1,750m;
 - Safeguard of greenery and boulevard for about 1,750m;
 - Yearly possible nourishment maintenance (50,000m³);
 - A Chorokhi river monitoring program providing the information needed to analyze the morphology and hydrology of the Chorokhi river and to study the shape of river mouth that could increase the deposit of the sediment from the river towards north and that could minimize the loss in the canyon of the sediments transported by the river.
 13. The following maps show the general location of the Project activities:
-

Figure 1: General location





Figure 2. Site location



14. In addition to sediment recirculation, the beach in the South, suffering erosion, will also be protected by a revetment and enlarged over a stretch about 2 km long. Both sediment from recirculation (gravel) and sediment from excavation (needed to build the revetment) will provide nourishment to this southern portion of the littoral. In particular, in this first intervention, the gravel material from recirculation (approximately 30,000 m³) will be used to form the toe of the new enlarged beach.
-



- ## 2.2 Project Contracts and Management

16. On October 16, 2014 the contract between MDF and Technital, regarding the “Consulting services for- Batumi Coastal Improvement project”, was signed. The Contract Agreement for Civil works, with Struijk Group as Construction Contractor, was signed on 15 November 2016.
17. Commencement date for civil works is defined as February 1, 2017. Before starting any construction activities, Construction Contractor was required to develop Site Specific Environmental Management Plan (SSEMP), which was developed and approved as by Supervision Company and MDF, as well as by ADB.
18. The main institutions involved in IEEs/EMPs/SSEMPs implementation and monitoring, are the executing agency (EA) - MDF, the Supervision Consultant (SC)- Technital, the Construction Contractors -Struijk and to a lesser extent the Ministry of Environmental and Natural Resources Protection and Municipal Authorities. EA (MDF) and SCs are responsible for ensuring monitoring of the projects’ implementation at the construction stage. Ministry of Environmental and Natural Resources Protection has the authority for periodic audits but should not be considered as a party responsible for monitoring according to this IEE and EMPs.
19. The supervisor company (SC), of works commissioned by MDF is responsible to establish strong field presence in the Project area and keep a close eye on the course of works.

Along with ensuring consistency with the design and ensuring quality of works, the supervisor is mandated to track implementation of EMP/SSEMP by the contractor and reveal any deviations from the prescribed actions.

20. The Consultant's staff, as outlined within the Consultant's proposal, consists of an international Project Team, formed by TECHNITAL and a national team of experts, formed by Saunders Group Ltd.
21. With respect to this stage, the Supervision Team falls conveniently into two groups as follows (Table 1):

Table 1: Supervision Team Composition

International	National
Coastal Management Specialist/Team Leader	Coast Protection Engineer/Deputy TL
Coast Protection engineer	Hydraulic engineer
Geotechnical Engineer	Geotechnical Engineer
Environmental specialist	Sea Hydrologist
	Environmental specialist
	Quantity surveyor

22. As foreseen by the Contract No. SUTIP2/C/QCBS/7-2013 between MDF and Technital, dated October 16th 2014, for the Environmental supervision for the construction site (4.2 Construction Supervision, (a) International Team, Non Key Experts, Environmental Specialist) the following tasks and responsibilities are requested:
 - Coordination and liaison with Government/Employer;
 - Reports preparation;
 - carry out environmental monitoring and management of project implementation;
 - help ensure the implementation of environmental management practices at each stage of the construction;
 - develop an environmental auditing protocol for the construction period, regularly supervise the environmental monitoring;
 - submit periodic reports based on the monitoring data and laboratory analysis reports;
 - Implementation of environmental mitigation measures during construction period.
23. Construction Supervision Company is preparing quarterly progress reports, which cover the implementation of the SSEMP, discrepancies from the SSEMP and list all HSE relevant incidents and accidents that occur during the implementation; Submits periodic reports based on the monitoring data and laboratory analysis.
24. The key experts mobilized at the SC for the supervision stage are listed in the following Table 2.

Table 2: Key experts mobilized at the SC

International Key expert for the supervision Stage			Contacts	Mail
K1	Fernando Bersano	Team Leader/Senior civil engineer	-	fernando.bersano@technital.it

K2	Luca Beghini	Coastal Protection Engineer	-	Luca.Beghini@technital.it
K3	Cristina Zago	Environmental Specialist	571158206	Cristina.Zago@technital.it
National Key expert for the supervision Stage				
K4	Andrew Webb	Quantity Surveyor	599992901	andrew@sggeorgia.com
K5	Alexandre Abzianidze	Environmental specialist	579060199	alexandre@sggeorgia.com
K6	Malkhaz Vardosanidze	Site Inspector/Quality Control specialist	579060155	malkhaz@sggeorgia.com
K7	Mamuka Shaorshadze	QHSE Manager	595116071	m.shaorshadze@gmail.com
K8	Zeinab Tsintsadze	Focal Person	557331804	-

25. A Non-Compliance Notice has to be issued to the contractor if the SC requires action to be taken. The contractor is required to prepare a corrective action plan which needs to be implemented by a date agreed with the SC.
26. Construction Contractor (CC) is obligated to follow EMP/SSEMP and good construction practice. In order to meet this obligation, a contractor has established environmental management team and procedures. The Contractor has appointed an Environmental Manager (EM) – Mamuka Shaorshadze, which is a member of the construction management team based on site for the duration of the contract.
27. Duties and responsibilities of the Environmental Manager of the Construction Contractor are:
- To Identify all Environmental Impacts for each activity;
 - To ensure compliance with all project standards, statutory requirements and permit conditions;
 - To lease with government authorities on environmental issues;
 - To coordinate Environmental information flow between Client and Suppliers/Sub-Contractors;
 - Implementation of, and adherence to, all pre-construction, pollution prevention, waste management, water supply, aggregates, fauna and visual management requirements outlined in this plan;
 - Ensuring relevant permits are in place for site specific activities;
 - Implementation and supervision of the monitoring program;
 - Record keeping and reporting on a daily basis to the Project Manager;
 - Maintenance of records;
 - Ensure Training Department presents well founded and appropriate environmental training;
 - To plan and ensure implementation of all monitoring activities and evaluates results;
 - To ensure any corrective or preventative action is implemented in wise time;
 - Keep Project personnel fully informed of all environmental concerns and issues;
 - Close supervision of Sub-Contractors.
28. Thus, key responsibilities of the Contractor are preparation of the Site-Specific Environmental Management Plan (SSEMP) for approval by the Employer (EA) prior to the Contractors taking possession of the construction site; Ensure that the SSEMP is
-

- implemented effectively throughout the construction period; Carry out the monitoring and mitigation measures set forth in the IEE/EMP/SSEMP; Establish an operational system for managing environmental impacts; Allocate the budget required to ensure that such measures are carried out. Construction contractor is responsible to prepare monthly progress reports on SSEMP implementation, which should contain information on the main types of activities carried out during the reporting period, status of any clearances/permits/licenses which are required for carrying out such activities, mitigation measures applied, and any environmental issues that have emerged in relations with suppliers, local authorities, affected communities, etc.
29. MDF is responsible for general implementation of all safeguards tasks and guarantee that potential adverse environmental impacts arising from the Projects are minimized by implementing mitigation measures presented in the Initial Environmental Examination (IEE) or SSEMP, as applicable.
30. Management of safeguards issues is carried out by the MDF through Environmental and Resettlement Unit, established in October 2014. From that time, number of Environmental and Resettlement team members has increased from 6 to 12 and currently consists of: Head of Unit, 4 environmental safeguards specialists, one social and gender specialist, 4 resettlement specialists. Since 2018, there is no ADB Environmental Consultant, but an Environmental Specialist is responsible for ADB projects. Until October 2014, Environmental and resettlement safeguards team was consisting of 3 environmental safeguards and 2 resettlement specialists, one of which was the ADB's national consultant on resettlement issues. Environmental and Social Safeguards team had a Team Leader who was an advisor to Executive Director of MDF on environmental and social safeguards issues.
31. The Environmental and Resettlement Unit is involved in addressing of environmental and social safeguard issues throughout the entire projects' cycles. The Environmental and Social Specialists of the MDF, are responsible for management of the environmental and social aspects associated with development of all donor funded projects for which MDF is the responsible Executing Agency (EA). The Environmental Specialist of the MDF supervises ADB projects, review the IEEs/EIAs, EMPs, and SSEMPs of projects and carries out supervision of the construction performance based on approved EMPs, EIAs, and environmental standards in accordance with ADB "Safeguard Policy Statement" (2009) requirements' and acting Georgian Legislation.
32. MDF ensures availability of all environmental information and facilitates environmental supervision of the project. The MDF's local environmental specialist's responsibilities in respect of implementation of the IEE/SSEMP, are to: ensure that all relevant IEE/SSEMP requirements (including environmental designs and mitigation measures) are duly incorporated into the project bidding documents; Assist Contractors to obtain necessary permits and/or clearance, as required, from any relevant government agencies (NEA, etc.); Ensure that all necessary regulatory clearances are obtained before commencing any civil work on the project; Ensure, that contractors have access to the EMP and IEE report and understand their responsibilities to mitigate environmental problems associated with their
-

construction activities and facilitate training of their staff in implementation of the EMP; Approve the Site-Specific Environmental Management Plan (SEMP) prepared by the Contractor before he takes possession of construction site; Time-to time monitor the contractor's implementation of the SEMP in accordance with the environmental monitoring plan by conducting site monitoring visits; The MDF through its Local Environmental Consultant, reports to the ADB in every 6 months on the status of environmental compliance of construction works by preparing semi-annual Environmental Monitoring Reports. In case unpredicted environmental impacts occur during the project implementation, prepare and implement as necessary an environmental emergency program in consultation with relevant government agencies and ADB.

2.3 Project Activities during Current Reporting Period


33. The major activities which have been carried out during the current reporting period (January-June 2019) are provided below:

- Supply and placement rocks on the Beach [Ch-1,500 - Ch-2,000]; Rocks sizes (2 - 120 mm); (50 - 500Kg); (2 - 5 ton) and (3 - 7 ton);
- General excavation and transportation to storage area;
- Backfilling revetment [Ch-1,500 - Ch-1,800];
- Reinforced concrete Crown-wall [Ch-1,800 - Ch-2,000];
- Demolishing the broken and ruined boulevard;
- Construction of a stone revetment;
- Construction of the crown wall at the top of the revetment;
- Construction of the beach accesses and Outfalls along the shoreline with interruption of the revetment;
- Construction of drainage system and Boulevard pavement.


Physical and financial progress by June 2019:

Activities according contract:

- The actual physical progress for the contract works is: 89.0 %;
 - The actual financial progress included submitted IPA-27 is: 86 %;
 - The financial certified progress (IPC 1 until 27) for the contract works is: 81.3 %.
-



34. Details of worker numbers (maximum, minimum) during current reporting period is outlined by the chart provided below:



35. During the reporting period, the following new significant activities have been commenced under the project:


- Studies, analyses and monitoring of Chorokhi River:
- The following maps show the general location of the Project activities

- Historical Data Collection, Topo-Bathymetric Survey, Geotechnical Survey



GENERAL INVESTIGATION ACTIVITIES:

- Historical Data Collection (18.01.2018 – 28.02.2018);
 - Topo-Bathymetric Survey (08.02.2018 – 05.12.2018);
 - Geotechnical Survey (08.02.2018 – 28.02.2018);
 - Monitoring (01.03.2018 – 19.12.2018);
 - 2D model analysis (26.04.2018 – 19.12.2018);
 - Coordination and reporting (12.04.2018 – 30.01.2019).
- **Concrete pouring and reinforcement arrangement works**
 - Duration of pouring and reinforcement activities: 01.01.2019 – 30.06.2019
 - **Rock supply and placement works**
 - Duration of rock supply and placement activities: 01.01.2019 – 30.06.2019
36. Where the revetment and crown wall are interrupted for building these accesses, stability of the shoreline against both - wave and earth loadings are to be supported by a proper retaining structure consisting in a 4 m reinforced concrete wall founded on steel sheet-piles, placed along the crown wall line.
37. Construction of 10 beach accesses along the shoreline with interruption of the revetment. In these cases, the stability is assured by a proper retaining structure consisting in an approx. 4 m reinforced concrete wall founded on steel sheet-piles, placed along the crown wall line.
-



2.4 Description of Any Changes to Project Design

39. In the past two years the situation has changed sharply and with intensity that has been completely different from the experience of the last 15 years.
 40. Sufficient magnitude erosion has been occurred during 2015-2017 years on Batumi beach, which needed to perform the additional works (back filling of the boulevard) asked by local government Municipality (Batumi) with MDF confirmation, and changes of the stone sizes from 50 mm to 7000 mm because small stones sizes would not provide the beach
-

stabilization considering of all these circumstances it was required the design changes. The modifications of the water depth and of the slope of the coastline just after the breakwater in north direction have been very important and were extended for approximately 2 km. The modification has been so important that the original sections could not be done any more and that the new solution should include also the reconstruction of the boulevard.

41. In order to avoid any further damages, the Engineer, in agreement with the Client (MDF) and its Consultant, took the decision that it is immediately necessary to bring new material in the eroded portion of the coastline approximately equal to the volume lost in the past two years. This volume that is composed by gravel and sand with the grain size distribution defined by the Engineer has been dumped in the period between beginning of June and end of August 2017.
 42. In parallel, the Engineer has proposed a final solution. The Client on May 17th 2017 requested to the Engineer to develop the updated detailed design of this solution. The solution has been further discussed with MDF, Consultant and with the Construction Contractor and the details have been agreed on the meeting held in Batumi on September 22nd, 2017.
 43. The MDF asked Technital to revise the original design, including IEE and SSEMP in order not only to restore the protective function of the revetment but also to incorporate the actual embankment as integral part of the design. For this reason, the design revision, have taken into account the revetment, nourishment and boulevard.
 44. On 6th of December 2017 the amendment has been signed between Technital and MDF with the approval of the "Adaptation design for Batumi coastal protection". SC submitted the revised design to the MDF by end of December, 2017. The revised design and other documentations (method statements) were approved by MDF in February, 2018. IEE was updated accordingly to ADB SPS 2009 together with revised detail design, which was agreed with MDF in March, 2018. By ADB updated IEE was approved in May, 2018. Updated IEE was disclosed at MDF's web-page: <http://mdf.org.ge/?site-lang=en&site-path=documents/&id=396>. SSEMP was also updated and approved as by MDF as well as by ADB prior to construction activities start.
-

3 ENVIRONMENTAL SAFEGUARD ACTIVITIES

3.1 General Description of Environmental Safeguard Activities

45. Based on the EMP/SSEMP requirements, monitoring measures of project includes construction site supervision, verification of permits, monitoring of compliance of the contractors' performance and specific monitoring of environmental impacts like noise, dust, soil contamination, landscape structure, construction waste, flora and fauna, water pollution, air emissions and etc. conducted by Contractor's and Engineer's environmental management specialists.
46. The Contraction Contractor's QHSE Manager - Mamuka Shaorshadze is: submitting environmental monitoring reports on a monthly basis; Coordinating community relations issues through acting as the Contractor's community relations focal point (proactive community consultation, complaints investigation and grievance resolution); Establishing and maintaining site records of:
- Weekly site inspections using check-lists based on SEMP;
 - Environmental accidents/incidents including resolution activities;
 - Environmental monitoring data;
 - Non-compliance notifications issued by the SC;
 - Corrective action plans issued to the SC in response to non-compliance notices;
 - Community relations activities including maintaining complaints register;
 - Monitoring reports;
 - Routine reporting of SEMP compliance and community liaison activities;
 - As per reporting to the Employer's Engineer of environmental incidents/spillages including actions taken to resolve issues.
47. Local environmental specialist of Supervision Company Alexandre Abzianidze conducts site-monitoring visits 4 times per month and supervises and monitors implementation of the SSEMP during construction activities.
48. The international environmental expert of SC, Cristina Zago, has prepared the quarterly reports. In the reporting period he visited the camp site from 18.03 to 22.03.2019. The international expert receives regularly mails, reports, memo and when necessary she cooperate with MDF's local consultant, SC (Alexandre Abzianidze) and CC (Mamuka Shaorshadze, Nikoloz Beruchashvili).
49. Local environmental specialist Alexandre Abzianidze was recruited by the SC in February, as well. He conducts site-monitoring visits 2 times per month and supervise and monitor implementation of the SSEMP during construction activities.
49. MDF's Environmental Specialist (Ketevan Papashvili) ensures that the Contractors – CC and SC understand what is to be done and how to rectify and address any environmental issues rose during project implementation process. MDF's Environmental Specialist has regularly been performing monitoring of ongoing activities with close cooperation with env.
-

specialists of SC and CC companies, by mailing, site monitoring visits and meetings. Coordination with the Contractor and SC has been performed by checking the Reports (SSEMP, monthly, HSE and etc.).

3.2 Site Audits

50. Regular inspection and monitoring of construction sites under Batumi Coastal Improvement Project were conducted by ESs of CC, SC and PIU. The schedule of joint inspections and summary of audits are provided in the Table 3 below.

Table 3. Summary of site audits

Date of visit	Name of Company	Auditors name,	Purpose of audit	Summary of any significant findings	Cross reference to Audit report
Continuously during reporting period (January-June 2019)	Struijk Group Georgia	Mamuka Shaorshadze	Compliance with HES requirements	<ul style="list-style-type: none"> Poor housekeeping at site toilet Safety issues on construction sites PPE usage on construction sites No meshes were provided on the excavator screens Unplanned discharges (Inert waste-washed concrete) on the site 	Non-compliance reports are included in the Contractor's monthly report (Example in Attachment 5). In accordance with Contractor report all identified non-conformances were resolved.
Weekly bases	SC	Alexander Abzianidze	Compliance with HES requirements	<ul style="list-style-type: none"> Poor housekeeping Lack of drip treys No fencing of partially working area 	Non-compliance reports N8 and N9
Semi-annual	MDF	Ketevan Papashvili	Compliance with HES requirements	<ul style="list-style-type: none"> Opening the beach during summer season 2019 	Near Miss

3.3 Issues Tracking (Based on Non-Conformance Notices)

52. Identification of problematic issues and non-compliance notice during site inspections is the responsibility of Environmental Specialists of Construction and Supervision Companies. During reporting period, the number of site visits has been implemented by environmental specialists of Construction and Supervision Companies in order to check environmental compliance of construction works.
53. In case of any deviations of EMP/SSEMP requirements corrective actions and mitigation measures are applied. All mitigation measures during pre- and construction phases of SPs are implemented by construction contractors according to EMP/ SSEMP.
54. Non-compliances observed during the reporting period, corrective actions required and their current statuses are provided in the Table 4 below:

Table 4: Summary of site visits and non-compliances during January - June 2019

Date of submission	Description of Non-Compliance	Area	Corrective action required	Performance Date of Corrective actions
25.03.2019	Not proper housekeeping is set near the reinforcement bars cutting and concrete pouring works areas. No reinforcements cut pieces (metal wastes) are collected, no designated area (no barricades, no facility, no sign) for reinforcements cutting. Used gloves, plastics are scattered	Construction site	Housekeeping done properly for this specific place and all reinforcement bars have been segregated and stored as project requires. Provided metal barrel for the metal waste for temporary storage. Barricading has been provided by safety tape. Special safety signs and temporary waste bins have been provided specially for this area.	Improved April, 03, 2019
18.04.2019	Not any flagman, banksman presences on the construction site	Construction site	On 17th of April separate flagman has been hired for the second access of the project road. This flagman (Kakha Beridze) will stand during working period exactly this area and will control the traffic of trucks and pedestrians (Tourists and locals).	Improved April, 27, 2019

3.4 Trends

55. This will be done during the next reporting period as MDF and the SC have not/could not collect statistics based on graphs and tables provided in New Manual's Environmental Safeguards Issues Tracing Workbook.

3.5 Unanticipated Environmental Impacts or Risks

56. No any unanticipated environmental impacts and risks have been occurred during the reporting period.
-

4 RESULTS OF ENVIRONMENTAL MONITORING

4.1 Overview of Monitoring Conducted during Current Period

MDF requires the Construction and its Supervision Companies to implement construction activities in accordance with the environmental management plan, according to which SSEMP was developed.

59. Based on the EMP/SSEMP requirements, monitoring measures of projects includes construction site supervision, verification of permits, monitoring of compliance of the contractors' performance and specific monitoring of environmental impacts like noise, dust, soil contamination, landscape structure, construction waste, flora and fauna, water pollution, air emissions and etc. conducted by Contractor's and Engineer's environmental management specialists.
60. The objects of monitoring, the sampling points, techniques, frequency of measurements and, targets, as well as entity responsible for monitoring, as indicated in SSEMP.
61. During the reporting period, the following monitoring activities have been carried out by CC and supervised by SC and MDF: Flora and Fauna, Noise, Water turbidity activities, Air quality.
- **Walkover Surveys were implemented on:** 05.01.2019; 11.02.2019; 11.03.2019; 03.04.2019, 10.05.2019 and on 10.06.2019 by Jimsher Mamuchadze for existing terrestrial fauna species and by Nino Memiadze for flora species. Results of measurements are presented in **Annex 4**. In the case of birds, there are no protected species recorded. No one from identified species are breeding and nesting near the project working areas. As for the Emerald and IBA sites, in that case this status is not oriented towards any of individual species and is rather more focused on the territory, which is important for the birds. Chorokhi delta site is protected under both statuses, however, the affected project area is only bordering on the location, which is significant for Chorokhi birds and it is not located within its bounds. Currently, no species have been seen breeding and nesting near the project working areas.
 - **Environmental Manager of CC conducted Noise Measurements during** 5 days in order to identify and quantify noise level of workplace for community on: 15-19.01.2019; 12-16.02.2019; 11-15.03.2019; 08-12.04.2019; 06-10.05.2019; 10-14-06.2019. Results of measurements are presented in **Annex 1**. Based on the results of the tests conducted near the project sensitive receptors, monitoring noise levels are in norm of Resolution No 398 of the Government of Georgia, August 15, 2017, Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments” as well as IFC/WB limits.
 - **Turbidity Measurements were conducted by Mamuka Shaorshadze on:** 15.01.2019; 12.02.2019; 11.03.2019; 10.04.2019; 06.05.2019 and on 11.06.2019; Results of measurements are presented under **Annex 3**; Based on the results of the tests conducted in this period are under the norm of national and international standards.
 - **National Environmental Agency conducted Air Measurements on:** 19.01.2019; 20.02.2019; 26.03.2019; 20.04.2019; 24.05.2019 and on 19.06.2019. Results of measurements are presented in **Annex 2**. Results of Dust, Carbon Monoxide (CO), Nitrogen Dioxide (NO₂) and Sulfur Dioxide (SO₂) measurements are in norm (The Georgian decree of the Minister for Health, Labor and Social Affairs (297n of August 16,
-

- 2001) (as amended by the Order No 38/n of the same Ministry of 24.02.2003). Results of measurements are in norms of IFC/WB standards.
62. Calibration Certificate for noise measurement device (PCE-322A) was provided. Certificate for water turbidity measurement device was provided as well. Results of monitoring campaigns are provided under Attachments.
63. Monitoring tests conducted during the reporting period are in frame of the international and Georgian standards.

4.2 Trends

64. N/A

4.3 Summary of Monitoring Outcomes

65. No any recommendation for the additional monitoring.

4.4 Material Resources Utilization

4.4.1 Current Period

66. N/A

4.4.2 Cumulative Resource Utilization

67. N/A

4.5 Waste Management

68. Constructions works generate different type wastes starting from garbage, recycle waste, house hold waste and construction and demolition debris, including, small quantities of hazardous waste generated mainly from the vehicle maintenance activities (liquid fuels, lubricants, hydraulic oils, chemicals and etc.).
69. Waste Management Plan was approved by "Saunders Group" Ltd, MDF (Municipal Development Fund) and director of construction contractor "Struijk Group Georgia LLC". There were installed three different waste bins in the temporary waste area. Proper signs are installed: Hazardous waste, General waste, paper waste, plastic waste, smoking area, temporary hazardous waste area, grievance box, do not burn, WC, keep area clean and etc. Temporary hazardous waste area has been arranged with two layers of Polyethylene. Area is fenced with metal fence and locked.
70. The Construction Company collects hazardous waste at the temporary storage sites and pass it to the licensed operator Sanitary LTD having environmental permit on operation of
-

the hazardous wastes. The contract with “Sanitari” Ltd was signed on 07 April, 2017. Small amount of hazardous waste (liquid fuels, lubricants and contaminated rags).

71. Household waste - Contractor “Struijk Group Georgia” Ltd is conducting household waste segregation: Plastic, Paper and General Waste. On disposal of household waste, a letter was provided by Batumi Municipality on: 29 May, 2017. Based on letter two big waste bins were provided by city municipality and once in a week, waste is taking out from the site by them to the municipal landfill.
72. Household waste as well as plastic and paper is collected in special waste bins and periodically disposed by Batumi Municipal Service on a contractual base. Hazardous waste area is well established with concrete ground, roofing, fencing and drainage system. Hazardous waste such as contaminated soil, solvents, and materials used in oil spill clean-ups and etc. is collected in closed drums and passed to a licensed operator company “Sanitari” Ltd., which has the permit on operation of the hazardous waste. At present, there is 450kg contaminated soil kept in the drums to be disposed by “Sanitari” by end of 2018.
73. Monitoring of waste management issues is being carried out by contractor environmental specialist and by supervising environmental specialist. Construction waste is accumulated on construction site in special isolated areas divided by hazardous, domestic and construction waste. Construction Company has signed contract with the companies for waste removal. The waste is being removed from construction site by authorized personal only in accordance of safety regulations. Concrete debris generated during demolition works near the site cam and step by step taken to the licensed landfill located near city Batumi.

4.5.2 Current Period

74. Table 5 below provides breakdown of waste streams during current reporting period. This information should include

Table 5: Breakdown of waste streams during current reporting period

Type of waste	Source of waste	Quantity of waste generated/ Ton	Hazard/non Hazardous	Temporary storage	Final disposal
Demolished concrete from former boulevard	Concrete debris generated during demolition works; excessive concrete from the construction	≈1965 Ton	Non--hazardous	Near construction area	Collected by “Struijk group Georgia” LLC for final disposal permitted area (Batumi municipal construction waste landfill)
General solid waste (domestic waste, including food waste)	Construction base and camps, worker’s welfare and sanitation facilities	≈1.8 Ton	Non-hazardous	Segregated and stored in an approved waste accumulation area on site	Collected by “Struijk group Georgia” LLC and handed over to competent organizations for final disposal (municipality landfill) - waste skips will be provided on the site and Batumi cleaning service will clean periodically.

Plastics	Construction base and camps, worker's welfare and sanitation facilities	≈0.4 Ton	Non-hazardous	Segregated and stored in an approved waste accumulation area on site	Collected by "Struijk group Georgia" LLC and handed over to municipality cleaning service. Disposal (municipality household landfill)
Paper and cardboard	Construction base and camps, worker's welfare and sanitation facilities	≈0.5 Ton	Non-hazardous	Segregated and stored in an approved waste accumulation area on site	Collected by "Struijk group Georgia" LLC and handed over to Batumi municipality cleaning service. Disposal (municipality household landfill)
Oils and lubricants, oil contaminated cleaning cloths	Generated during machinery and equipment maintenance and repair	≈0.1 Ton	Hazardous	Collected in drums, labeled and sealed; stored in locked and secure area on site, specially designated for hazardous materials / waste temporary accumulation	Recovery and re-use options to be fully explored depending on site and amount; collected by "Struijk group Georgia" LLC and handed over to special certified company "Sanitary" ltd.

4.5.3 Cumulative Waste Generation

75. N/A.

4.6 Health and Safety

4.6.1 Community Health and Safety

76. There were no major incidents occurred during the reporting period.

Name/Surname	Position	Phone	E-Mail	Working period
Mamuka Shaorshadze	QHSE Manager	595116071	m.shaorshadze@gmail.com	01.12.2018 - Present

77. QHSE Manager (Mamuka Shaorshadze) registers all project near misses and keeps them in log book in the site office.

4.6.2 Worker Safety and Health

78. Detailed statistics on accident rates, including Lost Time Incidents, Accidents and near misses is provided under the Table 6 below:

Table 6: Near Misses during reporting period

Date of Occurrence	Employee involved	Description of Near Miss	Area	Corrective action required
22.01.2019	Supplier (Kvirike - 1)	During the inspection of the quarry "Kvirike -1", it happened the unexpected explosion of the segment of the quarry. First of all they had no any site supervisor, HSE personnel and situation was out of the control and may be happened any serious incident/death.	Quarry "Kvirike -1"	First of all quarry site supervisor should be on site during any quarry extraction activities. They must hire health and safety specialist permanently on this quarry and conduct the daily HSE toolboxes and trainings for exploders and all personals on site ASAP. During the explosion time before one hour earlier, everyone should be informed and be on the safe area. On weekly bases health and safety checklist should be filled on site and send to the supervisor company regarding latest HS situation on site
12.02.2019	Subcontractor of ECC Ltd.	During the rebar installation near the concrete works, company ECC's worker was working with angle grinder without any protection of the face. The angle grinder was operational without circular protection and it was high risk to damage himself and around him.	Ch. 970	It has been stopped immediately unsafe action from side of worker and gave warning. HSES training has been conducted the especially for this team and especially for this worker which is always using the angle grinder. the meaning of the protection of the cover of the angle grinder was explained properly. Worker gave us the word that never uses the hand tools without protection. He signed the training participant list and fully understands the all modules of the HSES training meaning.

26.02.2019	Subcontractor of ECC Ltd.	During the rebar installation process, suddenly the small pebble was thrown by truck from site road.	Ch. 1080	Last warning have been given to the truck drivers to slow down driving, during the driving along the internal road, otherwise they will be fined. Also have been given safety glasses to the all workers on site. Special HSE toolbox talks have been given to the all workers on site. Additional safety signs was installed every 20 meter along the fences and also flagmans are controlling the whole perimeter.
23.05.2019	Subcontractor of ECC Ltd.	On the 23th of May it was strong wind and all fences were falling down.	Ch. 370	After the all fences were fallen we made a mobilization and with our flagmen (3 people) was erected the fallen fences. The fences were fixed as strong as possible. Gave some HSE instructions to the flagmen and workers such like situations how to make quick actions.

79. ADB mission requested CC in coordination with PIU/MDF to develop a method statement and community health and safety plan to deal with construction works during the summer months. The purpose of this plan is to provide the information and method by which community and tourist's health and safety will be ensured, during an open beach section in summer.
80. Community Health and Safety Plan was prepared by the CC. It provides information regarding the existing risks and measures which should be taken to deal with those risks and take all the necessary precautions to provide a safe opened section.

4.7 Trainings

81. On 22th of January, 2019 HSES training has been conducted for new members of subcontractors of concrete works, and additionally for rebar installation and site workers; Total attendance on the HSES training were six personnel.
-

82. On 15th of April, 2019 HSES training has been conducted for new members of subcontractors of concrete works, and additionally for rebar installation and site workers; Total attendance on the HSES training were two personnel.
 83. On 17th of April, 2019 HSES training has been conducted for the flagmen of the Struijk Group Georgia. There was replaced flagman who controlled the second access of the site area. This flagman will controlled the second access for protecting of locals and tourists bicycled on the specific their road. Special HSES training has been conducted to the flagman for understand of project requirements and HSES rules and his responsibilities. The flagmen signed the special site induction papers and list of participation.
 84. On 1th of May, 2019 HSES training has been conducted for the sub-contractor "LISA" of the Struijk Group Georgia. HSES training have been conducted for 6 (six) workers of the company "LISA" which will construct the pavement of the new boulevard. The concrete workers well understood of the project requirements and HSES rules and their responsibilities. All workers were signed the special site induction papers and list of participation.
 85. On 2nd of May, 2019 HSES Additional training has been conducted for the sub-contractor "LISA" of the Struijk Group Georgia. HSES training have been conducted for 3 (three) workers of the company "LISA" which will construct the pavement of the new boulevard. The concrete workers well understood of the project requirements and HSES rules and their responsibilities. All workers were signed the special site induction papers and list of participation.
 86. On 3rd of May, 2019 HSES training has been conducted for the graider operator of sub-contractor "BONDI 2009", which will construct the pavement of the new boulevard. The grader operator well understood of the project requirements and HSES rules and his responsibilities. Has been signed the special site induction papers and list of participation.
 87. On 17th of June, 2019 HSES training has been conducted for the new workers of the rebar works (crown wall preparation and installation), which will be work with the subcontractor "ECC" Ltd. The new workers well understood of the project requirements and HSES rules and their responsibilities. Has been signed the special site induction papers and list of participation.
 88. On 27th of June, 2019 HSES training has been conducted for the new workers of the rebar works (crown wall preparation and installation), which will be work with the subcontractor "ECC" Ltd. The new workers well understood of the project requirements and HSES rules and their responsibilities. Has been signed the special site induction papers and list of participation.
-

5 FUNCTIONING OF THE SEMP

5.1 SEMP Review

85. Construction Contractor “Struijk”, as it was mentioned above, implements environmental monitoring of construction activities in accordance to SSEMP. Based on the EMP/SSEMP requirements, monitoring measures of project includes construction site supervision, verification of permits, monitoring of compliance of the contractors’ performance and specific monitoring of environmental impacts like noise, dust, soil contamination, landscape structure, construction waste, flora and fauna, water pollution, air emissions and etc.
 86. Contractor has the ability to fully implement the requirements set out under the SSEMP. Monitoring of SSEMP implementation is conducted by Contractor’s and Engineer’s environmental management specialists. The Contractor’s Environmental Manager Mamuka Shaorshadze is conducting weekly site inspections using check-lists based on SEMP.
 87. Acting SSEMP is effective as along with project design change MDF ensured to update it as well and mitigation measures set out under the document are appropriate and working as intended. No other alternative better mitigation measures need to be set out, as existing ones are quite effective and comprehensive.
-

6 GOOD PRACTICE AND OPPORTUNITY FOR IMPROVEMENT

6.1 Good Practice

88. As Good Practice for the project can be considered elaboration of Location Specific Community Health and Safety plan for the opened beach under the project are during the summer season, which was developed by CC in accordance to ADB's Environmental Specialist – Duncan Lang's request.
89. The purpose of this plan is to provide the information and method by which community and tourists health and safety will be ensured, during an open beach section in summer; Also, plan provides information regarding the existing risks and measures which should be taken to deal with those risks and take all the necessary precautions to provide a safe opened section.

6.2 Opportunities for Improvement

90. N/A
-

7 SUMMARY AND RECOMMENDATIONS

7.1 Summary

91. Effective implementation of Environmental Safeguards can be summarized in following aspects:

- IEE was updated along with project design change;
- Construction works were suspended during design change process;
- SSEMP was updated prior to construction works have been started;
- Special management plan for Community Health and Safety was elaborated for opened project area during the summer season.

7.2 Recommendations

- CC to add warning signs on different languages at some sections of the construction site.
 - CC to improve waste management and prohibit burning of the waste directly at the construction site.
 - Contractor to continue recording H&S data and to provide that to the Supervision Consultant and PIU, including project Near Misses.
-

8 ANNEXES

8.1 Annex 1 - Noise Measurements (January - June, 2019)

8.1.1 January



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Report on: Noise Measurement

Monitoring Test

Period of Inspection: 20190115 - 20190119	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
---	------------------------------------	-------------	---

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 8 - 46 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

Noise Standards: Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”


Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms		
		L day (DBA)		
		Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40
3	Residential and sleeping areas	35	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35
6	Trading halls and guest rooms	55	55	55
7	Restaurants, bars, cafes	50	50	50
8	Spectator/listeners' hall	30	30	30
9	Sport halls and pools	55	55	55
10	Small offices (≤100 m ³), working premises and premises	40	40	40

	without office technique			
11	Large offices ($\geq 100 \text{ m}^3$), working premises and premises with office technique	45	45	45
12	Conversation premises	35	35	35
13	Territories, distanced from the low multistoried residential houses (number of the floors >6), medical establishments, children and social service objects	50	45	40
14	Territories, distanced from the multistoried residential houses (number of the floors >6), cultural, educational, administrative and scientific establishments	55	50	45
15	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

Note: The threshold #13 and highlighted in the table (yellow) is thresholds, which are considered.



Map with samples points:






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Test results for School-lyceum "Taoba":
Day I (15.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (16.01.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (17.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (18.01.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (19.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Test results for Shota Rustaveli University:
Day I (15.01.2019):**







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2


Day 2 (16.01.2019):




8.1.2 August



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 3 (17.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 4 (18.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 5 (19.01.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Test results for The Magnolia Hotel:
Day 1 (15.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (16.01.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (17.01.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (18.01.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (19.01.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Meteorological Data (15.01.2019 - 19.01.2019) Batumi, Georgia

Weather History & Observations

2019	Temp. (°F)			Dew Point (°F)			Humidity (%)			Sea Level Press. (in)			Visibility (mi)			Wind (mph)			Precip. (in)	Events
Jan	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	sum	
15	66	57	48	34	30	27	50	36	24	29.80	29.68	29.53	6	6	6	25	18	33	0.00	
16	66	54	42	46	36	27	93	57	23	29.86	29.66	29.47	6	5	4	36	19	55	0.00	Rain
17	42	38	35	39	36	34	100	92	81	30.21	30.04	29.86	6	6	4	15	8	-	0.00	Rain, Snow
18	50	44	37	39	36	32	93	83	58	30.30	30.25	30.21	6	6	4	14	8	-	0.00	Rain
19	51	43	35	37	29	25	87	62	35	30.24	30.18	30.12	-	-	-	23	14	-	0.00	



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Weather History Graph





Photo-Documentation:





Conclusion:

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”.

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	Day 1 15.01.2019	Morning	09:16	49.95	50.83	50
		Noon	13:22	51.71		
		Evening	18:19	49.41		
	Day 2 16.01.2019	Morning	09:43	49.96	50.34	50
		Noon	14:19	50.72		
		Evening	19:56	48.17		
	Day 3 17.01.2019	Morning	09:50	48.63	51.60	50
		Noon	14:13	54.58		
		Evening	18:43	49.15		
	Day 4 18.01.2019	Morning	09:55	46.66	48.99	50
		Noon	14:19	51.32		
		Evening	19:43	48.00		
	Day 5 19.01.2019	Morning	09:23	48.97	51.24	50
		Noon	14:38	53.51		
		Evening	18:32	50.17		



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	Day 1 15.01.2019	Morning	09:38	49.80	50.22	50
		Noon	13:38	50.65		
		Evening	18:08	48.57		
	Day 2 16.01.2019	Morning	09:41	50.14	50.52	50
		Noon	14:19	50.90		
		Evening	18:55	47.88		
	Day 3 17.01.2019	Morning	09:38	49.52	50.96	50
		Noon	14:28	52.40		
		Evening	18:53	49.30		
	Day 4 18.01.2019	Morning	09:18	51.17	51.6	50
		Noon	14:34	52.03		
		Evening	18:09	47.45		
	Day 5 19.01.2019	Morning	09:51	49.62	50.61	50
		Noon	14:49	51.61		
		Evening	18:37	48.47		

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	Day 1 15.01.2019	Morning	09:29	48.79	49.73	50
		Noon	14:09	50.67		
		Evening	18:27	49.90		
	Day 2 16.01.2019	Morning	09:43	48.18	48.71	50
		Noon	14:39	49.24		
		Evening	18:53	48.19		
	Day 3 17.01.2019	Morning	09:52	48.97	51.24	50
		Noon	14:57	53.51		
		Evening	18:24	49.22		
	Day 4 18.01.2019	Morning	09:37	50.39	49.81	50
		Noon	14:39	49.23		
		Evening	18:09	48.57		
	Day 5 19.01.2019	Morning	09:53	48.97	51.24	50
		Noon	14:46	53.51		
		Evening	18:22	50.17		

8.1.2 February



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Report on: Noise Measurement

Monitoring Test

Period of Inspection: 20190212 - 20190216	Project: Coastal Protection Batumi	Locations :	School-lyceum "Taoba" Shota Rustaveli University The Magnolia Hotel
---	------------------------------------	-------------	---

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 22 - 46 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

Noise Standards: Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments“


Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms		
		L day (DBA)		
		Day	Evening	L night (DBA)
1	Studying establishments and reading rooms	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40
3	Residential and sleeping areas	35	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35
6	Trading halls and guest rooms	55	55	55
7	Restaurants, bars, cafes	50	50	50
8	Spectator/listeners' hall	30	30	30
9	Sport halls and pools	55	55	55
10	Small offices ($\leq 100 \text{ m}^3$), working premises and premises	40	40	40

	without office technique			
11	Large offices ($\geq 100 \text{ m}^3$), working premises and premises with office technique	45	45	45
12	Conversation premises	35	35	35
13	Territories, distanced from the low multistoried residential houses (number of the floors >6), medical establishments, children and social service objects	50	45	40
14	Territories, distanced from the multistoried residential houses (number of the floors >6), cultural, educational, administrative and scientific establishments	55	50	45
15	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

Note: The threshold #13 and highlighted in the table (yellow) is thresholds, which are considered.



Map with samples points:






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum "Taoba":
Day I (12.02.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




Day 2 (13.02.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (14.02.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (15.02.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (16.02.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Test results for Shota Rustaveli University:
Day I (12.02.2019):**







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 2 (13.02.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 3 (14.02.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 4 (15.02.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 5 (16.02.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for The Magnolia Hotel:
Day 1 (12.02.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (13.02.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (14.02.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (15.02.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (16.02.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Meteorological Data (12.02.2019 - 16.02.2019) Batumi, Georgia

Weather History & Observations

2019	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Visibility (km)			Wind (km/h)			Precip. (mm)	Events
Feb	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	sum	
12	17	10	4	7	2	-2	93	58	29	1019	1017	1015	-	-	-	32	16	-	0.00	
13	16	12	8	9	2	-3	88	61	29	1024	1021	1017	10	10	10	39	29	-	0.00	
14	11	7	4	7	5	2	87	80	58	1024	1021	1018	10	10	10	23	13	-	0.00	
15	9	7	6	7	7	6	100	92	82	1020	1018	1017	10	9	6	21	8	-	0.00	Rain
16	8	7	6	7	6	4	100	91	76	1026	1022	1020	10	9	5	35	16	-	0.00	Rain



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Weather History Graph




Photo-Documentation:





Conclusion:

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”.

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	Day 1 12.02.2019	Morning	09:08	49.95	50.83	50
		Noon	13:37	51.71		
		Evening	19:28	49.41		
	Day 2 13.02.2019	Morning	09:39	50.37	50.85	50
		Noon	14:42	51.33		
		Evening	18:53	48.20		
	Day 3 14.02.2019	Morning	09:52	48.79	49.73	50
		Noon	14:09	50.67		
		Evening	18:09	49.90		
	Day 4 15.02.2019	Morning	09:37	48.18	48.70	50
		Noon	14:35	49.23		
		Evening	18:41	48.57		
	Day 5 16.02.2019	Morning	39:38	48.97	51.24	50
		Noon	14:08	53.51		
		Evening	18:11	50.17		



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	Day 1 12.02.2019	Morning	09:36	48.79	49.73	50
		Noon	14:50	50.67		
		Evening	18:22	49.90		
	Day 2 13.02.2019	Morning	09:42	49.95	50.83	50
		Noon	13:40	51.71		
		Evening	18:38	49.41		
	Day 3 14.02.2019	Morning	09:29	48.97	51.24	50
		Noon	14:56	53.51		
		Evening	18:07	50.17		
	Day 4 15.02.2019	Morning	09:39	50.37	50.85	50
		Noon	14:34	51.33		
		Evening	18:39	48.20		
	Day 5 16.02.2019	Morning	09:41	48.18	48.70	50
		Noon	14:52	49.23		
		Evening	18:23	48.57		

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	Day 1 12.02.2019	Morning	09:47	49.80	50.22	50
		Noon	13:19	50.65		
		Evening	18:08	48.57		
	Day 2 13.02.2019	Morning	09:42	50.14	50.52	50
		Noon	14:41	50.90		
		Evening	19:12	47.88		
	Day 3 14.02.2019	Morning	09:38	49.52	50.96	50
		Noon	14:50	52.40		
		Evening	18:28	49.30		
	Day 4 15.02.2019	Morning	09:33	51.17	51.60	50
		Noon	14:39	52.03		
		Evening	18:50	47.45		
	Day 5 16.02.2019	Morning	09:41	49.62	50.61	50
		Noon	14:08	51.61		
		Evening	18:51	48.47		

8.1.3 March



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Report on: Noise Measurement

Monitoring Test

Period of Inspection: 20190311 - 20190315	Project: Coastal Protection Batumi	Locations :	1.School-lyceum "Taoba" 2.Shota Rustaveli University 3.The Magnolia Hotel
---	------------------------------------	-------------	---

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 35 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

Noise Standards: Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments“


Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms		
		L day (DBA)		L night (DBA)
		Day	Evening	
1	Studying establishments and reading rooms	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40
3	Residential and sleeping areas	35	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35
6	Trading halls and guest rooms	55	55	55
7	Restaurants, bars, cafes	50	50	50
8	Spectator/listeners' hall	30	30	30
9	Sport halls and pools	55	55	55
10	Small offices ($\leq 100 \text{ m}^3$), working premises and premises	40	40	40

	without office technique			
11	Large offices ($\geq 100 \text{ m}^3$), working premises and premises with office technique	45	45	45
12	Conversation premises	35	35	35
13	Territories, distanced from the low multistoried residential houses (number of the floors >6), medical establishments, children and social service objects	50	45	40
14	Territories, distanced from the multistoried residential houses (number of the floors >6), cultural, educational, administrative and scientific establishments	55	50	45
15	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

Note: The threshold #13 and highlighted in the table (yellow) is thresholds, which are considered.


Map with samples points:






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum "Taoba":
Day 1 (11.03.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (12.03.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (13.03.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (14.03.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (15.03.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Test results for Shota Rustaveli University:
Day 1 (11.03.2019):**







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 2 (12.03.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




Day 3 (13.03.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 4 (14.03.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 5 (15.03.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for The Magnolia Hotel:
Day 1 (11.03.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (12.03.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (13.03.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (14.03.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (15.03.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Meteorological Data (11.03.2019 - 15.03.2019) Batumi, Georgia

Weather History & Observations

2019	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (hPa)			Pressure (Hg)			Wind (km/h)			Precip. (mm)	Events
Mar	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	high	sum	
11	17	13	9	9	7	3	68	-	24	1019	1017	1015	1020	-	1013	37	-	6	0.00	Rain
12	25	19	13	10	4	3	94	-	40	1024	1021	1017	1014	-	1009	47	-	0	0.00	Rain
13	20	15	10	9	6	3	100	-	87	1024	1021	1018	1015	-	1008	39	-	0	0.00	Rain
14	10	9	8	9	8	7	100	-	82	1020	1018	1017	1016	-	1011	26	-	0	0.00	Rain
15	11	9	7	9	8	7	68	-	24	1026	1022	1020	1012	-	1006	24	-	0	0.00	Rain



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Photo-Documentation:



Conclusion:

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”.



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	Day 1 11.03.2019	Morning	09:51	50.26	50.39	50
		Noon	14:36	50.53		
		Evening	18:21	50.36	50.36	45
	Day 2 12.03.2019	Morning	09:42	50.10	49.99	50
		Noon	14:37	49.88		
		Evening	17:55	49.70	49.70	45
	Day 3 13.03.2019	Morning	09:22	50.37	50.48	50
		Noon	14:53	50.58		
		Evening	18:09	50.29	50.29	45
	Day 4 14.03.2019	Morning	09:36	50.16	50.85	50
		Noon	14:43	51.55		
		Evening	18:11	50.62	50.62	45
	Day 5 15.03.2019	Morning	09:10	51.29	50.99	50
		Noon	14:32	50.69		
		Evening	18:04	50.62	50.62	45

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	Day 1 11.03.2019	Morning	09:21	51.76	52.3	50
		Noon	14:31	52.84		
		Evening	18:02	50.73	50.73	45
	Day 2 12.03.2019	Morning	09:51	50.51	50.91	50
		Noon	14:09	51.32		
		Evening	18:26	52.43	52.43	45
	Day 3 13.03.2019	Morning	09:29	50.43	50.68	50
		Noon	14:09	50.93		
		Evening	18:21	51.24	51.24	45
	Day 4 14.03.2019	Morning	09:35	50.22	50.87	50
		Noon	14:08	51.53		
		Evening	14:45	49.96	49.96	45
	Day 5 15.03.2019	Morning	09:17	49.97	50.84	50
		Noon	14:08	51.72		
		Evening	18:06	49.89	49.89	45



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	Day 1 11.03.2019	Morning	09:38	49.70	52.32	50
		Noon	13:39	54.98		
		Evening	18:07	49.77	49.77	45
	Day 2 12.03.2019	Morning	09:22	49.78	50.17	50
		Noon	14:19	50.56		
		Evening	18:09	49.32	49.32	45
	Day 3 13.03.2019	Morning	09:35	49.49	50.58	50
		Noon	14:50	51.68		
		Evening	18:04	50.99	50.99	45
	Day 4 14.03.2019	Morning	09:32	50.06	49.62	50
		Noon	14:50	49.19		
		Evening	17:59	52.59	52.59	45
	Day 5 15.03.2019	Morning	09:55	50.29	50.66	50
		Noon	14:33	50.73		
		Evening	18:22	49.84	49.84	45

8.1.4 April



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Report on: Noise Measurement

Monitoring Test

Period of Inspection: 20190408 – 20190412	Project: Coastal Protection Batumi	Locations :	1.School-lyceum "Taoba" 2.Shota Rustaveli University 3.The Magnolia Hotel
---	------------------------------------	-------------	---

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 8 to 46 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

Noise Standards: Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments“


Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms		
		L day (DBA)		L night (DBA)
		Day	Evening	
1	Studying establishments and reading rooms	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40
3	Residential and sleeping areas	35	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35
6	Trading halls and guest rooms	55	55	55
7	Restaurants, bars, cafes	50	50	50
8	Spectator/listeners' hall	30	30	30
9	Sport halls and pools	55	55	55
10	Small offices ($\leq 100 \text{ m}^3$), working premises and premises	40	40	40

	without office technique			
11	Large offices ($\geq 100 \text{ m}^3$), working premises and premises with office technique	45	45	45
12	Conversation premises	35	35	35
13	Territories, distanced from the low multistoried residential houses (number of the floors >6), medical establishments, children and social service objects	50	45	40
14	Territories, distanced from the multistoried residential houses (number of the floors >6), cultural, educational, administrative and scientific establishments	55	50	45
15	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

Note: The threshold #13 and highlighted in the table (yellow) is thresholds, which are considered.



Map with samples points:






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum "Taoba":
Day I (08.04.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (09.04.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (10.04.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (11.04.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (12.04.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Test results for Shota Rustaveli University:
Day I (08.04.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 2 (09.04.2019)






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 3 (10.04.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 4 (11.04.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 5 (12.04.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for The Magnolia Hotel:
Day 1 (08.04.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




Day 2 (09.04.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (10.04.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (11.04.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (12.04.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Meteorological Data (08.04.2019 - 12.04.2019) Batumi, Georgia

Weather History & Observations

2019	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (Hg)	Pressure (Hg)			Wind (km/h)			Precip. (mm)	Events
Apr	high	avg	low	high	avg	low	high	avg	low	Actual	high	avg	low	high	avg	high	sum	
8	14	11	8	11	9	5	100	-	71	1011	1011	-	1008	14	-	0	0	Mostly Cloudy
9	24	17	9	11	8	6	87	-	31	1008	1008	-	1003	27	-	0	0	Partly Cloudy
10	20	16	12	11	9	6	88	-	43	1011	1011	-	1004	35	-	0	0	Cloudy
11	22	16	11	13	10	7	88	-	41	1013	1013	-	1009	14	-	0	0	Sunny
12	19	16	12	11	8	6	88	-	52	1017	1017	-	1012	29	-	0	0	Mostly Cloudy



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Photo-Documentation:



Conclusion:

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”.



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	Day 1 08.04.2019	Morning	09:29	51.76	52.30	50
		Noon	14:09	52.84		
		Evening	18:51	50.73	50.73	45
	Day 2 09.04.2019	Morning	09:38	50.51	50.91	50
		Noon	14:43	51.32		
		Evening	18:51	52.43	52.43	45
	Day 3 10.04.2019	Morning	09:32	50.43	50.68	50
		Noon	14:20	50.93		
		Evening	18:11	51.24	51.24	45
	Day 4 11.04.2019	Morning	09:56	50.22	50.87	50
		Noon	14:48	51.53		
		Evening	14:50	49.96	49.96	45
	Day 5 12.04.2019	Morning	09:35	49.97	50.84	50
		Noon	14:13	51.72		
		Evening	18:47	49.89	49.89	45

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	Day 1 08.04.2019	Morning	09:37	51.25	49.71	50
		Noon	14:15	48.17		
		Evening	18:43	51.26	51.26	45
	Day 2 09.04.2019	Morning	09:22	49.96	50.34	50
		Noon	14:49	50.72		
		Evening	19:14	48.17	48.17	45
	Day 3 10.04.2019	Morning	09:28	48.63	51.60	50
		Noon	14:35	54.58		
		Evening	18:43	49.15	49.15	45
	Day 4 11.04.2019	Morning	09:47	46.66	48.99	50
		Noon	14:42	51.32		
		Evening	19:39	48.00	48.00	45
	Day 5 12.04.2019	Morning	09:34	46.43	49.88	50
		Noon	14:43	53.34		
		Evening	19:50	47.88	47.88	45



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	Day 1 08.04.2019	Morning	09:29	49.95	50.83	50
		Noon	13:32	51.71		
		Evening	19:23	49.41	49.41	45
	Day 2 09.04.2019	Morning	09:22	50.37	50.85	50
		Noon	14:57	51.33		
		Evening	18:42	48.20	48.20	45
	Day 3 10.04.2019	Morning	09:37	48.79	49.73	50
		Noon	14:28	50.67		
		Evening	18:19	49.90	49.90	45
	Day 4 11.04.2019	Morning	09:21	48.18	48.70	50
		Noon	14:08	49.23		
		Evening	18:43	48.57	48.57	45
	Day 5 12.04.2019	Morning	19:19	48.97	51.24	50
		Noon	14:13	53.51		
		Evening	18:46	50.17	50.17	45

8.1.5 May



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Report on: Noise Measurement

Monitoring Test

Period of Inspection: 20190506 - 20190510	Project: Coastal Protection Batumi	Locations :	1.School-lyceum "Taoba" 2.Shota Rustaveli University 3.The Magnolia Hotel
---	------------------------------------	-------------	---

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 30 to 46 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

Noise Standards: Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments“


Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms		
		L day (DBA)		L night (DBA)
		Day	Evening	
1	Studying establishments and reading rooms	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40
3	Residential and sleeping areas	35	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35
6	Trading halls and guest rooms	55	55	55
7	Restaurants, bars, cafes	50	50	50
8	Spectator/listeners' hall	30	30	30
9	Sport halls and pools	55	55	55
10	Small offices ($\leq 100 \text{ m}^3$), working premises and premises	40	40	40

	without office technique			
11	Large offices ($\geq 100 \text{ m}^3$), working premises and premises with office technique	45	45	45
12	Conversation premises	35	35	35
13	Territories, distanced from the low multistoried residential houses (number of the floors >6), medical establishments, children and social service objects	50	45	40
14	Territories, distanced from the multistoried residential houses (number of the floors >6), cultural, educational, administrative and scientific establishments	55	50	45
15	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

Note: The threshold #13 and highlighted in the table (yellow) is thresholds, which are considered.



Map with samples points:






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum "Taoba":
Day I (06.05.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (07.05.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (08.05.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (09.05.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (10.05.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





**Test results for Shota Rustaveli University:
Day I (06.05.2019):**







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 2 (07.05.2019)






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 3 (08.05.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 4 (09.05.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 5 (10.05.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for The Magnolia Hotel:
Day 1 (06.05.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (07.05.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (08.05.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (09.05.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (10.05.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Meteorological Data (06.05.2019 - 10.05.2019) Batumi, Georgia

Weather History & Observations

2019	Temp. (°C)			Dew Point (°C)			Humidity (%)			Sea Level Press. (Hg)	Pressure (Hg)			Wind (km/h)			Precip. (mm)	Events
May	high	avg	low	high	avg	low	high	avg	low	Actual	high	avg	low	high	avg	low	sum	
6	28	23	18	14	9	4	64	-	30	1013	1013	-	1007	40	-	6	0.00	Partly sunny
7	31	23	16	16	12	9	94	-	27	1007	1007	-	1003	50	-	10	0.00	Sunny
8	18	16	14	14	13	12	100	-	68	1015	1015	-	1008	35	-	8	0.51	Overcast
9	15	14	13	13	12	11	100	-	77	1017	1017	-	1015	32	-	0	3.05	Overcast
10	16	12	13	12	11	11	94	76	90	1015	1016	-	1015	20	-	16	0.00	Showers early. Morning clouds.



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

May 6, 2019 - May 12, 2019





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Photo-Documentation:



Conclusion:

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”.



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	Day 1 06.05.2019	Morning	09:27	48.79	49.73	50
		Noon	14:57	50.67		
		Evening	18:50	49.90	49.90	45
	Day 2 07.05.2019	Morning	09:37	48.18	48.70	50
		Noon	14:53	49.23		
		Evening	18:39	48.57	48.57	45
	Day 3 08.05.2019	Morning	09:39	48.97	51.24	50
		Noon	14:19	53.51		
		Evening	18:52	50.17	50.17	45
	Day 4 09.05.2019	Morning	09:15	49.95	50.83	50
		Noon	13:28	51.71		
		Evening	18:42	49.41	49.41	45
	Day 5 10.05.2019	Morning	09:31	50.37	50.85	50
		Noon	14:08	51.33		
		Evening	18:29	48.20	48.20	45

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	Day 1 06.05.2019	Morning	09:33	49.80	50.22	50
		Noon	13:29	50.65		
		Evening	18:46	48.57	48.57	45
	Day 2 07.05.2019	Morning	09:32	50.14	50.52	50
		Noon	14:07	50.90		
		Evening	18:08	47.88	47.88	45
	Day 3 08.05.2019	Morning	09:07	49.52	50.96	50
		Noon	14:09	52.40		
		Evening	18:49	49.30	49.30	45
	Day 4 09.05.2019	Morning	09:27	51.17	51.60	50
		Noon	14:55	52.03		
		Evening	18:38	47.45	47.45	45
	Day 5 10.05.2019	Morning	09:44	49.62	50.61	50
		Noon	14:55	51.61		
		Evening	18:43	48.47	48.47	45



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	Day 1 06.05.2019	Morning	09:27	49.48	50.42	50
		Noon	14:18	51.36		
		Evening	18:12	49.46		45
	Day 2 07.05.2019	Morning	09:24	51.41	51.32	50
		Noon	14:28	51.24		
		Evening	18:04	51.34		45
	Day 3 08.05.2019	Morning	09:22	51.17	50.63	50
		Noon	14:38	50.10		
		Evening	18:21	49.66		45
	Day 4 09.05.2019	Morning	09:22	51.17	50.63	50
		Noon	14:38	50.10		
		Evening	18:21	49.66		45
	Day 5 10.05.2019	Morning	09:32	50.73	51.01	50
		Noon	14:27	51.30		
		Evening	18:44	51.71		45

8.1.6 June



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Report on: Noise Measurement

Monitoring Test

Period of Inspection: 20190610 - 20190614	Project: Coastal Protection Batumi	Locations :	1.School-lyceum "Taoba" 2.Shota Rustaveli University 3.The Magnolia Hotel
---	------------------------------------	-------------	---

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted noise measurements in order to identify and quantify noise level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - noise Levels; the samples have been taken at three location (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), three times a day (morning, afternoon and evening) during five days, during 23 to 46 seconds for each taken sample.

Device Name: **Sound Level Meter PCE-322A**

Noise Standards: Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments"


Permissible norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments

N	The applied functions of the spaces and areas	Admissible norms		
		L day (DBA)		L night (DBA)
		Day	Evening	
1	Studying establishments and reading rooms	35	35	35
2	The treatment cabinets of the medical establishments	40	40	40
3	Residential and sleeping areas	35	30	30
4	The treatment and rehabilitation rooms of the inpatient medical establishments	35	30	30
5	The rooms of the hotel/guest houses/motels	40	35	35
6	Trading halls and guest rooms	55	55	55
7	Restaurants, bars, cafes	50	50	50
8	Spectator/listeners' hall	30	30	30
9	Sport halls and pools	55	55	55
10	Small offices ($\leq 100 \text{ m}^3$), working premises and premises	40	40	40

	without office technique			
11	Large offices ($\geq 100 \text{ m}^3$), working premises and premises with office technique	45	45	45
12	Conversation premises	35	35	35
13	Territories, distanced from the low multistoried residential houses (number of the floors >6), medical establishments, children and social service objects	50	45	40
14	Territories, distanced from the multistoried residential houses (number of the floors >6), cultural, educational, administrative and scientific establishments	55	50	45
15	Territories, distanced from the hotels, trading, service, sport and social organizations	60	55	50

Note: The threshold #13 and highlighted in the table (yellow) is thresholds, which are considered.



Map with samples points:






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

**Test results for School-lyceum "Taoba":
Day I (10.06.2019):**






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (11.06.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (12.06.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




Day 4 (13.06.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (14.06.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2




**Test results for Shota Rustaveli University:
Day I (10.06.2019):**







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 2 (11.06.2019)






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 3 (12.06.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 4 (13.06.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 5 (14.06.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2


Test results for The Magnolia Hotel:

Day 1 (10.06.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 2 (11.06.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 3 (12.06.2019):






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2





Day 4 (13.06.2019):







Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2

Day 5 (14.06.2019):





Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2



Meteorological Data (10.06.2019 - 14.06.2019) Batumi, Georgia

Weather History & Observations

Weather History & Observations																			
2019	Temp. (°F)			Dew Point (°F)			Humidity (%)			Pressure (Hg)			Wind (mph)			Precip. (in)		Events	
June	high	avg	low	high	avg	low	high	avg	low	high	avg	low	high	avg	low	sum			
10	84	78	72	72	70	66	93	-	67	30.01	-	29.9	16	-	0	-	0.02	-	Fair
11	88	78	67	69	64	58	87	-	51	30.05	-	29.94	22	-	0	-	0.23	-	Fair
12	74	70	66	65	62	59	84	-	68	30.01	-	29.9	20	-	7	-	0.00	-	Partly Cloudy
13	80	73	65	64	57	49	93	-	33	30.09	-	29.9	22	-	4	-	0.00	-	Fair
14	82	71	60	54	49	46	72	-	30	30.21	-	30.1	12	-	0	-	0.00	-	Light Rain Shower



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016 and Amendment #2






Photo-Documentation:



Conclusion:

"Based on the results of the tests conducted in three locations (School Lyceum "Taoba", Shota Rustaveli University, The Magnolia Hotel), Monitoring noise levels are under the norm of Resolution No 398 of the Government of Georgia, August 15, 2017; Technical Regulations – „On the norms of acoustic noise in the premises of buildings and areas of the residential houses and social/public establishments”.



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
Shota Rustaveli University	Day 1 10.06.2019	Morning	09:28	48.79	49.73	50
		Noon	14:51	50.67		
		Evening	18:34	49.90	49.90	45
	Day 2 11.06.2019	Morning	09:50	48.97	55.51	50
		Noon	14:28	53.51		
		Evening	18:11	50.17	50.17	45
	Day 3 12.06.2019	Morning	09:09	50.37	50.85	50
		Noon	14:21	51.33		
		Evening	18:08	48.20	48.20	45
	Day 4 13.06.2019	Morning	09:38	49.95	50.83	50
		Noon	13:11	51.71		
		Evening	19:42	49.41	49.41	45
	Day 5 14.06.2019	Morning	09:31	48.18	48.70	50
		Noon	14:47	49.23		
		Evening	18:50	48.57	48.57	45

Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
The Magnolia Hotel	Day 1 10.06.2019	Morning	09:29	49.70	52.34	50
		Noon	13:51	54.98		
		Evening	18:42	49.77	49.77	45
	Day 2 11.06.2019	Morning	09:37	49.78	50.17	50
		Noon	14:43	50.56		
		Evening	18:32	49.32	49.32	45
	Day 3 12.06.2019	Morning	19:18	49.49	50.58	50
		Noon	14:43	51.68		
		Evening	18:08	50.99	50.99	45
	Day 4 13.06.2019	Morning	09:27	50.06	49.62	50
		Noon	14:13	49.19		
		Evening	17:07	52.59	52.59	45
	Day 5 14.06.2019	Morning	09:38	50.29	50.51	50
		Noon	14:55	50.73		
		Evening	18:46	49.84	49.84	45



Location	Days	Period of day	Time of taken sample	Monitoring result of daily mean (Average); dBA	Daily values (Arithmetical average) dBA	Thresholds of daily mean by Georgian law (Resolution No 398 of the Government of Georgia, August 15, 2017) - See Annex N1; Item #13; dBA
School-lyceum "Taoba"	Day 1 10.06.2019	Morning	09:19	49.80	50.22	50
		Noon	13:50	50.65		
		Evening	18:03	48.57		
	Day 2 11.06.2019	Morning	09:19	50.14	50.52	50
		Noon	14:29	50.90		
		Evening	18:47	47.88		
	Day 3 12.06.2019	Morning	09:41	49.52	50.96	50
		Noon	14:44	52.40		
		Evening	18:09	49.30		
	Day 4 13.06.2019	Morning	09:22	51.17	51.60	50
		Noon	14:08	52.03		
		Evening	18:07	47.45		
	Day 5 14.06.2019	Morning	09:28	49.62	50.61	50
		Noon	14:26	51.61		
		Evening	18:11	48.47		

8.2 Annex 2 - Air Measurements (January – June, 2019)

8.2.1 January

საქართველოს გარემოს დაცვისა და სოფლის მეურნეობის სამინისტრო
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA

 სსიპ გარემოს ეროვნული სააგენტო
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-05 23 01 2019

შპს „სტრუქტურული გარემოს“-ს დირექტორის
ბ-ნ ედგარდ სტრუქტურის

ბატონო ედგარდ,

საქართველოს გარემოსა და ზღუდრები რეესტრის დაცვის სამინისტროს სსიპ
„გარემოს ეროვნული სააგენტო“-სა და შპს „სტრუქტურული გარემოს“-ს შორის 2018 წლის 08
იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №08-3/11 ხელშეკრულების
შესაბამისად, დანართის სახით (იწველისურ ენაზე) გაწეული, ქ. ბათუმში, სანაპირო ზოლის
გასწვრივ, თქვენს მიერ მითითებული აღმოსავლური ჰაერის 3 (ერთი) წერტილში იანვრის
თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსი  ანდრო ასლიანიშვილი

ატმოსფერულ ჰაერში დამახინჩაბრებული ინგრედიენტების გაზომვის შედეგები
ქილად ბათუმში

19.01.2019

ხელშეკრულება-№გ-3/11

N	გაზომვის ჩატარების ადგილი	კოორდინატები	გაზომვის შედეგები			
			CO ნახშირბადი მგ/მ³	NO ₂ აზოტის დიოქსიდი მგ/მ³	SO ₂ სერის დიოქსიდი მგ/მ³	მტვერი მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,25	0,011	<0,247	0,081
2	სასტუმრო მგელია	71788/4613579	2,01	0,013	<0,247	0,076
3	სკოლა ლიგეუმ-თაიზა	715840/4611035	1,43	0,009	<0,247	0,092
4	ზღვრიდან დასაშვები კონცენტრაციები (ზღვკ)		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა შემდეგი ხელსაწყოების გამოყენებით: გოგირდის დიოქსიდი - GASALERTMICRO 5; მტვერი - CASELLA CEL-712
Microdust Pro; ნახშირბადი და აზოტის დიოქსიდი - 3/IAH;

შემსურებლები:

მთავარი სპეციალისტი

მოწვეული სპეციალისტი

სერგო ხაგვა

გიორგი კარგარეული

შეთანხმებულია:

გარემოს დამაინტერესების მონიტორინგის

დებარტამენტის უფროსი

მარიჩე არაბიძე

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

19.01.2019

Agreement - N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m ³	NO ₂ Nitrogen dioxide mg/m ³	SO ₂ Sulfur dioxide mg/m ³	Dust mg/m ³
1	Shota Rustaveli street	718722/4614281	1,25	0,011	<0,247	0,081
2	Hotel Magnolia	71788/4613579	2,01	0,013	<0,247	0,076
3	Private school - "Taoba"	715840/4611035	1,43	0,009	<0,247	0,092
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon Poxide and Nitrogen dioxide - ЭЛАН;

Measurements were conducted:

Main specialist

Invited specialist

Sergo Khatsava

Giorgi kargareTeli


Agreed:

Head of department

Marine Arabidze

8.2.2 February

საქართველოს გარემოს დაცვისა და სოფლის მეურნეობის სამინისტრო
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA

 **სსიპ გარემოს ეროვნული სააგენტო**
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-143 25 02 2019

შპს „სტრუიკ გრუპ ჯორჯია“-ს დირექტორს
ბ-ნ ედგარდ სტრუიკს


ბატონო ედგარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს სსიპ „გარემოს ეროვნული სააგენტო“-სა და შპს „სტრუიკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №08-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ინგლისურ ენაზე) გაწვდილი, ქ. ბათუმში, ანაპარი ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ცერეთი) წერტილში 2019 წლის თებერვლის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.


პატივისცემით,

სააგენტოს უფროსი



ანდრო ასლანიშვილი

შ. აგმაშენებლის ბაზა 150, 0112, თბილისი, საქართველო
150 D. AGMASHNEBELI AVE., 0112, TBILISI, GEORGIA



Tel.: +995 32 2439503 Fax: +995 32 2439502
E-mail: info@nea.gov.ge Web: www.nea.gov.ge

ატმოსფერულ ჰაერში დამახინძებუბების ინფრედირბტების გაზომვის შედეგები
ქალაქ მათიუნში

20.02.2019

ხელშეკრულება-№მფ-3/11

N	გაზომვის ჩატარების ადგილი	კოორდინატები	გაზომვის შედეგები			
			CO ნახშირჟანგი მგ/მ³	NO _x აზოტის დიოქსიდი მგ/მ³	SO ₂ გოგირდის დიოქსიდი მგ/მ³	მტვერი მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,42	0,006	<0,247	0,021
2	სასტუმრო მგნოლია	71788/4613579	1,06	0,004	<0,247	0,018
3	სკოლა ლიდეუმი-თაობა	715840/4611035	0,89	0,002	<0,247	0,023
4	ზღერულად დასაზები კონცენტრაციები (ზღვ)		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა შემდეგი ხელსაწყოების გამოყენებით: გოგირდის დიოქსიდი - GASALERTMICRO 5;

მტვერი - CASELLA CEL-712 Microdust Pro; ნახშირჟანგი და აზოტის დიოქსიდი - 3/IAH;

შემსურლებლები:

სამმართველოს უფროსი

მთავარი სპეციალისტი

გთირგი კარგარეული

სერგი ხაცავა



შეთანხმებულია:

გარემოს დამხინძებუბების მონიტორინგის

დეპარტამენტის უფროსი

მარილე არაბიძე

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

20.02.2019

Agreement - N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m ³	NO ₂ Nitrogen dioxide mg/m ³	SO ₂ Sulfur dioxide mg/m ³	Dust mg/m ³
1	Shota Rustaveli street	718722/4614281	1,42	0,006	<0,247	0,021
2	Hotel Magnolia	71788/4613579	1,06	0,004	<0,247	0,018
3	Private school - "Taoba"	715840/4611035	0,89	0,002	<0,247	0,023
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro; Carbon
Poxide and Nitrogen dioxide - 3TIAH;

Measurements were conducted:

Head of the division

Main specialist

Giorgi Kargareteli

Sergo Khatsava

Agreed:

Head of department

Marine Arabidze

8.2.3 March

საქართველოს გარემოს დაცვისა და სოფლის მეურნეობის სამინისტრო
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA

 სსიპ გარემოს ეროვნული სააგენტო
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-235 24 03 2019

შპს „სტრუიკ გრუპ ჯორჯია“-ს დირექტორს
ზ-ნ ედვარდ სტრუიკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ს.ი.პ „გარემოს ეროვნულ სააგენტო“-სა და შპს „სტრუიკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ქართულ და ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში 2019 წლის მარტის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსი



ანდრო ასლანიშვილი

თ. აკმაშინერელი 6396, 150, 0112, თბილისი, საქართველო
150 D. AKMASHINERELI AVE., 0112, TBILISI, GEORGIA



Tel.: +995 32 2439503 Fax: +995 32 2439502
E-mail: info@nea.gov.ge Web: www.nea.gov.ge

ატმოსფერულ ჰერში დამახინძერებული ინგრედენტების გაზომვის შედეგები

ქალაქ ბათუმში

26.03.2019

ხელშეკრულება N მგ-3/11

N	გაზომვის ჩატარების ადგილი	კოორდინატები	გაზომვის შედეგები			
			CO ნაზმორეანგი მგ/მ³	NO ₂ აზოტის დიოქსიდი მგ/მ³	SO ₂ გოგირდის დიოქსიდი მგ/მ³	მტვერი მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,47	0,009	<0,247	0,079
2	სასტუმრო მაგნოლია	71788/4613579	2,54	0,014	<0,247	0,053
3	სკოლა ლივინოვი-თაიბა	715840/4611035	1,38	0,012	<0,247	0,061
4	ზღვრულად დასაშვები კონცენტრაციები (ზდკ)		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა შემდეგი ხელსაწყოების გამოყენებით: გოგირდის დიოქსიდი - GASALERTMICRO 5; მტვერი - CASELLA CEL-712
Microdust Pro; ნარბზორეანგი და აზოტის დიოქსიდი - 3/IAH;

შეშნულბოლები:

სამმართველოს უფროსი

მოავარი სპეციალისტი

შეთანხმებულია:

გარემოს დამაინძერების მონიტორინგის

დეპარტამენტის უფროსი

გოგირე კარგარეთელი

სერგო ხაცავა



მარიჩე არაბიძე

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

26.03.2019

Agreement - N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m ³	NO ₂ Nitrogen dioxide mg/m ³	SO ₂ Sulfur dioxide mg/m ³	Dust mg/m ³
1	Shota Rustaveli street	718722/4614281	1,47	0,009	<0,247	0,079
2	Hotel Magnolia	71788/4613579	2,54	0,014	<0,247	0,053
3	Private school - "Taoba"	715840/4611035	1,38	0,012	<0,247	0,061
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro;

Carbon oxide and nitrogen dioxide - Э/А/Н;

Measurements were conducted:

Head of division

Main specialist

Agreed:

Head of department

Giorgi KargareTeli

Sergo Khatsava

Marine Arabidze



8.2.4 April

საქართველოს გარემოს დაცვისა და სოფლის მეურნეობის სამინისტრო
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA

 სსიპ გარემოს ეროვნული სააგენტო
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-365 25 04 2019

შპს „სტრუიკ გრუპ ჯორჯია“-ს დირექტორს
ზ-ნ ედვარდ სტრუიკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს სსიპ „გარემოს ეროვნული სააგენტო“-სა და შპს „სტრუიკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ქართულ და ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში 2019 წლის აპრილის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

სსიპ „სტრუიკ“

სააგენტოს უფროსი



ანდრო ასლანიშვილი

შ. ადამაშენელის გამზ. 150, 0112, თბილისი, საქართველო
150 D. ADAMASHENELI AVE., 0112, Tbilisi, GEORGIA



Tel.: +995 32 2439503 Fax: +995 32 2439502
E-mail: info@nea.gov.ge Web: www.nea.gov.ge

ატმოსფერულ ჰაერში დამაბინძურებელი ინგრედიენტების გაზომვის შედეგები

ქილაქ ბათუმში

24.04.2019

ხელშეკრულება N მგ-3/11

N	გაზომვის ჩატარების ადგილი	კოორდინატები	გაზომვის შედეგები			
			CO ნახშირჟანგი მგ/მ³	NO _x აზოტის დიოქსიდი მგ/მ³	SO ₂ გოგირდის დიოქსიდი მგ/მ³	მტვერი მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,23	0,007	<0,247	0,031
2	სასტუმრო მაგნილი	71788/4613579	1,62	0,009	<0,247	0,048
3	სკოლა ლიბელები-თაიზა	715840/4611035	1,81	0,008	<0,247	0,041
4	ზღვრიდან დასაშვები კონცენტრაციები (ზღვ)		5,0	0,2	0,5	0,5

გაზომვის ჩატარდა შემდეგი ხელსაწყოების გამოყენებით: გოგირდის დიოქსიდი - CASALERT MICRO 5; მტვერი - CASELLA CEL-712
Microdust Pro; ნახშირჟანგი და აზოტის დიოქსიდი - 3/1AH;

შესურსებები:

სამართლებულის უფროსი

მთავარი სპეციალისტი

მთავარი სპეციალისტი

გიორგი კარგარეული

იმარ ყენია

სერგო ხაცავა



შეთანხმებულია:

გარემოს დამაბინძურების მონიტორინგის

დეპარტამენტის უფროსი

მარინე არაბიძე

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

24.04.2019

Agreement - N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m ³	NO ₂ Nitrogen dioxide mg/m ³	SO ₂ Sulfur dioxide mg/m ³	Dust mg/m ³
1	Shota Rustaveli street	718722/4614281	1,23	0,007	<0,247	0,031
2	Hotel Magnolia	71788/4613579	1,62	0,009	<0,247	0,048
3	Private school - "Taoba"	715840/4611035	1,81	0,008	<0,247	0,041
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASELLA CEL-712 Microdust Pro;

Carbon oxide and nitrogen dioxide - ЭПАВ;

Measurements were conducted:

Head of division

Main specialist

Main specialist

Agreed:

Head of department

Giorgi Kargareteli

Sergo Khatsava

Omar Kenia

Marine Arabidze

8.2.5 May

საქართველოს გარემოს დაცვისა და სოფლის მეურნეობის სამინისტრო
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



სსიპ გარემოს ეროვნული სააგენტო
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-504

24 05 2019წ.

შპს „სტრუიკ გრუპ ჯორჯია“-ს დირექტორს
ზ-ნ ედვარდ სტრუიკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს სსიპ „გარემოს ეროვნული სააგენტო“-სა და შპს „სტრუიკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ქართულ და ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში 2019 წლის მაისის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსი



ანდრო ასლანიშვილი



ატმოსფერულ ჰაერში დამაბინძურებელი ინგრედიენტების გაზომვის შედეგები

ქალაქ ბათუმში

24.05.2019

ხელშეკრულება N მე-3/11

N	გაზომვის ჩატარების ადგილი	კოორდინატები	გაზომვის შედეგები			
			CO ნახშირბადი მგ/მ³	NO _x აზოტის დოქსიდი მგ/მ³	SO ₂ გოგირდის დოქსიდი მგ/მ³	მტკვრი მგ/მ³
1	მთათა რესტავრაციის ქუჩა	718722/4614281	1.82	0.008	<0.247	0.039
2	სასტუმრო მანოლა	71788/4613579	1.40	0.009	<0.247	0.05
3	სკოლა ლიფეები-თაოზა	715840/4611035	1.72	0.007	<0.247	0.035
4	ზღვრიდან დასაშვები კონცენტრაციები (ზღვა)		5.0	0.2	0.5	0.5

გაზომვები ჩატარდა შეზღუდული ხელსაწყოების გამოყენებით: გოგირდის დოქსიდი - GASAlertMICRO 5; მტკვრი - CASSELLA CEL-712
Microdust Pro; ნახშირჟანგი და აზოტის დოქსიდი - 311AH.

შემსრულებლები:

სამმართველოს უფროსი

მთავარი სპეციალისტი

მთავარი სპეციალისტი

შეამოწმებულა:

გარემოს დამაბინძურების მონიტორინგის

დეპარტამენტის უფროსი



მარიამ არაბიძე

გიორგი კარგარეთელი

ოზარ კეჩია

სერგო ხაგავა

The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

24.05.2019

Agreement – N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m ³	NO ₂ Nitrogen dioxide mg/m ³	SO ₂ Sulfur dioxide mg/m ³	Dust mg/m ³
1	Shota Rustaveli street	718722/4614281	1,82	0,008	<0,247	0,039
2	Hotel Magnolia	71788/4613579	1,40	0,009	<0,247	0,05
3	Private school - "Taoba"	715840/4611035	1,72	0,007	<0,247	0,035
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASSELLA CEL-712 Microdust Pro;

Carbon oxide and nitrogen dioxide - 3JIAH;

Measurements were conducted:

Head of division

Main specialist

Main specialist

Agreed:

Head of department

Giorgi Kargareli

Sergo Khatsava

Omar Kenia

Marine Arabidze

8.2.6 June

საქართველოს გარემოს დაცვისა და სოფლის მეურნეობის სამინისტრო
MINISTRY OF ENVIRONMENT PROTECTION AND AGRICULTURE OF GEORGIA



სსიპ გარემოს ეროვნული სააგენტო
LEPL NATIONAL ENVIRONMENTAL AGENCY

N 12/1-633

25 06 2019

შპს „სტრუიკ გრუპ ჯორჯია“-ს დირექტორს

ზ-ნ ედვარდ სტრუიკს

ბატონო ედვარდ,

საქართველოს გარემოსა და ბუნებრივი რესურსების დაცვის სამინისტროს ს.ს.ი.პ. „გარემოს ეროვნული სააგენტო“-სა და შპს „სტრუიკ გრუპ ჯორჯია“-ს შორის 2018 წლის 08 იანვარს გაფორმებული ფასიანი მომსახურების შესახებ №ფმ-3/11 ხელშეკრულების შესაბამისად, დანართის სახით (ქართულ და ინგლისურ ენაზე) გაწვდით, ქ. ბათუმში, სანაპირო ზოლის გასწვრივ, თქვენს მიერ მითითებული ატმოსფერული ჰაერის 3 (ერთი) წერტილში 2019 წლის ივნისის თვეში ჩატარებული გაზომვების შედეგებს.

დანართი: 2 გვ.

პატივისცემით,

სააგენტოს უფროსი



ანდრო ასლანიშვილი



The results of measuring pollutant ingredients in atmospheric air in the city of Batumi

19.06.2019

Agreement - N nf -3/11

N	Measurement Area	Coordinates	Measurement Result			
			CO Carbon oxide mg/m ³	NO ₂ Nitrogen dioxide mg/m ³	SO ₂ Sulfur dioxide mg/m ³	Dust mg/m ³
1	Shota Rustaveli street	718722/4614281	1,23	0,009	<0,247	0,031
2	Hotel Magnolia	71788/4613579	1,62	0,007	<0,247	0,058
3	Private school - "Taoba"	715840/4611035	1,11	0,001	<0,247	0,011
4	Maximum permissible concentrations (MPC)		5,0	0,2	0,5	0,5

Measurements were carried out using the following tools: Sulfur dioxide - GASALERTMICRO 5; Dust - CASILLA CEL-712 Microdust Pro; Carbon
Poxide and Nitrogen dioxide - 3JIAH;

Measurements were conducted:

Head of the division

Main specialist

Giorgi Kargareteli

Omar Yenja



Agreed:

Acting Head of Environmental Pollution
Monitoring Department

T. Maghlakelidze

ატმოსფერულ ჰაერში დამახინძებუებული ინგრედიენტების გაზომვის შედეგები
ქალაქ ბათუმში

19.06.2019

ხელშეკრულება N მფ-3/11

N	გაზომვის ჩატარების ადგილი	კოორდინატები	გაზომვის შედეგები			
			CO ნახშირჟანგი მგ/მ³	NO _x აზოტის დოქსიდი მგ/მ³	SO ₂ სუფურის დოქსიდი მგ/მ³	მტვერი მგ/მ³
1	შოთა რუსთაველი ქუჩა	718722/4614281	1,23	0,009	<0,247	0,031
2	სასტუმრო მაგნოლია	71788/4613579	1,62	0,007	<0,247	0,058
3	სკოლა ლივუეში-თაობა	715840/4611035	1,11	0,001	<0,247	0,011
4	ზღვრიდან დასაშვები კონცენტრაციები (ზღვ)		5,0	0,2	0,5	0,5

გაზომვები ჩატარდა შემდეგი ხელსაწყოების გამოყენებით: გოგირდის დოქსიდი - GASALERTMICRO 5; მტვერი - CASELLA CEL-712
Microdust Pro; ნახშირჟანგი და აზოტის დოქსიდი - 311AH;

შემსურებლები:

სამშრომელის უფროსი

მთავარი სპეციალისტი

გოგირგი კარგარეთელი

თმარ ყენია



შეიანხმებულია:

გარემოს დამინძებუების სონიკ ჰორიზონის დეპარტამენტის
უფროსის მოვალეობის შემსრულებელი

თამაღლაკელიძე

8.3 Annex 3 – Water turbidity Measurements (January – June, 2019)

8.3.1 January



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016



Water Turbidity Test Report (Monitoring)

Sample taking date: 2019/01/15	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716503; Y= 4611935)
			GPS 2: (X=716481; Y= 4611971)

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716503; Y= 4611935) & GPS 2: (X=716481; Y= 4611971).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

Water turbidity standards: In accordance with the UKTAG proposed standard for suspended solids, August 2007

UKTAG proposed standard

Water Turbidity (weighted particles) mg/l	Min	Max
	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

Map with samples points:



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716503; Y= 4611935)	Suspended Solids	mg/L	31.08	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716481; Y= 4611971)	Suspended Solids	mg/L	28.38	Photometric

Conclusion:

Based on the results of the tests conducted in two places GPS 1: (X= 716503; Y= 4611935) & GPS 2: (X=716481; Y= 4611971), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



8.3.2 February



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016



Water Turbidity Test Report (Monitoring)

Sample taking date: 2019/02/12	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716494; Y= 4611941)
			GPS 2: (X=716476; Y= 4611964)

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716494; Y= 4611941) & GPS 2: (X=716476; Y= 4611964).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

Water turbidity standards: In accordance with the UKTAG proposed standard for suspended solids, August 2007

UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

Map with samples points:



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716494; Y= 4611941)	Suspended Solids	mg/L	43.19	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716476; Y= 4611964)	Suspended Solids	mg/L	46.07	Photometric

Conclusion:

Based on the results of the tests conducted in two places GPS 1: (X= 716494; Y= 4611941) & GPS 2: (X=716476; Y= 4611964), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



8.3.3 March



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016



Water Turbidity Test Report (Monitoring)

Sample taking date: 2019/03/11	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716481; Y= 4611960)
			GPS 2: (X=716506; Y= 4611930)

Introduction

Under the project Coastal Protection Batumi contractor "Strijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716481; Y= 4611960) & GPS 2: (X=716506; Y= 4611930).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

Water turbidity standards: In accordance with the UKTAG proposed standard for suspended solids, August 2007

UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

Map with samples points:




N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716481; Y= 4611960)	Suspended Solids	mg/L	31.08	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716506; Y= 4611930)	Suspended Solids	mg/L	37.64	Photometric

Conclusion:

Based on the results of the tests conducted in two places GPS 1: (X= 716481; Y= 4611960) & GPS 2: (X=716506; Y= 4611930), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



8.3.4 April



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016



Water Turbidity Test Report (Monitoring)

Sample taking date: 2019/04/10	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716480; Y= 4611971)
			GPS 2: (X=716501; Y= 4611936)

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716480; Y= 4611971) & GPS 2: (X=716501; Y= 4611936).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

Water turbidity standards: In accordance with the UKTAG proposed standard for suspended solids, August 2007

UKTAG proposed standard

Water Turbidity (weighted particles) mg/l	Min	Max
	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

Map with samples points:



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716480; Y= 4611971)	Suspended Solids	mg/L	43.11	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716501; Y= 4611936)	Suspended Solids	mg/L	45.37	Photometric

Conclusion:

Based on the results of the tests conducted in two places GPS 1: (X= 716480; Y= 4611971) & GPS 2: (X=716501; Y= 4611936), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



8.3.5 May



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016



Water Turbidity Test Report (Monitoring)

Sample taking date: 2019/05/06	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716488; Y= 4611962)
			GPS 2: (X=716509; Y= 4611925)

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716488; Y= 4611962) & GPS 2: (X=716509; Y= 4611925).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

Water turbidity standards: In accordance with the UKTAG proposed standard for suspended solids, August 2007

UKTAG proposed standard

Water Turbidity (weighted particles) mg/l	Min	Max
	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

Map with samples points:



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716488; Y= 4611962)	Suspended Solids	mg/L	34.20	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716509; Y= 4611925)	Suspended Solids	mg/L	31.58	Photometric

Conclusion:

Based on the results of the tests conducted in two places GPS 1: (X= 716488; Y= 4611962) & GPS 2: (X=716509; Y= 4611925), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



8.3.6 June



Coastal Protection Batumi
Contract No: P42414-SUTIP4-ICB-01-2016



Water Turbidity Test Report (Monitoring)

Sample taking date: 2019/06/11	Project: Coastal Protection Batumi	Location :	GPS 1: (X= 716519; Y= 4611931)
			GPS 2: (X=716476; Y= 4611965)

Introduction

Under the project Coastal Protection Batumi contractor "Struijk Group Georgia" LLC Environmental Manager conducted water turbidity measurements in order to identify and quantify water turbidity level of workplace for community.

General description

Contractor Environmental Manager Mamuka Shaorshadze visited site and took measures - water turbidity levels; the samples have been taken at two location GPS 1: (X= 716519; Y= 4611931) & GPS 2: (X=716476; Y= 4611965).

Device Name: **TSS Portable handheld measurement instrument for turbidity/solids.**

Water turbidity standards: In accordance with the UKTAG proposed standard for suspended solids, August 2007

UKTAG proposed standard

	Min	Max
Water Turbidity (weighted particles) mg/l	25 mg/l	100 mg/l low risk
	100 mg/l	200 mg/l moderate risk
	200 mg/l	400 mg/l high risk
	400 mg/l	400 < mg/l unacceptable risk

Map with samples points:



N1	Location	Measured Parameters	Unit	Results	Method
1	GPS 1: (X= 716519; Y= 4611931)	Suspended Solids	mg/L	29.19	Photometric

N1	Location	Measured Parameters	Unit	Results	Method
2	GPS 2: (X=716476; Y= 4611965)	Suspended Solids	mg/L	31.08	Photometric

Conclusion:

Based on the results of the tests conducted in two places GPS 1: (X= 716519; Y= 4611931) & GPS 2: (X=716476; Y= 4611965), Monitoring water turbidity level are under the norm of UKTAG standard.

Photos:



8.4 Annex 4 – Site re-entry walk over surveys (Flora and Fauna) (January – June, 2019)

8.4.1 January

Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #21 (January)

Location - Batumi City

Date: 05th January, 2019

This report reflects information about conducted site re-entry walk over survey on 05th January, 2019 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	11/06/2018	06/09/2018	10/10/2018	09/11/2018	10/12/2018	05/01/2019
დიდი კოკონა	Podiceps cristatus	67	-	-	-	17	15	115
მცირე კოკონა	Tachybaptus ruficollis	3	2	-	-	-	-	-

დიდი ჩვამა	Phalacrocorax carbo	14	-	1	3	3	2	70
რუხი ყანა	Ardea cinerea	2	-	-	-	1	-	-
დიდი თეთრი ყანა	Ardea alba	1	1	-	-	-	-	-
მცირე თეთრი ყანა	Egretta garzetta	-	-	-	1	1	1	-
ღამის ყანა	Nycticorax nycticorax	-	-	-	-	-	-	-
ალკუნი	Alcedo atthis	-	-	-	-	-	-	-
ქოჩორა ყვინთია	Aythya fuligula	28	-	-	-	-	-	-
ძერა	Milvus migrans	1	-	1	2	2	-	-
ჩვეულებრივი კაკაჩა	Buteo buteo	2	-	-	-	-	-	-
მელოტა	Fulica atra	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	Motacilla alba	5	11	10	6	14	10	8
სკვინჩა	Fringilla coelebs	2	3	1	2	1	4	2
ჩიტბატონა	Carduelis carduelis	-	-	-	-	-	-	-
სახლის ბელურა	Passer domesticus	11	17	23	9	6	13	5
მინდვრის ბელურა	Passer montanus	-	-	-	-	-	-	-
რუხი ყვავი	Corvus cornix	8	6	9	7	9	11	6
ჩვეულებრივი თევზიყლაპია	Sterna hirundo	1	-	-	-	-	-	-
ყვითელფეხა თოლია	Larus michahellis	135	85	69	47	35	43	57
ტბის თოლია	Chroicocephalus ridibundus	56	-	-	-	7	29	83
მეზორნე	Actitis hypoleucos	-	-	-	-	-	-	-
მცირე წინტალა	Charadrius dubius	-	-	-	1	-	-	-
მიმინო	Accipiter nisus	-	-	1	1	2	2	2
შევარდენი	Falco subbuteo	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	Larus cachinnans	-	-	-	-	-	-	-
ჩვეულებრივი ჭიჭიჭი	Phylloscopus collybita	-	-	-	-	-	-	-
სოფლის მერცხალი	Hirundo rustica	-	22	4	4	-	-	-
ჭინჭრაქა	Troglodytes troglodytes	-	-	-	-	-	-	-
მთის ბოლოქანქალა	Motacilla cinerea	-	-	-	-	-	-	-
ტურუხტანი	Philomachus pugnax	-	-	-	-	-	-	-
ყორანი	Corvus corone	-	-	1	-	-	3	2
გარეული იხვი	Anas platyrhynchos	-	-	-	-	-	-	55
ყვითელი ბოლოქანქარა	Motacilla citreola	-	-	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	11/08/2018	07/09/2018	10/10/2018	09/11/2018	10/12/2018	05/01/2019
წყვეტი	Lepus alutro	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ზაყაყი	Rana ridibunda	-	3	4	2	-	-	-
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეზო	Bufo	32	-	-	-	-	-	-
მწვანე ზაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ზირკა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭკიჭა	Stinking hawksbeard	-
Cychorium intibus	Asteraceae	ვარდკაჭკაჭა	Common chicory	-

Lactuca seriola	Asteraceae	ღორის ქადა	Prickly lettuce	-
Sonchus oleraceus	Asteraceae	ღიჭა	Common sowthistle	-
Erigeron canadensis	Asteraceae	ცხენისკუდა	Canadian horseweed	-
Xanthium strumarium	Asteraceae	ღორის ზირკა	Rough cocklebur	-
Arctium lappa	Asteraceae	ოროვანდი	Greater burdock	-
Tagetes minuta	Asteraceae	ხავერდა	Muster John Henry	-
Anthemis euxina	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
Bidens tripartita	Asteraceae	ორკბილა	three-lobe beggarticks	-
Leontodon danubialis	Asteraceae	ლომისკბილა	Hawkbits	-
Amaranthus albus	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
Chenopodium album	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
Chenopodium ambrosioides	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
Lepidium texanum	Cruciferae	წიწმატი ველური	Peppercress	-
Lepidium sativum	Cruciferae	წიწმატი ტყის	Garden cress	-
Raphanus maritimus	Cruciferae	ზღვის ბოლოკი	Wild radish	-
Cyperus badius	Cruciferae	წამალწვერილი	Coco-grass	-
Luzula multiflora	Juncaceae	ისლურა	Common woodrush	-
Equisetum ramosissimum	Equisetaceae	შვიტა	Branched horsetail	-
Lotus corniculatus	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
Lespedeza striata	Fabaceae	იაპონური სამყურა	Japanese clover	-
Trifolium campestre	Fabaceae	სამყურა ველის	Hop trefoil	-
Trifolium arvense	Fabaceae	ბურტყელა სამყურა	Hare's-foot clover	-
Trifolium pratense	Fabaceae	წითელი სამყურა	Red clover	-
Prunella vulgaris	Lamiaceae	გობისცხვირა	Common self-heal	-
Mentha pulegium	Lamiaceae	ომბალო	Peppercress	-
Lythrum salicaria	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
Malva neglecta	Malvaceae	ბალბა	Common mallow	-
Ficus carica	Moraceae	ლეღვი	Common fig	2 trees
Morus alba	Moraceae	თეთრი თუთა	White mulberry	2 trees
Oxalis corniculata	Moraceae	მჟაველა	Creeping woodsorrel	-
Phytolacca americana	Phytolaccaceae	ჭიაფერა	American pokeweed	-
Plantago lanceolata	Plantaginaceae	ლანცეტა მრავალძარღვა	English plantain	-
Plantago major	Plantaginaceae	მრავალძარღვა	Broadleaf plantain	-
Setaria glauca	Poaceae	ყვითელი ძურწა	Pearl millet	-
Sporobolus fertilis	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
Poa annua	Poaceae	ერთწლოვანი თივაქასრა	Annual meadow grass	-
Digitaria violascens	Poaceae	მწყერფეხა	Finger-grass	-
Echinochloa crusgali	Poaceae	ბურჩხა	Barnyard grass	-
Cynodon dactilon	Poaceae	გლერტა	Vilfa stellata	-
Sieglingia decumbens	Poaceae	სიგლინგია	Heath grass	-
Eleusine indica	Poaceae	ინდური ელეუზინა	Indian goosegrass	-
Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ზოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილოფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მყავუნა ზლაგვეფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომგავა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუზო	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძაღუღმენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

Conclusion: To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

Note:

Species indicated with * sign in above table belong to IUCN Red List (VU /IUCN near threatened).

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

8.4.2 February

Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Costal Protection

Report #22 (February)

Location - Batumi City

Date: 11th February, 2019

This report reflects information about conducted site re-entry walk over survey on 11th February, 2019 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	06/09/2018	10/10/2018	09/11/2018	10/12/2018	05/01/2019	11/02/2019
დიდი კოკონა	Podiceps cristatus	67	-	-	17	15	115	1380
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	-	-	-	3

დიდი ჩვამა	Phalacrocorax carbo	14	1	3	3	2	70	143
რუხი ყანა	Ardea cinerea	2	-	-	1	-	-	1
დიდი თეთრი ყანა	Ardea alba	1	-	-	-	-	-	-
მცირე თეთრი ყანა	Egretta garzetta	-	-	1	1	1	-	-
ღამის ყანა	Nycticorax nycticorax	-	-	-	-	-	-	-
ალკუნა	Alcedo atthis	-	-	-	-	-	-	-
ქოჩორა ყვინთია	Aythya fuligula	28	-	-	-	-	-	-
ძერა	Milvus migrans	1	1	2	2	-	-	1
ჩვეულებრივი კაკაჩა	Buteo buteo	2	-	-	-	-	-	-
მელოტა	Fulica atra	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	Motacilla alba	5	10	6	14	10	8	9
სკვინა	Fringilla coelebs	2	1	2	1	4	2	1
ჩიტბატონა	Carduelis carduelis	-	-	-	-	-	-	-
სახლის ბელურა	Passer domesticus	11	23	9	6	13	5	4
მინდვრის ბელურა	Passer montanus	-	-	-	-	-	-	-
რუხი ყვავი	Corvus cornix	8	9	7	9	11	6	7
ჩვეულებრივი თევზიყლაპია	Sterna hirundo	1	-	-	-	-	-	-
ყვითელფეხა თოლია	Larus michahellis	135	69	47	35	43	57	1100
ტბის თოლია	Chroicocephalus ridibundus	56	-	-	7	29	83	74
მეზორნე	Actitis hypoleucos	-	-	-	-	-	-	-
მცირე წინტალა	Charadrius dubius	-	-	1	-	-	-	-
მიმინო	Accipiter nisus	-	1	1	2	2	2	2
შევარდენი	Falco subbuteo	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	Larus cachinnans	-	-	-	-	-	-	-
ჩვეულებრივი ჭივჭავი	Phylloscopus collybita	-	-	-	-	-	-	-
სოფლის მერცხალი	Hirundo rustica	-	4	4	-	-	-	-
ჭინჭრაქა	Troglodytes troglodytes	-	-	-	-	-	-	-
მთის ბოლოქანქალა	Motacilla cinerea	-	-	-	-	-	-	-
ტურუბტანი	Philomachus pugnax	-	-	-	-	-	-	-
ყორანი	Corvus corone	-	1	-	-	3	2	-
გარეული იხვი	Anas platyrhynchos	-	-	-	-	-	55	30
ყვითელი ბოლოქანქარა	Motacilla citreola	-	-	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	07/09/2018	10/10/2018	09/11/2018	10/12/2018	05/01/2019	11/02/2019
წავი *	Lutrautra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	4	2	-	-	-	-
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ბირკა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭკიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდკაჭკაჭა	Common chicory	-

Lactuca seriola	Asteraceae	ღორის ქადა	Prickly lettuce	-
Sonchus oleraceus	Asteraceae	ღიჭა	Common sowthistle	-
Erigeron canadensis	Asteraceae	ცხენისკუდა	Canadian horseweed	-
Xanthium strumarium	Asteraceae	ღორის ზირკა	Rough cocklebur	-
Arctium lappa	Asteraceae	ოროვანდი	Greater burdock	-
Tagetes minuta	Asteraceae	ხავერდა	Muster John Henry	-
Anthemis euxina	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
Bidens tripartita	Asteraceae	ორკბილა	three-lobe beggarticks	-
Leontodon danubialis	Asteraceae	ლომისკბილა	Hawkbits	-
Amaranthus albus	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
Chenopodium album	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
Chenopodium ambrosioides	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
Lepidium texanum	Cruciferae	წიწმატი ველური	Peppergrass	-
Lepidium sativum	Cruciferae	წიწმატი ტყის	Garden cress	-
Raphanus maritimus	Cruciferae	ზღვის ბოლოკი	Wild radish	-
Cyperus badius	Cruciferae	წამალწვრილი	Coco-grass	-
Luzula multiflora	Juncaceae	ისლურა	Common woodrush	-
Equisetum ramosissimum	Equisetaceae	შვიტა	Branched horsetail	-
Lotus corniculatus	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
Lespedeza striata	Fabaceae	იაპონური სამყურა	Japanese clover	-
Trifolium campestre	Fabaceae	სამყურა ველის	Hop trefoil	-
Trifolium arvense	Fabaceae	ბურტყელა სამყურა	Hare's-foot clover	-
Trifolium pratense	Fabaceae	წითელი სამყურა	Red clover	-
Prunella vulgaris	Lamiaceae	გობისცხვირა	Common self-heal	-
Mentha pulegium	Lamiaceae	ომბალო	Peppergrass	-
Lythrum salicaria	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
Malva neglecta	Malvaceae	ბაღბა	Common mallow	-
Ficus carica	Moraceae	ლევდი	Common fig	2 trees
Morus alba	Moraceae	თეთრი თუთა	White mulberry	2 trees
Oxalis corniculata	Moraceae	მჟაველა	Creeping woodsorrel	-
Phytolacca americana	Phytolaccaceae	ჭიაფერა	American pokeweed	-
Plantago lanceolata	Plantaginaceae	ლანცეტა მრავალმარღვა	English plantain	-
Plantago major	Plantaginaceae	მრავალმარღვა	Broadleaf plantain	-
Setaria glauca	Poaceae	ყვითელი ძურწა	Pearl millet	-
Sporobolus fertilis	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
Poa annua	Poaceae	ერთწლოვანი თივაქსრა	Annual meadow grass	-
Digitaria violascens	Poaceae	მწყერფეხა	Finger-grass	-
Echinochloa crusgali	Poaceae	ბურჩხა	Barnyard grass	-
Cynodon dactylon	Poaceae	გლერტა	Vilfa stellata	-
Sieglingia decumbens	Poaceae	სიგლინგია	Heath grass	-
Eleusine indica	Poaceae	ინდური ელეუზინა	Indian goosegrass	-
Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ზოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილოფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მყავუნა ზლაგვეფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომევა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუზი	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძალყურძენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-


Conclusion: To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

Note:

Species indicated with * sign in above table belong to IUCN Red List (VU /IUCN near threatened).

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

8.4.3 March

Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #23 (March)

Location - Batumi City

Date: 11th March, 2019

This report reflects information about conducted site re-entry walk over survey on 11th March, 2019 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	10/10/2018	09/11/2018	10/12/2018	05/01/2019	11/02/2019	11/03/2019
დიდი კოკონა	Podiceps cristatus	67	-	17	15	115	1380	36
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	-	-	3	1

დიდი ჩვამა	Phalacrocorax carbo	14	3	3	2	70	143	7
რუხი ყანჩა	Ardea cinerea	2	-	1	-	-	1	-
დიდი თეთრი ყანჩა	Ardea alba	1	-	-	-	-	-	-
მცირე თეთრი ყანჩა	Egretta garzetta	-	1	1	1	-	-	-
ღამის ყანჩა	Nycticorax nycticorax	-	-	-	-	-	-	-
ალკუნა	Alcedo atthis	-	-	-	-	-	-	-
ქოჩორა ყვინთია	Aythya fuligula	28	-	-	-	-	-	-
ძერა	Milvus migrans	1	2	2	-	-	1	-
ჩვეულებრივი კაკაჩა	Buteo buteo	2	-	-	-	-	-	-
მელოტა	Fulica atra	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	Motacilla alba	5	6	14	10	8	9	3
სკვინჩა	Fringilla coelebs	2	2	1	4	2	1	2
ჩიტბატონა	Carduelis carduelis	-	-	-	-	-	-	-
სახლის ბელურა	Passer domesticus	11	9	6	13	5	4	5
მინდვრის ბელურა	Passer montanus	-	-	-	-	-	-	-
რუხი ყვავი	Corvus cornix	8	7	9	11	6	7	9
ჩვეულებრივი თევზიყლაპია	Sterna hirundo	1	-	-	-	-	-	-
ყვითელფეხა თოლია	Larus michahellis	135	47	35	43	57	1100	65
ტბის თოლია	Chroicocephalus ridibundus	56	-	7	29	83	74	17
მეზორნე	Actitis hypoleucos	-	-	-	-	-	-	-
მცირე წინტალა	Charadrius dubius	-	1	-	-	-	-	-
მიმინო	Accipiter nisus	-	1	2	2	2	2	-
შევარდენი	Falco subbuteo	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	Larus cachinnans	-	-	-	-	-	-	-
ჩვეულებრივი ჭივჭავი	Phylloscopus collybita	-	-	-	-	-	-	-
სოფლის მერცხალი	Hirundo rustica	-	4	-	-	-	-	-
ჭინჭრაქა	Troglodytes troglodytes	-	-	-	-	-	-	-
მთის ბოლოქანქალა	Motacilla cinerea	-	-	-	-	-	-	-
ტურუბტანი	Philomachus pugnax	-	-	-	-	-	-	-
ყორანი	Corvus corone	-	-	-	3	2	-	-
გარეული იხვი	Anas platyrhynchos	-	-	-	-	55	30	-
ყვითელი ბოლოქანქარა	Motacilla citreola	-	-	-	-	-	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	10/10/2018	09/11/2018	10/12/2018	05/01/2019	11/02/2019	11/03/2019
წავი *	Lutrautra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	2	-	-	-	-	-
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ბირკა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭკიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდკაჭკაჭა	Common chicory	-

Lactuca seriola	Asteraceae	ღორის ქადა	Prickly lettuce	-
Sonchus oleraceus	Asteraceae	ღიჭა	Common sowthistle	-
Erigeron canadensis	Asteraceae	ცხენისკუდა	Canadian horseweed	-
Xanthium strumarium	Asteraceae	ღორის ზირკა	Rough cocklebur	-
Arctium lappa	Asteraceae	ოროვანდი	Greater burdock	-
Tagetes minuta	Asteraceae	ხავერდა	Muster John Henry	-
Anthemis euxina	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
Bidens tripartita	Asteraceae	ორკბილა	three-lobe beggarticks	-
Leontodon danubialis	Asteraceae	ლომისკბილა	Hawkbits	-
Amaranthus albus	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
Chenopodium album	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
Chenopodium ambrosioides	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
Lepidium texanum	Cruciferae	წიწმატი ველური	Peppergrass	-
Lepidium sativum	Cruciferae	წიწმატი ტყის	Garden cress	-
Raphanus maritimus	Cruciferae	ზღვის ბოლოკი	Wild radish	-
Cyperus badius	Cruciferae	წამალწვრილი	Coco-grass	-
Luzula multiflora	Juncaceae	ისლურა	Common woodrush	-
Equisetum ramosissimum	Equisetaceae	შვიტა	Branched horsetail	-
Lotus corniculatus	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
Lespedeza striata	Fabaceae	იაპონური სამყურა	Japanese clover	-
Trifolium campestre	Fabaceae	სამყურა ველის	Hop trefoil	-
Trifolium arvense	Fabaceae	ბურტყელა სამყურა	Hare's-foot clover	-
Trifolium pratense	Fabaceae	წითელი სამყურა	Red clover	-
Prunella vulgaris	Lamiaceae	გობისცხვირა	Common self-heal	-
Mentha pulegium	Lamiaceae	ომბალო	Peppergrass	-
Lythrum salicaria	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
Malva neglecta	Malvaceae	ბაღბა	Common mallow	-
Ficus carica	Moraceae	ლეღვი	Common fig	2 trees
Morus alba	Moraceae	თეთრი თუთა	White mulberry	2 trees
Oxalis corniculata	Moraceae	მჟაველა	Creeping woodsorrel	-
Phytolacca americana	Phytolaccaceae	ჭიაფერა	American pokeweed	-
Plantago lanceolata	Plantaginaceae	ლანცეტა მრავალმარღვა	English plantain	-
Plantago major	Plantaginaceae	მრავალმარღვა	Broadleaf plantain	-
Setaria glauca	Poaceae	ყვითელი ძურწა	Pearl millet	-
Sporobolus fertilis	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
Poa annua	Poaceae	ერთწლოვანი თივაქსრა	Annual meadow grass	-
Digitaria violascens	Poaceae	მწყერფეხა	Finger-grass	-
Echinochloa crusgali	Poaceae	ბურჩხა	Barnyard grass	-
Cynodon dactylon	Poaceae	გლერტა	Vilfa stellata	-
Sieglingia decumbens	Poaceae	სიგლინგია	Heath grass	-
Eleusine indica	Poaceae	ინდური ელეუზინა	Indian goosegrass	-
Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ზოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილოფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მყავუნა ზლაგვეფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომევა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუზი	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძალყურძენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-


Conclusion: To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

Note:

Species indicated with * sign in above table belong to IUCN Red List (VU /IUCN near threatened).

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

8.4.4 April

Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #24 (April)

Location - Batumi City

Date: 03th April, 2019

This report reflects information about conducted site re-entry walk over survey on 3th April, 2019 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	09/11/2018	10/12/2018	05/01/2019	11/02/2019	11/03/2019	03/04/2019
დიდი კოკონა	Podiceps cristatus	67	17	15	115	1380	36	75
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	-	3	1	-

დიდი ჩვამა	Phalacrocorax carbo	14	3	2	70	143	7	2
რუხი ყანა	Ardea cinerea	2	1	-	-	1	-	-
დიდი თეთრი ყანა	Ardea alba	1	-	-	-	-	-	-
მცირე თეთრი ყანა	Egretta garzetta	-	1	1	-	-	-	-
ღამის ყანა	Nycticorax nycticorax	-	-	-	-	-	-	-
ალკუნ	Alcedo atthis	-	-	-	-	-	-	-
ქოჩორა ყვინთია	Aythya fuligula	28	-	-	-	-	-	-
ძერა	Milvus migrans	1	2	-	-	1	-	9
ჩვეულებრივი კაკაჩა	Buteo buteo	2	-	-	-	-	-	-
მელოტა	Fulica atra	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	Motacilla alba	5	14	10	8	9	3	13
სკვინა	Fringilla coelebs	2	1	4	2	1	2	2
ჩიტბატონა	Carduelis carduelis	-	-	-	-	-	-	-
სახლის ბელურა	Passer domesticus	11	6	13	5	4	5	6
მინდვრის ბელურა	Passer montanus	-	-	-	-	-	-	-
რუხი ყვავი	Corvus cornix	8	9	11	6	7	9	24
ჩვეულებრივი თევზიყლაპია	Sterna hirundo	1	-	-	-	-	-	-
ყვითელფეხა თოლია	Larus michahellis	135	35	43	57	1100	65	87
ტბის თოლია	Chroicocephalus ridibundus	56	7	29	83	74	17	55
მეზორნე	Actitis hypoleucos	-	-	-	-	-	-	-
მცირე წინტალა	Charadrius dubius	-	-	-	-	-	-	-
მიმინო	Accipiter nisus	-	2	-	-	-	-	-
შევარდენი	Falco subbuteo	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	Larus cachinnans	-	-	-	-	-	-	-
ჩვეულებრივი ჭიჭიჭი	Phylloscopus collybita	-	-	-	-	-	-	-
სოფლის მერცხალი	Hirundo rustica	-	-	-	-	-	-	-
ჭინჭრაქა	Troglodytes troglodytes	-	-	-	-	-	-	-
მთის ბოლოქანქალა	Motacilla cinerea	-	-	-	-	-	-	-
ტურუბტანი	Philomachus pugnax	-	-	-	-	-	-	-
ყორანი	Corvus corone	-	-	3	2	-	-	4
გარეული იხვი	Anas platyrhynchos	-	-	-	55	30	-	-
ყვითელი ბოლოქანქარა	Motacilla citreola	-	-	-	-	-	-	1

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	09/11/2018	10/12/2018	05/01/2019	11/02/2019	11/03/2019	03/04/2019
წავი *	Lutrautra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	-	-	-	-	-
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ბირკა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭკიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდკაჭკაჭა	Common chicory	-

Lactuca seriola	Asteraceae	ღორის ქადა	Prickly lettuce	-
Sonchus oleraceus	Asteraceae	ღიჭა	Common sowthistle	-
Erigeron canadensis	Asteraceae	ცხენისკუდა	Canadian horseweed	-
Xanthium strumarium	Asteraceae	ღორის ზირკა	Rough cocklebur	-
Arctium lappa	Asteraceae	ოროვანდი	Greater burdock	-
Tagetes minuta	Asteraceae	ხავერდა	Muster John Henry	-
Anthemis euxina	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
Bidens tripartita	Asteraceae	ორკბილა	three-lobe beggarticks	-
Leontodon danubialis	Asteraceae	ლომისკბილა	Hawkbits	-
Amaranthus albus	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
Chenopodium album	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
Chenopodium ambrosioides	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
Lepidium texanum	Cruciferae	წიწმატი ველური	Peppergrass	-
Lepidium sativum	Cruciferae	წიწმატი ტყის	Garden cress	-
Raphanus maritimus	Cruciferae	ზღვის ბოლოკი	Wild radish	-
Cyperus badius	Cruciferae	წამალწვრილი	Coco-grass	-
Luzula multiflora	Juncaceae	ისლურა	Common woodrush	-
Equisetum ramosissimum	Equisetaceae	შვიტა	Branched horsetail	-
Lotus corniculatus	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
Lespedeza striata	Fabaceae	იაპონური სამყურა	Japanese clover	-
Trifolium campestre	Fabaceae	სამყურა ველის	Hop trefoil	-
Trifolium arvense	Fabaceae	ბურტყელა სამყურა	Hare's-foot clover	-
Trifolium pratense	Fabaceae	წითელი სამყურა	Red clover	-
Prunella vulgaris	Lamiaceae	გობისცხვირა	Common self-heal	-
Mentha pulegium	Lamiaceae	ომბალო	Peppergrass	-
Lythrum salicaria	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
Malva neglecta	Malvaceae	ბალბა	Common mallow	-
Ficus carica	Moraceae	ლეღვი	Common fig	2 trees
Morus alba	Moraceae	თეთრი თუთა	White mulberry	2 trees
Oxalis corniculata	Moraceae	მჟაველა	Creeping woodsorrel	-
Phytolacca americana	Phytolaccaceae	ჭიაფერა	American pokeweed	-
Plantago lanceolata	Plantaginaceae	ლანცეტა მრავალმარღვა	English plantain	-
Plantago major	Plantaginaceae	მრავალმარღვა	Broadleaf plantain	-
Setaria glauca	Poaceae	ყვითელი ძურწა	Pearl millet	-
Sporobolus fertilis	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
Poa annua	Poaceae	ერთწლოვანი თივაქსრა	Annual meadow grass	-
Digitaria violascens	Poaceae	მწყერფეხა	Finger-grass	-
Echinochloa crusgali	Poaceae	ბურჩხა	Barnyard grass	-
Cynodon dactylon	Poaceae	გლერტა	Vilfa stellata	-
Sieglingia decumbens	Poaceae	სიგლინგია	Heath grass	-
Eleusine indica	Poaceae	ინდური ელეუზინა	Indian goosegrass	-
Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ზოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მყავუნა ზლაგვეფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომევა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუზი	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძალყურძენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

Conclusion: To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

Note:

Species indicated with * sign in above table belong to IUCN Red List (VU /IUCN near threatened).

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

8.4.5 May

Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Coastal Protection

Report #25 (May)

Location - Batumi City

Date: 10th May, 2019

This report reflects information about conducted site re-entry walk over survey on 10th May, 2019 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	10/12/2018	05/01/2019	11/02/2019	11/03/2019	03/04/2019	10/05/2019
დიდი კოკონა	Podiceps cristatus	67	15	115	1380	36	75	7
მცირე კოკონა	Tachybaptus ruficollis	3	-	-	3	1	-	-

დიდი ჩვამა	Phalacrocorax carbo	14	2	70	143	7	2	-
რუხი ყანა	Ardea cinerea	2	-	-	1	-	-	1
დიდი თეთრი ყანა	Ardea alba	1	-	-	-	-	-	-
მცირე თეთრი ყანა	Egretta garzetta	-	1	-	-	-	-	-
ღამის ყანა	Nycticorax nycticorax	-	-	-	-	-	-	-
ალკუნა	Alcedo atthis	-	-	-	-	-	-	-
ქოჩორა ყვინთია	Aythya fuligula	28	-	-	-	-	-	-
ძერა	Milvus migrans	1	-	-	1	-	9	3
ჩვეულებრივი კაკაჩა	Buteo buteo	2	-	-	-	-	-	-
მელოტა	Fulica atra	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	Motacilla alba	5	10	8	9	3	13	6
სკვინა	Fringilla coelebs	2	4	2	1	2	2	1
ჩიტბატონა	Carduelis carduelis	-	-	-	-	-	-	-
სახლის ბელურა	Passer domesticus	11	13	5	4	5	6	2
მინდვრის ბელურა	Passer montanus	-	-	-	-	-	-	-
რუხი ყვავი	Corvus cornix	8	11	6	7	9	24	13
ჩვეულებრივი თევზიყლაპია	Sterna hirundo	1	-	-	-	-	-	-
ყვითელფეხა თოლია	Larus michahellis	135	43	57	1100	65	87	56
ტბის თოლია	Chroicocephalus ridibundus	56	29	83	74	17	55	-
მეზორნე	Actitis hypoleucos	-	-	-	-	-	-	-
მცირე წინტალა	Charadrius dubius	-	-	-	-	-	-	-
მიმინო	Accipiter nisus	-	-	-	-	-	1	1
შევარდენი	Falco subbuteo	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	Larus cachinnans	-	-	-	-	-	-	-
ჩვეულებრივი ჭივჭავი	Phylloscopus collybita	-	-	-	-	-	-	-
სოფლის მერცხალი	Hirundo rustica	-	-	-	-	-	-	17
ჭინჭრაქა	Troglodytes troglodytes	-	-	-	-	-	-	-
მთის ბოლოქანქალა	Motacilla cinerea	-	-	-	-	-	-	-
ტურუბტანი	Philomachus pugnax	-	-	-	-	-	-	-
ყორანი	Corvus corone	-	3	2	-	-	4	2
გარეული იხვი	Anas platyrhynchos	-	-	55	30	-	-	-
ყვითელი ბოლოქანქარა	Motacilla citreola	-	-	-	-	-	1	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	10/12/2018	05/01/2019	11/02/2019	11/03/2019	03/04/2019	10/05/2019
წავი *	Lutrautra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	-	-	-	-	-
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ბირკა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭკიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდკაჭკაჭა	Common chicory	-

Lactuca seriola	Asteraceae	ღორის ქადა	Prickly lettuce	-
Sonchus oleraceus	Asteraceae	ღიჭა	Common sowthistle	-
Erigeron canadensis	Asteraceae	ცხენისკუდა	Canadian horseweed	-
Xanthium strumarium	Asteraceae	ღორის ზირკა	Rough cocklebur	-
Arctium lappa	Asteraceae	ოროვანდი	Greater burdock	-
Tagetes minuta	Asteraceae	ხავერდა	Muster John Henry	-
Anthemis euxina	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
Bidens tripartita	Asteraceae	ორკბილა	three-lobed beggarticks	-
Leontodon danubialis	Asteraceae	ლომისკბილა	Hawkbits	-
Amaranthus albus	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
Chenopodium album	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
Chenopodium ambrosioides	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
Lepidium texanum	Cruciferae	წიწმატი ველური	Peppergrass	-
Lepidium sativum	Cruciferae	წიწმატი ტყის	Garden cress	-
Raphanus maritimus	Cruciferae	ზღვის ბოლოკი	Wild radish	-
Cyperus badius	Cruciferae	წამალწვრილი	Coco-grass	-
Luzula multiflora	Juncaceae	ისლურა	Common woodrush	-
Equisetum ramosissimum	Equisetaceae	შვიტა	Branched horsetail	-
Lotus corniculatus	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
Lespedeza striata	Fabaceae	იაპონური სამყურა	Japanese clover	-
Trifolium campestre	Fabaceae	სამყურა ველის	Hop trefoil	-
Trifolium arvense	Fabaceae	ბურტყელა სამყურა	Hare's-foot clover	-
Trifolium pratense	Fabaceae	წითელი სამყურა	Red clover	-
Prunella vulgaris	Lamiaceae	გობისცხვირა	Common self-heal	-
Mentha pulegium	Lamiaceae	ომბალო	Peppergrass	-
Lythrum salicaria	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
Malva neglecta	Malvaceae	ბაღბა	Common mallow	-
Ficus carica	Moraceae	ლეღვი	Common fig	2 trees
Morus alba	Moraceae	თეთრი თუთა	White mulberry	2 trees
Oxalis corniculata	Moraceae	მჟაველა	Creeping woodsorrel	-
Phytolacca americana	Phytolaccaceae	ჭიაფერა	American pokeweed	-
Plantago lanceolata	Plantaginaceae	ლანცეტა მრავალმარღვა	English plantain	-
Plantago major	Plantaginaceae	მრავალმარღვა	Broadleaf plantain	-
Setaria glauca	Poaceae	ყვითელი ძურწა	Pearl millet	-
Sporobolus fertilis	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
Poa annua	Poaceae	ერთწლოვანი თივაქსრა	Annual meadow grass	-
Digitaria violascens	Poaceae	მწყერფეხა	Finger-grass	-
Echinochloa crusgali	Poaceae	ბურჩხა	Barnyard grass	-
Cynodon dactylon	Poaceae	გლერტა	Vilfa stellata	-
Sieglingia decumbens	Poaceae	სიგლინგია	Heath grass	-
Eleusine indica	Poaceae	ინდური ელეუზინა	Indian goosegrass	-
Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ზოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მყავუნა ზლაგვეფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომევა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუზი	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძალყურძენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-


Conclusion: To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

Note:

Species indicated with * sign in above table belong to IUCN Red List (VU /IUCN near threatened).

Prepared by: Jimsher Mamuchadze

Signature: 

Prepared by: Nino Memiadze

Signature: 

8.4.6 June

Site re-entry walk over survey for preventing damage to Flora and Fauna

Batumi Costal Protection

Report #26 (June)

Location - Batumi City

Date: 10th June, 2019

This report reflects information about conducted site re-entry walk over survey on 10th June, 2019 of investigation existing Flora and Fauna terrestrial habitats. Investigation area was covered along the sea line, shown on the map below.

Please see the investigation location:



During the investigation period weather was cloudy. Investigation was conducted from 7 am to 10 pm. The investigation was conducted in the project alignment area.

There were several species of avifauna identified on the mentioned location, please see below the list of table:

Avifauna		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	05/01/2019	11/02/2019	11/03/2019	03/04/2019	10/05/2019	10/06/2019
დიდი კოკონა	Podiceps cristatus	67	115	1380	36	75	7	-
მცირე კოკონა	Tachybaptus ruficollis	3	-	3	1	-	-	-

დიდი ჩვამა	Phalacrocorax carbo	14	70	143	7	2	-	-
რუხი ყანჩა	Ardea cinerea	2	-	1	-	-	1	-
დიდი თეთრი ყანჩა	Ardea alba	1	-	-	-	-	-	-
მცირე თეთრი ყანჩა	Egretta garzetta	-	-	-	-	-	-	1
ღამის ყანჩა	Nycticorax nycticorax	-	-	-	-	-	-	-
ალკუნა	Alcedo atthis	-	-	-	-	-	-	-
ქოჩორა ყვინთია	Aythya fuligula	28	-	-	-	-	-	-
ძერა	Milvus migrans	1	-	1	-	9	3	2
ჩვეულებრივი კაკაჩა	Buteo buteo	2	-	-	-	-	-	-
მელოტა	Fulica atra	4	-	-	-	-	-	-
თეთრი ბოლოქანქარა	Motacilla alba	5	8	9	3	13	6	12
სკვინჩა	Fringilla coelebs	2	2	1	2	2	1	3
ჩიტბატონა	Carduelis carduelis	-	-	-	-	-	-	-
სახლის ბელურა	Passer domesticus	11	5	4	5	6	2	17
მინდვრის ბელურა	Passer montanus	-	-	-	-	-	-	-
რუხი ყვავი	Corvus cornix	8	6	7	9	24	13	9
ჩვეულებრივი თევზიყლაპია	Sterna hirundo	1	-	-	-	-	-	-
ყვითელფეხა თოლია	Larus michahellis	135	57	1100	65	87	56	30
ტბის თოლია	Chroicocephalus ridibundus	56	83	74	17	55	-	-
მებორნე	Actitis hypoleucos	-	-	-	-	-	-	-
მცირე წინტალა	Charadrius dubius	-	-	-	-	-	-	-
მიმინო	Accipiter nisus	-	-	-	-	1	1	-
შევარდენი	Falco subbuteo	-	-	-	-	-	-	-
ვერცხლისფერი თოლია	Larus cachinnans	-	-	-	-	-	-	-
ჩვეულებრივი ჭივჭავი	Phylloscopus collybita	-	-	-	-	-	-	1
სოფლის მერცხალი	Hirundo rustica	-	-	-	-	-	17	23
ჭინჭრაქა	Troglodytes troglodytes	-	-	-	-	-	-	-
მთის ბოლოქანქალა	Motacilla cinerea	-	-	-	-	-	-	-
ტურუბტანი	Philomachus pugnax	-	-	-	-	-	-	-
ყორანი	Corvus corone	-	2	-	-	4	2	3
გარეული იხვი	Anas platyrhynchos	-	55	30	-	-	-	-
ყვითელი ბოლოქანქარა	Motacilla citreola	-	-	-	-	1	-	-

There were several species of terrestrial mammals habitats identified on the mentioned location, please see below the list of table:

Terrestrial animals		Quantity						
Georgian Name	Scientific Name	Baseline date	Date					
		24/02/2017	05/01/2019	11/02/2019	11/03/2019	03/04/2019	10/05/2019	10/06/2019
წავი *	Lutrautra *	4	-	-	-	-	-	-
მაჩვი	Meles meles minor	7	-	-	-	-	-	-
ნუტრია	Myocastor coypus	8	-	-	-	-	-	-
ბუჩქნარის მემინდვრია	Microtus arvalis	14	-	-	-	-	-	-
მინდვრის თაგვი	Apodemus agrarius	23	-	-	-	-	-	-
ტბის ბაყაყი	Rana ridibunda	-	-	-	-	-	-	-
ვასაკა	Hyla arborea	15	-	-	-	-	-	-
ჩვეულებრივი გომბეშო	Bufo	32	-	-	-	-	-	-
მწვანე ბაყაყი	Rana esculenta	27	-	-	-	-	-	-
ჩვეულებრივი ტრიტონი	Triturus vulgaris	13	-	-	-	-	-	-
ჩვეულებრივი ანკარა	Natrix natrix	4	-	-	-	-	-	-
წყლის ანკარა	Natrix tessellata	9	-	-	-	-	-	-
კასპიის კუ	Mauremys caspica	2	-	-	-	-	-	-
ჭაობის კუ	Emys orbicularis	6	-	-	-	-	-	-
რუხი კურდღელი	Lepus europaeus	-	-	-	-	-	-	-
ჩვეულებრივი თხუნელა	Talpa europaea	-	-	-	-	-	-	-

There were several species of Flora identified on the mentioned location, please see below the list of table:

Species	Familia	Georgian Name	English Name	Number of trees
Torylis japonica	Apiaceae	ძაღლის ბირკა იაპონური	Erect hedgeparsley	-
Daucus carota	Apiaceae	ფერისცვალა	Wild carrot	-
Eryngium campestre	Apiaceae	ნარი	Field eryngo	-
Erigeron annuus	Asteraceae	ერთწლიანი ერიგერონი	Annual fleabane	-
Artemisia vulgaris	Asteraceae	მამულა	Common wormwood	-
Ambrosia artemisifolia	Asteraceae	ამბროზია	Common ragweed	-
Cirsium vulgare	Asteraceae	ნარი ჩვეულებრივი	Spear thistle	-
Crepis rhoedifolia	Asteraceae	კიჭკიჭა	Stinking hawksbeard	-
Cichorium intibus	Asteraceae	ვარდკაჭკაჭა	Common chicory	-

Lactuca seriola	Asteraceae	ღორის ქადა	Prickly lettuce	-
Sonchus oleraceus	Asteraceae	ღიჭა	Common sowthistle	-
Erigeron canadensis	Asteraceae	ცხენისკუდა	Canadian horseweed	-
Xanthium strumarium	Asteraceae	ღორის ზირკა	Rough cocklebur	-
Arctium lappa	Asteraceae	ოროვანდი	Greater burdock	-
Tagetes minuta	Asteraceae	ხავერდა	Muster John Henry	-
Anthemis euxina	Asteraceae	ირაგა ეუქსინური	Cota tinctoria	-
Bidens tripartita	Asteraceae	ორკბილა	three-lobe beggarticks	-
Leontodon danubialis	Asteraceae	ლომისკბილა	Hawkbits	-
Amaranthus albus	Amaranthus albus	ჯიჯლაყა თეთრი	Common tumbleweed	-
Chenopodium album	Chenopodiaceae	ნაცარქათამა	Lamb's quarters	-
Chenopodium ambrosioides	Chenopodiaceae	მექსიკური ჩაი	Wormseed	-
Lepidium texanum	Cruciferae	წიწმატი ველური	Peppergrass	-
Lepidium sativum	Cruciferae	წიწმატი ტყის	Garden cress	-
Raphanus maritimus	Cruciferae	ზღვის ბოლოკი	Wild radish	-
Cyperus badius	Cruciferae	წამალწვრილი	Coco-grass	-
Luzula multiflora	Juncaceae	ისლურა	Common woodrush	-
Equisetum ramosissimum	Equisetaceae	შვიტა	Branched horsetail	-
Lotus corniculatus	Fabaceae	კურდღლისფრჩხილა	Common bird's-foot trefoil	-
Lespedeza striata	Fabaceae	იაპონური სამყურა	Japanese clover	-
Trifolium campestre	Fabaceae	სამყურა ველის	Hop trefoil	-
Trifolium arvense	Fabaceae	ბურტყელა სამყურა	Hare's-foot clover	-
Trifolium pratense	Fabaceae	წითელი სამყურა	Red clover	-
Prunella vulgaris	Lamiaceae	გობისცხვირა	Common self-heal	-
Mentha pulegium	Lamiaceae	ომბალო	Peppergrass	-
Lythrum salicaria	Lythraceae	ცოცხმაგარა	Purple loosestrife	-
Malva neglecta	Malvaceae	ბაღბა	Common mallow	-
Ficus carica	Moraceae	ლეღვი	Common fig	2 trees
Morus alba	Moraceae	თეთრი თუთა	White mulberry	2 trees
Oxalis corniculata	Moraceae	მჟაველა	Creeping woodsorrel	-
Phytolacca americana	Phytolaccaceae	ჭიაფერა	American pokeweed	-
Plantago lanceolata	Plantaginaceae	ლანცეტა მრავალმარღვა	English plantain	-
Plantago major	Plantaginaceae	მრავალმარღვა	Broadleaf plantain	-
Setaria glauca	Poaceae	ყვითელი ძურწა	Pearl millet	-
Sporobolus fertilis	Poaceae	სპორობოლუსი ინდური	Dropseeds	-
Poa annua	Poaceae	ერთწლოვანი თივაქსრა	Annual meadow grass	-
Digitaria violascens	Poaceae	მწყერფეხა	Finger-grass	-
Echinochloa crusgali	Poaceae	ბურჩხა	Barnyard grass	-
Cynodon dactylon	Poaceae	გლერტა	Vilfa stellata	-
Sieglingia decumbens	Poaceae	სიგლინგია	Heath grass	-
Eleusine indica	Poaceae	ინდური ელეუზინა	Indian goosegrass	-
Paspalum dilatatum	Poaceae	ფართო წიწიბურა	Dallisgrass	-

Polygonum nodosum	Polygonaceae	ვიწროფოთოლა წალიკა	Pale persicaria	-
Polygonum persicaria	Polygonaceae	ზოსტნის წალიკა	Lady's thumb	-
Polygonum perfoliatum	Polygonaceae	გაჩვრეტილფოთოლა წალიკა	Mile-a-minute weed	-
Polygonum convolvulus	Polygonaceae	ყანის ჭლექი	Black-bindweed	-
Rumex obtusifolius	Polygonaceae	მყავუნა ზლაგვეფოთოლა	Bitter dock	-
Rumex acetosella	Polygonaceae	კოკომევა	Sheep's sorrel	-
Portulaca oleracea	Portulacaceae	დანდური	Common purslane	-
Salix alba	Salicaceae	წნორი	White willow	2 trees
Verbascum blattaria	Scrophulariaceae	გულსოსანა	Moth mullein	-
Rhus javanica	Anacardiaceae	იაპონური თუთუზი	Nutgall tree	-
Datura stramonium	Anacardiaceae	ლემა	Jimsonweed	-
Physalis ixocarpa	Solanaceae	ონტკოფა	Tomatillo	-
Solanum nigrum	Solanaceae	ძალყურძენა	European black nightshade	-
Verbena officinalis	Verbenaceae	ცოცხანა	Common vervain	-
Verbena brasiliensis	Verbenaceae	ბრაზილიური ცოცხანა	Brazilian vervain	-

Conclusion: To date no impacts caused by working activities have been observed on flora in the proximity of the working areas.

Nowadays, no one from these identified existing species aren't doing the breeding and nestling near the project working areas. In case of any breeding and nestling period all construction works will be stopped, which may have any potential impact on them and their locations will be marked and protected.

Note:

Species indicated with * sign in above table belong to IUCN Red List (VU /IUCN near threatened).

Prepared by: Jimsher Mamuchadze





Signature: 

Prepared by: Nino Memiadze

Signature: 

9 PHOTOS

1 – Waste segregation	2 – Concrete washout pit
	
3 – Daily toolbox talks	4 – Municipal waste truck take waste on weekly bases
	
5 – Proper PPE	6 – Firefighting in compliance as per standards
	
7 – Watering the access roads regularly	8 – GRM stakeholder meeting regarding opening the beach during the summer season
	

9 – Back filling the trench with topsoil	10 – Boulevard installation is in progress
	
11 – Installed proper signs and provided lifeguards on the opened beach (750m)	12 – Rescue scooter protected the opened beach
	
13 – Noise monitoring tests provided on monthly bases	14 – Water turbidity monitoring tests provided on monthly bases
